Index to Volume 53

ABRAMS SR, *see* SCHMITZ N.
ADAM B, *see* FRAK E.
ADAMS SR, *see* ANDREWS J.
AHARONI A, O'CONNELL AP. Gene expression analysis of strawberry achene and receptacle maturation using DNA microarrays 2073
AHN SJ, SIVAGURU M, CHUNG GC, RENGEL Z, MATSUMOTO H. Aluminium-induced growth inhibition is associated with impaired efflux and influx of H^+ across the plasma membrane in root apices of squash (*Cucurbita pepo*) 1959
AKIHAMA T, *see* KOMATSU A.
ALEXANDER L, GRIERSON D. Ethylene biosynthesis and action in tomato: a model for climatic fruit ripening 2039
ALLEN GC, *see* LOVE J.
ALLISON JCS, *see* PAMMENTER NW.
ALSCHER RG, ERTURK N, HEATH LS. Role of superoxide dismutases (SODs) in controlling oxidative stress in plants 1331
ALTMANN T, *see* BRANDT S.
AMBID C, *see* FLORES F.
AMIR R, *see* GUENOUNE D.
ANASTASSOPOULOS E, PANOPOULOS NJ. *In vitro* freezing in microtitre plates applied to tobacco plants transformed with the *inaZ* gene of *Pseudomonas syringae* 1887
ANDREU F, *see* PAPON N.
ANDREWS J, ADAMS SR, BURTON KS, EDMONDSON RN. Partial purification of tomato fruit peroxidase and its effect on the mechanical properties of tomato fruit skin 2393
ANDREWS J, ADAMS SR, BURTON KS, EVERED CE. Subcellular localization of peroxidase in tomato fruit skin and the possible implications for the regulation of fruit growth 2185
ANTELO M, *see* FERROL N.
APARICIO PJ, *see* MORA C.
APOSTOLAKOS P, *see* KOMIS G.
ARCE D, *see* ZANETTI ME.
ARNDT SK, *see* CLIFFORD SC.
ARNDT SK, *see* WANEK W.
ASAMI T, *see* KUROHA T.
ASAMI T, *see* MIYAZAWA Y.
ASCH F, *see* BAHRUN A.
ASP H, *see* LARSSON EH.
ASSEMAT L, *see* BEGNA SH.
ASTHIR B, DUFFUS CM, SMITH RC, SPOOR W. Diamine oxidase is involved in H_2O_2 production in the chalazal cells during barley grain filling 677
ATKIN OK, *see* SCHEURWATER I.
AVICE J-C, *see* JUSTES E.
AVILA C, *see* SUÁREZ MF.
AZCÓN-AGUILAR C, *see* FERROL N.
AZCÓN-AGUILAR C, *see* POZO MJ.
BADANI H, *see* GUENOUNE D.
BAHRUN A, JENSEN CR, ASCH F, MOGENSEN VO. Drought-induced changes in xylem pH, ionic composition and ABA concentration act as early signals in field-grown maize (*Zea mays* L.) 251
BAI Y, SOULEIMANOV A, SMITH DL. An inducible activator produced by a *Serratia proteamaculans* strain and its soybean growth-promoting activity under greenhouse conditions 1495
BAIER M, *see* DIETZ KJ.
BAILEY PHJ, CURREY JD, FITTER AH. The role of root system architecture and root hairs in promoting anchorage against uprooting forces in *Allium cepa* and root mutants of *Arabidopsis thaliana* 333
BAILLIEUL F, *see* BÉZIER A.
BAKER NR, *see* FRYER MJ.
BALDISSEROTTO C, *see* PANCALDI S.
BALE JS, *see* DOERING-SAAD C.
BANCAL P, SOLTANI F. Source–sink partitioning. Do we need Münch? 1919
BAREA JM, *see* POZO MJ.
BARENDSE GW, *see* VAN DEN HEUVEL KJ.
BARINOVA I, ZHEXEMBEKOVA M, BARSOVA E, LUKYANOV S, HEBERLE-BORS E, TOURAEV A. *Antirrhinum majus* microspore maturation and transient transformation *in vitro* 1119
BARKER TC, *see* BRUCE WB.
BARROSO JB, *see* DEL RIO LA.
BARSOVA E, *see* BARINOVA I.
BATTEY NH. Plant culture: thirteen seasonal pieces 2289
BEGNA SH, DWYER LM, CLOUTIER D, ASSEMAT L, DITOMMASO A, ZHOU X, PRITHIVIRAJ B, SMITH DL. Decoupling of light intensity effects on the growth and development of C_3 and C_4 weed species through sucrose supplementation 1935
BELIMOV AA, *see* RIVERA-BECERRIL F.
BELLIGNI V, *see* FATH A.
BENSCHOP JJ, *see* PEETERS AJM.
BERGER A, *see* TREGEAR JW.
BERNE A, *see* BONELLO J-F.
BETHKE P, *see* FATH A.
BÉZIER A, LAMBERT B, BAILLIEUL F. Cloning of a grapevine *Botrytis*-responsive gene that has homology to the tobacco hypersensitivity-related hsr203J 2279
BINDSCHEDLER LV, *see* BOLWELL GP.
BISCHOF K, PERALTA G, KRÄBS G, VAN DE POLL WH, PÉREZ-LLORÉNS JL, BREEMAN AM. Effects of solar UV-B radiation on canopy structure of *Ulva* communities from southern Spain 2411
BITONTI MB, COZZA R, CHIAPPETTA A, GIANNINO D, CASTIGLIONE MR, DEWITTE W, MARIOTTI D, VAN ONCKELEN H, INNOCENTI AM. Distinct nuclear organization, DNA methylation pattern and cytokinin distribution mark juvenile, juvenile-like and adult vegetative apical meristems in peach (*Prunus persica* [L.] Batsch) 1047
BLACK CR, *see* LAWSON T.
BLACK CR, *see* ROBERTS JA.
BLANC G, LARDET L, MARTIN A, JACOB JL, CARRON MP. Differential carbohydrate metabolism conducts morphogenesis in embryogenic callus of *Hevea brasiliensis* (Müll. Arg.) 1453
BLANCO-PORTALES R, MEDINA-ESCOBAR N, LÓPEZ-RÁEZ JA, GONZÁLEZ-REYES JA, VILLALBA JM, MOYANO E, CABALLERO JL, MUÑOZ-BLANCO J. Cloning, expression and immunolocalization pattern of a cinnamyl alcohol dehydrogenase gene from strawberry (*Fragaria* × ananassa cv. Chandler) 1723
BLEE KA, *see* BOLWELL GP.
BLEEKER PM, *see* SCHAT H.
BOLWELL GP, BINDSCHEDLER LV, BLEE KA, BUTT VS, DAVIES DR, GARDNER SL, GERRISH C, MINIBAYEVA F. The apoplastic oxidative burst in response to biotic stress in plants: a three component system 1367

Index to Volume 53

ABRAMS SR, *see* SCHMITZ N.
ADAM B, *see* FRAK E.
ADAMS SR, *see* ANDREWS J.
AHARONI A, O'CONNELL AP. Gene expression analysis of strawberry achene and receptacle maturation using DNA microarrays 2073
AHN SJ, SIVAGURU M, CHUNG GC, RENGEL Z, MATSUMOTO H. Aluminium-induced growth inhibition is associated with impaired efflux and influx of H^+ across the plasma membrane in root apices of squash (*Cucurbita pepo*) 1959
AKIHAMA T, *see* KOMATSU A.
ALEXANDER L, GRIERSON D. Ethylene biosynthesis and action in tomato: a model for climatic fruit ripening 2039
ALLEN GC, *see* LOVE J.
ALLISON JCS, *see* PAMMENTER NW.
ALSCHER RG, ERTURK N, HEATH LS. Role of superoxide dismutases (SODs) in controlling oxidative stress in plants 1331
ALTMANN T, *see* BRANDT S.
AMBID C, *see* FLORES F.
AMIR R, *see* GUENOUNE D.
ANASTASSOPOULOS E, PANOPOULOS NJ. *In vitro* freezing in microtitre plates applied to tobacco plants transformed with the *inaZ* gene of *Pseudomonas syringae* 1887
ANDREU F, *see* PAPON N.
ANDREWS J, ADAMS SR, BURTON KS, EDMONDSON RN. Partial purification of tomato fruit peroxidase and its effect on the mechanical properties of tomato fruit skin 2393
ANDREWS J, ADAMS SR, BURTON KS, EVERED CE. Subcellular localization of peroxidase in tomato fruit skin and the possible implications for the regulation of fruit growth 2185
ANTELO M, *see* FERROL N.
APARICIO PJ, *see* MORA C.
APOSTOLAKOS P, *see* KOMIS G.
ARCE D, *see* ZANETTI ME.
ARNDT SK, *see* CLIFFORD SC.
ARNDT SK, *see* WANEK W.
ASAMI T, *see* KUROHA T.
ASAMI T, *see* MIYAZAWA Y.
ASCH F, *see* BAHRUN A.
ASP H, *see* LARSSON EH.
ASSEMAT L, *see* BEGNA SH.
ASTHIR B, DUFFUS CM, SMITH RC, SPOOR W. Diamine oxidase is involved in H_2O_2 production in the chalazal cells during barley grain filling 677
ATKIN OK, *see* SCHEURWATER I.
AVICE J-C, *see* JUSTES E.
AVILA C, *see* SUÁREZ MF.
AZCÓN-AGUILAR C, *see* FERROL N.
AZCÓN-AGUILAR C, *see* POZO MJ.
BADANI H, *see* GUENOUNE D.
BAHRUN A, JENSEN CR, ASCH F, MOGENSEN VO. Drought-induced changes in xylem pH, ionic composition and ABA concentration act as early signals in field-grown maize (*Zea mays* L.) 251
BAI Y, SOULEIMANOV A, SMITH DL. An inducible activator produced by a *Serratia proteamaculans* strain and its soybean growth-promoting activity under greenhouse conditions 1495
BAIER M, *see* DIETZ KJ.
BAILEY PHJ, CURREY JD, FITTER AH. The role of root system architecture and root hairs in promoting anchorage against uprooting forces in *Allium cepa* and root mutants of *Arabidopsis thaliana* 333
BAILLIEUL F, *see* BÉZIER A.
BAKER NR, *see* FRYER MJ.
BALDISSEROTTO C, *see* PANCALDI S.
BALE JS, *see* DOERING-SAAD C.
BANCAL P, SOLTANI F. Source–sink partitioning. Do we need Münch? 1919
BAREA JM, *see* POZO MJ.
BARENDSE GW, *see* VAN DEN HEUVEL KJ.
BARINOVA I, ZHEXEMBEKOVA M, BARSOVA E, LUKYANOV S, HEBERLE-BORS E, TOURAEV A. *Antirrhinum majus* microspore maturation and transient transformation *in vitro* 1119
BARKER TC, *see* BRUCE WB.
BARROSO JB, *see* DEL RIO LA.
BARSOVA E, *see* BARINOVA I.
BATTEY NH. Plant culture: thirteen seasonal pieces 2289
BEGNA SH, DWYER LM, CLOUTIER D, ASSEMAT L, DITOMMASO A, ZHOU X, PRITHIVIRAJ B, SMITH DL. Decoupling of light intensity effects on the growth and development of C_3 and C_4 weed species through sucrose supplementation 1935
BELIMOV AA, *see* RIVERA-BECERRIL F.
BELLIGNI V, *see* FATH A.
BENSCHOP JJ, *see* PEETERS AJM.
BERGER A, *see* TREGEAR JW.
BERNE A, *see* BONELLO J-F.
BETHKE P, *see* FATH A.
BÉZIER A, LAMBERT B, BAILLIEUL F. Cloning of a grapevine *Botrytis*-responsive gene that has homology to the tobacco hypersensitivity-related hsr203J 2279
BINDSCHEDLER LV, *see* BOLWELL GP.
BISCHOF K, PERALTA G, KRÄBS G, VAN DE POLL WH, PÉREZ-LLORÉNS JL, BREEMAN AM. Effects of solar UV-B radiation on canopy structure of *Ulva* communities from southern Spain 2411
BITONTI MB, COZZA R, CHIAPPETTA A, GIANNINO D, CASTIGLIONE MR, DEWITTE W, MARIOTTI D, VAN ONCKELEN H, INNOCENTI AM. Distinct nuclear organization, DNA methylation pattern and cytokinin distribution mark juvenile, juvenile-like and adult vegetative apical meristems in peach (*Prunus persica* [L.] Batsch) 1047
BLACK CR, *see* LAWSON T.
BLACK CR, *see* ROBERTS JA.
BLANC G, LARDET L, MARTIN A, JACOB JL, CARRON MP. Differential carbohydrate metabolism conducts morphogenesis in embryogenic callus of *Hevea brasiliensis* (Müll. Arg.) 1453
BLANCO-PORTALES R, MEDINA-ESCOBAR N, LÓPEZ-RÁEZ JA, GONZÁLEZ-REYES JA, VILLALBA JM, MOYANO E, CABALLERO JL, MUÑOZ-BLANCO J. Cloning, expression and immunolocalization pattern of a cinnamyl alcohol dehydrogenase gene from strawberry (*Fragaria* × ananassa cv. Chandler) 1723
BLEE KA, *see* BOLWELL GP.
BLEEKER PM, *see* SCHAT H.
BOLWELL GP, BINDSCHEDLER LV, BLEE KA, BUTT VS, DAVIES DR, GARDNER SL, GERRISH C, MINIBAYEVA F. The apoplastic oxidative burst in response to biotic stress in plants: a three component system 1367

BONELLO J-F, SEVILLA-LECOQ S, BERNE A, RISUEÑO M-C, DUMAS C, ROGOWSKY PM. Esr proteins are secreted by the cells of the embryo surrounding region 1559

BONGHI C, *see* RASORI A.

BONORA A, *see* PANCALDI S.

BOREL C, SIMONNEAU T. Is the ABA concentration in the sap collected by pressurizing leaves relevant for analysing drought effects on stomata? Evidence from ABA-fed leaves of transgenic plants with modified capacities to synthesize ABA 287

BORISJUK L, *see* ROLLETSCHEK H.

BORLAND AM, *see* DODD AN.

BORNMAN JF, *see* LARSSON EH.

BORSICS T, LADOS M. Dodder infection induces the expression of a pathogenesis-related gene of the family *PR-10* in alfalfa 1831

BOU J, *see* PEETERS AJM.

BOUZAYEN M, *see* FLORES F.

BOVY A, *see* VERHOEYEN ME.

BOWLEY S, *see* SAMIS K.

BOYER JS, *see* TANG A-C.

BRADFORD KJ, *see* CHEN F.

BRAMLEY PM. Regulation of carotenoid formation during tomato fruit development and ripening 2107

BRANDT S, KLOSKA S, ALTMANN T, KEHR J. Using array hybridization to monitor gene expression at the single cell level 2315

BRAUN R, *see* HARTWIG UA.

BRAY CM, *see* WATERWORTH WM.

BREEMAN AM, *see* BISCHOF K.

BRITTO DT, *see* GLASS ADM.

BRIX H, DYHR-JENSEN K, LORENZEN B. Root-zone acidity and nitrogen source affects *Typha latifolia* L. growth and uptake kinetics of ammonium and nitrate 2441

BRUCE WB, EDMEADES GO, BARKER TC. Molecular and physiological approaches to maize improvement for drought tolerance (Review article) 13

BRUNEL N, LEDUC N, POUPARD P, SIMONEAU P, MAUGET J-C, VIÉMONT J-D. *KNAP2*, a class I *KN1*-like gene is a negative marker of bud growth potential in apple trees (*Malus domestica* [L.] Borkh.) 2143

BRYANT JA, *see* QUÉLO A-H.

BRYCE JH, *see* RANFORD JC.

BÜCKING H, KUHN AJ, SCHRÖDER WH, HEYSER W. The fungal sheath of ectomycorrhizal pine roots: an apoplastic barrier for the entry of calcium, magnesium, and potassium into the root cortex? 1659

BUGHIO N, YAMAGUCHI H, NISHIZAWA NK, NAKANISHI H, MORI S. Cloning an iron-regulated metal transporter from rice 1677

BURDACH Z, *see* KARCZ W.

BURET M, *see* CAUSSE M.

BURLEIGH SH, CAVAGNARO T, JAKOBSEN I. Functional diversity of arbuscular mycorrhizas extends to the expression of plant genes involved in P nutrition 1593

BURTON KS, *see* ANDREWS J.

BUTT VS, *see* BOLWELL GP.

CABALLERO JL, *see* BLANCO-PORTALES R.

CAIRNS JE, *see* PRICE AH.

CALANTZIS C, *see* RIVERA-BECERRIL F.

CÁNOVAS FM, *see* SUÁREZ MF.

CANTER P, *see* THOMAS H.

CANTÓN FR, *see* SUÁREZ MF.

CARILLO P, *see* STITT M.

CARRÉ IA, Kim J-Y. MYB transcription factors in the *Arabidopsis* circadian clock (Review article) 1551

CARRON MP, *see* BLANC G.

CASALONGUÉ C, *see* ZANETTI ME.

CASTIGLIONE MR, *see* BITONTI MB.

CATTIVELLI L, *see* RUPERTI B.

CAUSSANEL J-P, *see* RIVERA-BECERRIL F.

CAUSSE M, SALIBA-COLOMBANI V, LECOMTE L, DUFFÉ P, ROUSSELLE P, BURET M. QTL analysis of fruit quality in fresh market tomato: a few chromosome regions control the variation of sensory and instrumental traits 2089

CAVAGNARO T, *see* BURLEIGH SH.

CHANASUT U, *see* WAGSTAFF C.

CHAUVIN J-E, *see* DJENNANE S.

CHAVES MM, *see* JONES HG.

CHEAH SC, *see* TREGEAR JW.

CHEN F, NONOGAKI H, BRADFORD KJ. A gibberellin-regulated xyloglucan endotransglycosylase gene is expressed in the endosperm cap during tomato seed germination 215

CHEN L-S, LIN Q, NOSE A. A comparative study on diurnal changes in metabolite levels in the leaves of three crassulacean acid metabolism (CAM) species, *Ananas comosus*, *Kalanchoë daigremontiana* and *K. pinnata* 341

CHEN X, KANOKPORN T, ZENG Q, WILKINS TA, WOOD AJ. Characterization of the V-type $H^{(+)}$-ATPase in the resurrection plant *Tortula ruralis*: accumulation and polysomal recruitment of the proteolipid c subunit in response to salt-stress 225

CHEN X, *see* ZENG Q.

CHIAPPETTA A, *see* BITONTI MB.

CHIERA J, THOMAS J, RUFTY T. Leaf initiation and development in soybean under phosporus stress 473

CHOI D, *see* KIM Y-C.

CHOVANEC P, *see* NOVÁK K.

CHRIQUI D, *see* GUIVARC'H A.

CHUNG GC, *see* AHN SJ.

CHUNG GC, *see* LEE SH.

CHUNG W-I, *see* HONG S-H.

CLARKE A, *see* NEILL SJ.

CLASTRE M, *see* PAPON N.

CLIFFORD SC, ARNDT SK, POPP M, JONES HG. Mucilages and polysaccharides in *Ziziphus* species (Rhamnaceae): localization, composition and physiological roles during drought stress 131

CLOUTIER D, *see* BEGNA SH.

COLLINS G, *see* VERHOEYEN ME.

COLLIVER S, *see* VERHOEYEN ME.

COLLS JJ, *see* LAWSON T.

COLOVA-TSOLOVA V, *see* GOLLOP R.

COMSTOCK JP. Hydraulic and chemical signalling in the control of stomatal conductance and transpiration 195

COOPER K, FARRANT JM. Recovery of the resurrection plant *Craterostigma wilmsii* from desiccation: protection versus repair 1805

CORDIER C, *see* POZO MJ.

CORPAS FJ, *see* DEL RIO LA.

CORSI M, *see* SANTOS PM.

COUÉE I, *see* HUMMEL I.

COURSOL S, PIERRE J-N, VIDAL J, GRISVARD J. Cloning and characterization of a phospholipase C from the C_4 plant *Digitaria sanguinalis* 1521

COVIELLA CE, STIPANOVIC RD, TRUMBLE JT. Plant allocation to defensive compounds: interactions between elevated CO_2 and nitrogen in transgenic cotton plants 323

COWLEY T, *see* WALTERS D.

COX MCH, *see* PEETERS AJM.

COZZA R, *see* BITONTI MB.

CRAIGON J, *see* LAWSON T.

CRAWFORD NM, *see* GUO F-Q.
CRÈCHE J, *see* PAPON N.
CURREY JD, *see* BAILEY PHJ.
DAIß A, *see* RIEDERER M.
DALLA VECCHIA F, *see* DI BACCIO D.
DANIEL-VEDELE F, *see* ORSEL M.
DAVIES DR, *see* BOLWELL GP.
DE BILLERBECK G, *see* FLORES F.
DE SOUSA C, *see* JONES HG.
DE VOS CHR, *see* VERHOEYEN ME.
DEGUCHI M, *see* MATSUSHITA Y.
DEHON L, MACHEIX JJ, DURAND M. Involvement of peroxidases in the formation of the brown coloration of heartwood in *Juglans nigra* 303
DEIGHTON N, *see* MUCKENSCHNABEL I.
DEL HIERRO AM, KRONBERGER W, HIETZ P, OFFENTHALER I, RICHTER H. A new method to determine the oxygen concentration inside the sapwood of trees 559
DEL RIO LA, CORPAS FJ, SANDALIO LM, PALMA JM, GÓMEZ M, BARROSO JB. Reactive oxygen species, antioxidant systems and nitric oxide in peroxisomes 1255
DESIKAN R, *see* NEILL SJ.
DEVLIN PF. Signs of the time: environmental input to the circadian clock (Review article) 1535
DEWITTE W, *see* BITONTI MB.
DI BACCIO D, QUARTACCI MF, DALLA VECCHIA F, LA ROCCA N, RASCIO N, NAVARI-IZZO F. Bleaching herbicide effects on plastids of dark-grown plants: lipid composition of etioplasts in amitrole and norflurazon-treated barley leaves 1857
DICKE M, *see* VAN POECKE RMP.
DIETRICH MA, *see* PARKS GE.
DIETZ KJ, HORLING F, KÖNIG J, BAIER M. The function of the chloroplast 2-cysteine peroxiredoxin in peroxide detoxification and its regulation 1321
DIGBY J, FIRN RD. Light modulation of the gravitropic set-point angle (GSA) 377
DITOMMASO A, *see* BEGNA SH.
DJENNANE S, CHAUVIN J-E, MEYER C. Glasshouse behaviour of eight transgenic potato clones with a modified nitrate reductase expression under two fertilization regimes 1037
DOCK C, *see* KLOOS DU.
DODD AN, BORLAND AM, HASLAM RP, GRIFFITHS H, MAXWELL K. Crassulacean acid metabolism: plastic, fantastic (Review article) 569
DODD IC, MUNNS R, PASSIOURA JB. Does shoot water status limit leaf expansion of nitrogen-deprived barley? 1765
DOERING-SAAD C, NEWBURY HJ, BALE JS, PRITCHARD J. Use of aphid stylectomy and RT-PCR for the detection of transporter mRNAs in sieve elements 631
DOIREAU P, *see* SIBÉRIL Y.
DOMEC J-C, GARTNER BL. How do water transport and water storage differ in coniferous earlywood and latewood? 2369
DOMÍNGUEZ-PUIGJANER E, *see* LLOP-TOUS I.
DONNISON I, *see* THOMAS H.
DREYER E, *see* FRAK E.
DRISCOLL SP, *see* TEZARA W.
DRØBAK BK, *see* HERAS B.
DUFFÉ P, *see* CAUSSE M.
DUFFUS CM, *see* ASTHIR B.
DUMAS C, *see* BONELLO J-F.
DUMAS-GAUDOT E, *see* POZO MJ.
DURAND M, *see* DEHON L.
DUVAL Y, *see* TREGEAR JW.
DWYER LM, *see* BEGNA SH.
DYHR-JENSEN K, *see* BRIX H.
EDELMANN HG, GUDI G, KÜHNEMANN F. The gravitropic setpoint angle of dark-grown rye seedlings and the role of ethylene 1627
EDELMANN HG. Ethylene perception generates gravicompetence in gravi-incompetent leaves of rye seedlings 1825
EDMEADES GO, *see* BRUCE WB.
EDMONDSON RN, *see* ANDREWS J.
EL AMRANI A, *see* HUMMEL I.
EL YAHYAOUI F, *see* FLORES F.
ELLIS RP, FORSTER BP, GORDON DC, HANDLEY LL, KEITH RP, LAWRENCE P, MEYER R, POWELL W, ROBINSON D, SCRIMGEOUR CM, YOUNG G, THOMAS WTB. Phenotype/genotype associations for yield and salt tolerance in a barley mapping population segregating for two dwarfing genes 1163
ENGELBRECHT BMJ, *see* TYREE MT.
ENGELS C, *see* KRUSE J.
ENNOS AR, *see* LANCASHIRE JR.
ERIKSSON EM, *see* SEYMOUR GB.
ERTURK N, *see* ALSCHER RG.
ESCUIT C, *see* FRAK E.
EVEN S, *see* GOLLOP R.
EVERED CE, *see* ANDREWS J.
EZURA H, *see* TAKAHASHI H.
FAJKUS J, *see* FOJTOVÁ M.
FARRANT JM, *see* COOPER K.
FARRAR JF, *see* MINCHIN PEH.
FASULO MP, *see* PANCALDI S.
FATH A, BETHKE P, BELLIGNI V, JONES RL. Active oxygen and cell death in cereal aleurone cells 1273
FAURE-RABASSE S, LE DEUNFF E, LAINÉ P, MACDUFF JH, OURRY A. Effects of nitrate pulses on *BnNRT1* and *BnNRT2* genes: mRNA levels and nitrate influx rates in relation to the duration of N deprivation in *Brassica napus* L. 1711
FAUROBERT M, *see* GOMEZ L.
FELLE HH, HANSTEIN S. The apoplastic pH of the substomatal cavity of *Vicia faba* leaves and its regulation responding to different stress factors 73
FELLER U, *see* HÖRTENSTEINER S.
FERNÁNDEZ E, *see* GALVÁN A.
FERRÁNDIZ C. Regulation of fruit dehiscence in *Arabidopsis* 2031
FERROL N, POZO MJ, ANTELO M, AZCÓN-AGUILAR C. Arbuscular mycorrhizal symbiosis regulates plasma membrane H^+-ATPase gene expression in tomato plants 1683
FERRONI L, *see* PANCALDI S.
FILLEUR S, *see* ORSEL M.
FIRN RD, *see* DIGBY J.
FITTER AH, *see* BAILEY PHJ.
FLORES F, EL YAHYAOUI F, DE BILLERBECK G, ROMOJARO F, LATCHÉ A, BOUZAYEN M, PECH J-C, AMBID C. Role of ethylene in the biosynthetic pathway of aliphatic ester aroma volatiles in Charentais Cantaloupe melons 201
FLÜGGE U-I, *see* WEBER A.
FOJTOVÁ M, FULNECKOVÁ J, FAJKUS J, KOVARÍK A. Recovery of tobacco cells from cadmium stress is accompanied by DNA repair and increased telomerase activity 2151
FORDE BG. The role of long-distance signalling in plant responses to nitrate and other nutrients 39
FORSTER BP, *see* ELLIS RP.
FOYER CH, *see* NOCTOR G.
FRACHEBOUD Y, RIBAUT J-M, VARGAS M, MESSMER R, STAMP P. Identification of quantitative trait loci for cold-tolerance of photosynthesis in maize (*Zea mays* L.) 1967
FRAISIER V, *see* ORSEL M.
FRAK E, LE ROUX X, MILLARD P, ADAM B, DREYER E, ESCUIT C, SINOQUET H, VANDAME M, VARLET-GRANCHER C.

Spatial distribution of leaf nitrogen and photosynthetic capacity within the foliage of individual trees: disentangling the effects of local light quality, leaf irradiance, and transpiration 2207
FRAK E, *see* PIEL C.
FRANSSEN JM, *see* VAN KILSDONK MG.
FRAVOLINI A, WILLIAMS DG, THOMPSON TL. Carbon isotope discrimination and bundle sheath leakiness in three C_4 subtypes grown under variable nitrogen, water and atmospheric CO_2 supply 2261
FRECHILLA S, TALBOTT LD, ZEIGER E. The CO_2 response of *Vicia* guard cells acclimates to growth environment 545
FROSSARD E, *see* HARTWIG UA.
FRYER MJ, OXBOROUGH K, MULLINEAUX PM, BAKER NR. Imaging of photo-oxidative stress responses in leaves 1249
FUHRER J, *see* HERRMANN B.
FULNECKOVÁ J, *see* FOJTOVÁ M.
FUNADA R, *see* KITIN P.
GABERSCIK A, *see* KREFT S.
GALATIS B, *see* KOMIS G.
GALILI G, *see* YAO Y.
GALILI S, *see* GUENOUNE D.
GALLARDO F, *see* SUÁREZ MF.
GALVÁN A, REXACH J, MARISCAL V, FERNÁNDEZ E. Nitrite transport to the chloroplast in *Chlamydomonas reinhardtii*: molecular evidence for a regulated process 845
GAN S, *see* WANG E.
GANTET P, *see* PAPON N.
GANTET P, *see* SIBÉRIL Y.
GARCÍA-GARRIDO JM, OCAMPO JA. Regulation of the plant defence response in arbuscular mycorrhizal symbiosis (Review article) 1377
GARCÍA-GUTIÉRREZ A, *see* SUÁREZ MF.
GARDNER SL, *see* BOLWELL GP.
GARTNER BL, *see* DOMEC J-C.
GASTAL F, LEMAIRE G. N uptake and distribution in crops: an agronomical and ecophysiological perspective 789
GATZ C, *see* LOVE J.
GAU M, *see* IVASHUTA S.
GAUDILLÈRE J-P, VAN LEEUWEN C, OLLAT N. Carbon isotope composition of sugars in grapevine, an integrated indicator of vineyard water status 757
GEIGER DR, *see* SERVAITES JC.
GÉNARD M, *see* QUILOT B.
GENTY B, *see* PIEL C.
GERENTES D, *see* JEANNEAU M.
GERRISH C, *see* BOLWELL GP.
GIANINAZZI S, *see* POZO MJ.
GIANINAZZI S, *see* RIVERA-BECERRIL F.
GIANINAZZI-PEARSON V, *see* RIVERA-BECERRIL F.
GIANNINO D, *see* BITONTI MB.
GIBON Y, *see* STITT M.
GILBERT N, *see* RIEDERER M.
GIOVANNONI J, *see* MOORE S.
GLASS ADM, BRITTO DT, KAISER BN, KINGHORN JR, KRONZUCKER HJ, KUMAR A, OKAMOTO M, RAWAT S, SIDDIQI MY, UNKLES SE, VIDMAR JJ. The regulation of nitrate and ammonium transport systems in plants 855
GLISIĆ O, *see* QUARTACCI MF.
GODOY AV, *see* ZANETTI ME.
GOETZ M, *see* GUIVARC'H A.
GOH CJ, *see* YANG SH.
GOLLOP R, EVEN S, COLOVA-TSOLOVA V, PERL A. Expression of the grape dihydroflavonol reductase gene and analysis of its promoter region 1397
GOMEZ L, FAUROBERT M. Contribution of vegetative storage proteins to seasonal nitrogen variations in the young shoots of peach trees (*Prunus persica* L. Batsch) 2431
GOMEZ L, *see* NOCTOR G.
GÓMEZ M, *see* DEL RIO LA.
GONZALEZ-MELER MA, *see* MILLENAAR FF.
GONZÁLEZ-REYES JA, *see* BLANCO-PORTALES R.
GONZALO CLAROS M, *see* SUÁREZ MF.
GOODMAN BA, *see* MUCKENSCHNABEL I.
GORDON AJ, SKØT L, JAMES CL, MINCHIN FR. Short-term metabolic responses of soybean root nodules to nitrate 423
GORDON DC, *see* ELLIS RP.
GOULAS E, LE DILY F, SIMON J-C, OURRY A. Morphological pattern of development affects the contribution of nitrogen reserves to regrowth of defoliated white clover (*Trifolium repens* L.) 1941
GOUSSET-DUPONT A, *see* JEANNEAU M.
GRAMS TEE, THIEL S. High light-induced switch from C_3-photosynthesis to Crassulacean acid metabolism is mediated by UV-A/blue light 1475
GRANT OM, *see* JONES HG.
GREAVES AJ, *see* HENTON SM.
GREB T, SCHMITZ G, THERES K. Isolation and characterization of the *Spindly* homologue from tomato 1829
GRIERSON D, *see* ALEXANDER L.
GRIFFITHS G, *see* WAGSTAFF C.
GRIFFITHS H, *see* DODD AN.
GRIFFITHS H, *see* PRICE AH.
GRISVARD J, *see* COURSOL S.
GUDI G, *see* EDELMANN HG.
GUENOUNE D, AMIR R, BADANI H, WOLF S, GALILI S. Combined expression of S-VSPα in two different organelles enhances its accumulation and total lysine production in leaves of transgenic tobacco plants 1867
GUIAMÉT JJ, *see* LUQUEZ VM.
GUIVARC'H A, REMBUR J, GOETZ M, ROITSCH T, NOIN M, SCHMÜLLING T, CHRIQUI D. Local expression of the *ipt* gene in transgenic tobacco (*Nicotiana tabacum* L. cv. SRI) axillary buds establishes a role for cytokinins in tuberization and sink formation 621
GUO F-Q, WANG R, CRAWFORD NM. The *Arabidopsis* dual-affinity nitrate transporter gene *AtNRT1.1* (*CHL1*) is regulated by auxin in both shoots and roots 835
GUSCHINA IA, HARWOOD JL. Lipid metabolism in the moss *Rhytidiadelphus squarrosus* (Hedw.) Warnst. from lead-contaminated and non-contaminated populations 455
HABASH DZ, *see* MIFLIN BJ.
HAKMAN I, OLIVIUSSON P. High expression of putative aquaporin genes in cells with transporting and nutritive functions during seed development in Norway spruce (*Picea abies*) 639
HALFORD NG, *see* SHEWRY PR.
HALL JL. Cellular mechanisms for heavy metal detoxification and tolerance (Review article) 1
HAMON RE, *see* ZHAO F-J.
HANCOCK JT, *see* NEILL SJ.
HANDLEY LL, *see* ELLIS RP.
HANNAPEL DJ, *see* HART JK.
HÄNSCH R, *see* KRUSE J.
HÄNSCH R, *see* MENDEL RR.
HANSTEIN S, *see* FELLE HH.
HARADA T, *see* SATO T.
HART JK, HANNAPEL DJ. *In situ* hybridization of the MADS-box gene *POTM1* during potato floral development 465
HARTLEY-WHITAKER J, *see* SCHAT H.
HARTMANN C, *see* TREGEAR JW.

HARTUNG W, RATCLIFFE RG. Utilization of glycine and serine as nitrogen sources in the roots of *Zea mays* and *Chamaegigas intrepidus* 2305
HARTUNG W, SAUTER A, HOSE E. Abscisic acid in the xylem: where does it come from, where does it go to? 27
HARTUNG W, *see* PEUKE AD.
HARTUNG W, *see* SAUTER A.
HARTWIG UA, WITTMANN P, BRAUN R, HARTWIG-RÄZ B, JANSA J, MOZAFAR A, LÜSCHER A, LEUCHTMANN A, FROSSARD E, NÖSBERGER J. Arbuscular mycorrhiza infection enhances the growth response of *Lolium perenne* to elevated atmospheric pCO_2 1207
HARTWIG-RÄZ B, *see* HARTWIG UA.
HARWOOD JL, *see* GUSCHINA IA.
HASE Y, *see* TANAKA A.
HASHIBA T, *see* SHIBUYA K.
HASHIBA T, *see* SUGAWARA H.
HASLAM RP, *see* DODD AN.
HÄUSLER RE, HIRSCH H-J, KREUZALER F, PETERHÄNSEL C. Overexpression of C_4-cycle enzymes in transgenic C_3 plants: a biotechnological approach to improve C_3-photosynthesis (Review article) 591
HAWKESFORD MJ, *see* WARRILOW AGS.
HAYAKAWA T, *see* YAMAYA T.
HAYS DB, YEUNG EC, PHARIS RP. The role of gibberellins in embryo axis development 1747
HE P, *see* MA Q-H.
HE Y-W, LOH C-S. Induction of early bolting in *Arabidopsis thaliana* by triacontanol, cerium and lanthanum is correlated with increased endogenous concentration of isopentenyl adenosine (iPAdos) 505
HEATH LS, *see* ALSCHER RG.
HEBERLE-BORS E, *see* BARINOVA I.
HEHL R, *see* KLOOS DU.
HENNION F, *see* HUMMEL I.
HENTON SM, GREAVES AJ, PILLER GJ, MINCHIN PEH. Revisiting the Münch pressure-flow hypothesis for long distance transport of carbohydrates: modelling the dynamics of solute transport inside a semipermeable tube 1411
HERAS B, DRØBAK BK. PARF-1: an *Arabidopsis thaliana* FYVE-domain protein displaying a novel eukaryotic domain structure and phosphoinositide affinity 565
HERRMANN B, MATTSSON M, FUHRER J, SCHJOERRING JK. Leaf–atmosphere NH_3 exchange of white clover (*Trifolium repens* L.) in relation to mineral N nutrition and symbiotic N_2 fixation 139
HETZGER I, *see* KRUSE J.
HEYES JA, *see* O'DONOGHUE EM.
HEYSER W, *see* BÜCKING H.
HIETZ P, *see* DEL HIERRO AM.
HILL PW, RAVEN JA, SUTTON MA. Leaf age-related differences in apoplastic NH_4^+ concentration, pH and NH_3 compensation point for a wild perennial 277
HIMI E, MARES DJ, YANAGISAWA A, NODA K. Effect of grain colour gene (*R*) on grain dormancy and sensitivity of the embryo to abscisic acid (ABA) in wheat 1569
HINOHARA M, *see* IKEDA M.
HIRASAWA E, *see* YOSHIDA I.
HIRSCH H-J, *see* HÄUSLER RE.
HODGES M, *see* JEANNEAU M.
HODGES M. Enzyme redundancy and the importance of 2-oxoglutarate in plant ammonium assimilation 905
HOLBROOK NM, *see* SACK L.
HOLBROOK NM, SHASHIDHAR VR, JAMES RA, MUNNS R. Stomatal control in tomato with ABA-deficient roots: response of grafted plants to soil drying 1503
HONDA M, MURAMOTO Y, KUZUGUCHI T, SAWANO S, MACHIDA M, KOYAMA H. Determination of gene copy number and genotype of transgenic *Arabidopsis thaliana* by competitive PCR 1515
HONG S-H, KIM I-J, YANG DC, CHUNG W-I. Characterization of an abscisic acid responsive gene homologue from *Cucumis melo* 2271
HORLING F, *see* DIETZ KJ.
HÖRTENSTEINER S, FELLER U. Nitrogen metabolism and remobilization during senescence 927
HORTON P, *see* MURCHIE EH.
HORTON P, *see* PRICE AH.
HOSE E, *see* HARTUNG W.
HUBBART S, *see* MURCHIE EH.
HUGUET G, *see* PUIGDERRAJOLS P.
HUMMEL I, COUÉE I, EL AMRANI A, MARTIN-TANGUY J, HENNION F. Involvement of polyamines in root development at low temperature in the subantarctic cruciferous species *Pringlea antiscorbutica* 1463
HURST RD, *see* NEILL SJ.
HUSSAIN A, *see* ROBERTS JA.
HUSTED S, *see* SCHJOERRING JK.
IKEDA M, UMAMI K, HINOHARA M, TANIMURA Y, OHMAE A, NAKANISHI Y, MAESHIMA M. Functional expression of *Acetabularia acetabulum* vacuolar H^+-pyrophosphatase in a yeast *VMA3*-deficient strain 2273
IKEDA-IWAI M, SATOH S, KAMADA H. Establishment of a reproducible tissue culture system for the induction of *Arabidopsis* somatic embryos 1575
INNOCENTI AM, *see* BITONTI MB.
INZÉ D, *see* VRANOVÁ E.
ISHIKAWA T, *see* SHIGEOKA S.
ISHIZAWA K, *see* SATO T.
IVASHUTA S, UCHIYAMA K, GAU M, SHIMAMOTO Y. Linear amplification coupled with controlled extension as a means of probe amplification in a cDNA array and gene expression analysis during cold acclimation in alfalfa (*Medicago* sativa L.) 351
JACKSON MB. Long-distance signalling from roots to shoots assessed: the flooding story 175
JACOB JL, *see* BLANC G.
JAKOBEK JL, LINDGREN PB. Expression of a bean acid phosphatase cDNA is correlated with disease resistance 387
JAKOBSEN I, *see* BURLEIGH SH.
JAMES CL, *see* GORDON AJ.
JAMES RA, *see* HOLBROOK NM.
JANSA J, *see* HARTWIG UA.
JEANNEAU M, VIDAL J, GOUSSET-DUPONT A, LEBOUTEILLER B, HODGES M, GERENTES D, PEREZ P. Manipulating PEPC levels in plants (Review article) 1837
JENSEN CR, *see* BAHRUN A.
JESCHKE WD, *see* PEUKE AD.
JEUFFROY MH, NEY B, OURRY A. Integrated physiological and agronomic modelling of N capture and use within the plant 809
JIA W, WANG Y, ZHANG S, ZHANG J. Salt-stress-induced ABA accumulation is more sensitively triggered in roots than in shoots 2201
JIANG M, ZHANG J. Water stress-induced abscisic acid accumulation triggers the increased generation of reactive oxygen species and up-regulates the activities of antioxidant enzymes in maize leaves 2401
JIANG Q, *see* WATERWORTH WM.
JOFRÉ A, *see* PUIGDERRAJOLS P.
JOLY C, LÉONARD R, MAFTAH A, RIOU-KHAMLICHI C. α4-Fucosyltransferase is regulated during flower development:

increases in activity are targeted to pollen maturation and pollen tube elongation 1429
JONES HG, *see* CLIFFORD SC.
JONES HG, *see* PRICE AH.
JONES HG, STOLL M, SANTOS T, DE SOUSA C, CHAVES MM, GRANT OM. Use of infra-red thermography for monitoring stomatal closure in the field: application to grapevine 2249
JONES R, *see* FATH A.
JUNK DJ, MOURAD GS. Isolation and expression analysis of the isopropylmalate synthase gene family of *Arabidopsis thaliana* 2453
JUSTES E, THIÉBEAU P, AVICE J-C, LEMAIRE G, VOLENEC JJ, OURRY A. Influence of summer sowing dates, N fertilization and irrigation on autumn VSP accumulation and dynamics of spring regrowth in alfalfa (*Medicago sativa* L.) 111
KAISER BN, *see* GLASS ADM.
KAISER WM, *see* ROCKEL P.
KAISER WM, WEINER H, KANDLBINDER A, TSAI C-B, ROCKEL P, SONODA M, PLANCHET E. Modulation of nitrate reductase: some new insights, an unusual case and a potentially important side reaction 875
KAMADA H, *see* IKEDA-IWAI M.
KAMADA H, *see* KUROHA T.
KANDLBINDER A, *see* KAISER WM.
KANOKPORN T, *see* CHEN X.
KARCZ W, BURDACH Z. A comparison of the effects of IAA and 4-Cl-IAA on growth, proton secretion and membrane potential in maize coleoptile segments 1089
KATO H, *see* KUROHA T.
KATZ Y, *see* YAO Y.
KAVANAGH TA, *see* MAGEE AM.
KAWANO S, *see* MIYAZAWA Y.
KAYANO T, *see* MATSUSHITA Y.
KEHR J, *see* BRANDT S.
KEITH RP, *see* ELLIS RP.
KERMODE AR, *see* LAZAROVA G.
KERMODE AR, *see* SCHMITZ N.
KERVELLA J, *see* QUILOT B.
KIM B-H, SCHÖFFL F. Interaction between *Arabidopsis* heat shock transcription factor 1 and 70 kDa heat shock proteins 371
KIM I-J, *see* HONG S-H.
KIM J-Y, *see* CARRÉ IA.
KIM WT, *see* KIM Y-C.
KIM Y-C, YI S-Y, MANG HG, SEO YS, KIM WT, Choi D. Pathogen-induced expression of cyclo-oxygenase homologue in hot pepper (*Capsicum annuum* cv. Pukang) 383
KIM YS, *see* LEE SH.
KIMURA Y, *see* KUDO N.
KING GJ, *see* SEYMOUR GB.
KINGHORN JR, *see* GLASS ADM.
KIRCHGEßNER N, *see* WALTER A.
KITIN P, SANO Y, FUNADA R. Fusiform cells in the cambium of *Kalopanax pictus* are exclusively mononucleate 483
KLEE HJ. Control of ethylene-mediated processes in tomato at the level of receptors 2057
KLOOS DU, OLTMANNS H, DOCK C, STAHL D, HEHL R. Isolation and molecular analysis of six taproot expressed genes from sugar beet 1533
KLOSKA S, *see* BRANDT S.
KNAPP S. Tobacco to tomatoes: a phylogenetic perspective on fruit diversity in the Solanaceae 2001
KNOX JP, *see* MCCARTNEY L.
KOBAYASHI T, *see* TAKAHASHI H.
KOBAYASHI Y, *see* TANAKA A.
KÖHLE H, *see* RIEDERER M.
KÖHLER RH, *see* VAN GESTEL K.
KOLLÖFFEL C, *see* VAN KILSDONK MG.
KOMATSU A, MORIGUCHI T, KOYAMA K, OMURA M, AKIHAMA T. Analysis of sucrose synthase genes in citrus suggests different roles and phylogenetic relationships 61
KOMIS G, APOSTOLAKOS P, GALATIS B. Hyperosmotic stress-induced actin filament reorganization in leaf cells of *Chlorophyton comosum* 1699
KONG IB, *see* LEE SH.
KÖNIG J, *see* DIETZ KJ.
KOREN M, *see* SCHEURWATER I.
KOROLEVA OA, *see* MINCHIN PEH.
KOSCHORRECK M, *see* ROLLETSCHEK H.
KOVAC M, *see* SALOPEK-SONDI B.
KOVARÍK A, *see* FOJTOVÁ M.
KOYAMA H, *see* HONDA M.
KOYAMA K, *see* KOMATSU A.
KRÄBS G, *see* BISCHOF K.
KRAPP A, *see* STITT M.
KREFT I, *see* KREFT S.
KREFT S, STRUKELJ B, GABERSCIK A, KREFT I. Rutin in buckwheat herbs grown at different UV-B radiation levels: comparison of two UV spectrophotometric and an HPLC method 1801
KREUZALER F, *see* HÄUSLER RE.
KRONBERGER W, *see* DEL HIERRO AM.
KRONZUCKER HJ, *see* GLASS ADM.
KROPÁČOVÁ M, *see* NOVÁK K.
KRUSE J, HETZGER I, HÄNSCH R, MENDEL R-R, WALCH-LIU P, ENGELS C, RENNENBERG H. Elevated pCO_2 favours nitrate reduction in the roots of wild-type tobacco (*Nicotiana tabacum* cv. Gat.) and significantly alters N-metabolism in transformants lacking functional nitrate reductase in the roots 2351
KUBOTA R, *see* MATSUSHITA Y.
KUDO N, KIMURA Y. Nuclear DNA endoreduplication during petal development in cabbage: relationship between ploidy levels and cell size 1017
KUHN AJ, *see* BÜCKING H.
KÜHNEMANN F, *see* EDELMANN HG.
KUMAR A, *see* GLASS ADM.
KUROHA T, KATO H, ASAMI T, YOSHIDA S, KAMADA H, SATOH S. A *trans*-zeatin riboside in root xylem sap negatively regulates adventitious root formation on cucumber hypocotyls 2193
KUROIWA T, *see* MIYAZAWA Y.
KURSAR TA, *see* TYREE MT.
KÜSTERS R, *see* WALTER A.
KUZUGUCHI T, *see* HONDA M.
LA ROCCA N, *see* DI BACCIO D.
LADOS M, *see* BORSICS T.
LAFARGE T, TARDIEU F. A model co-ordinating the elongation of all leaves of a sorghum cultivar was applied to both Mediterranean and Sahelian conditions 715
LAINÉ P, *see* FAURE-RABASSE S.
LAINÉ P, *see* ROSSATO L.
LAKE JA, WOODWARD FI, QUICK WP. Long-distance CO_2 signalling in plants 183
LAMBERS H, *see* MILLENAAR FF.
LAMBERS H, *see* SCHEURWATER I.
LAMBERT B, *see* BÉZIER A.
LANCASHIRE JR, ENNOS AR. Modelling the hydrodynamic resistance of bordered pits 1485
LANDON G, *see* LAWSON T.
LAPORTE MM, SHEN B, TARCZYNSKI MC. Engineering for drought avoidance: expression of maize NADP-malic enzyme in tobacco results in altered stomatal function 699

LARDET L, *see* BLANC G.

LARSSON EH, ASP H, BORNMAN JF. Influence of prior Cd^{2+} exposure on the uptake of Cd^{2+} and other elements in the phytochelatin-deficient mutant, *cad1-3*, of *Arabidopsis thaliana* 447

LATCHÉ A, *see* FLORES F.

LÄUCHLI A, *see* PAVLOVKIN J.

LAWLOR DW, *see* MOHOTTI AJ.

LAWLOR DW, *see* TEZARA W.

LAWLOR DW. Carbon and nitrogen assimilation in relation to yield: mechanisms are the key to understanding production systems 773

LAWRENCE P, *see* ELLIS RP.

LAWSON T, CRAIGON J, BLACK CR, COLLS JJ, LANDON G, WEYERS JDB. Impact of elevated CO_2 and O_3 on gas exchange parameters and epidermal characteristics in potato (*Solanum tuberosum* L.) 737

LAZAROVA G, ZENG Y, KERMODE AR. Cloning and expression of an *ABSCISIC ACID-INSENSITIVE 3* (*ABI3*) gene homologue of yellow-cedar (*Chamaecyparis nootkatensis*) 1219

LE DANTEC C, *see* ROSSATO L.

LE DEUNFF E, *see* FAURE-RABASSE S.

LE DEUNFF E, *see* ROSSATO L.

LE DILY F, *see* GOULAS E.

LE ROUX X, *see* FRAK E.

LE ROUX X, *see* PIEL C.

LEA PJ, *see* NOCTOR G.

LEBOUTEILLER B, *see* JEANNEAU M.

LECOMTE L, *see* CAUSSE M.

LEDUC N, *see* BRUNEL N.

LEE SH, SINGH AP, CHUNG GC, KIM YS, KONG IB. Chilling root temperature causes rapid ultrastructural changes in cortical cells of cucumber (*Cucumis sativus* L.) root tips 2225

LEEGOOD RC. C_4 photosynthesis: principles of CO_2 concentration and prospects for its introduction into C_3 plants (Review article) 581

LEMAIRE G, *see* GASTAL F.

LEMAIRE G, *see* JUSTES E.

LENOBLE ME, *see* SHARP RE.

LÉONARD R, *see* JOLY C.

LESCOURRET F, *see* QUILOT B.

LEUCHTMANN A, *see* HARTWIG UA.

LEVERENTZ MK, *see* WAGSTAFF C.

LIN Q, *see* CHEN L-S.

LIN Z-B, *see* MA Q-H.

LINDGREN PB, *see* JAKOBEK JL.

LINFORTH RST, *see* WATSON R.

LISÁ L, *see* NOVÁK K.

LIU Z-T, *see* LU P.

LLOP-TOUS I, DOMÍNGUEZ-PUIGJANER E, VENDRELL M. Characterization of a strawberry cDNA clone homologous to calcium-dependent protein kinases that is expressed during fruit ripening and affected by low temperature 2283

LLUGANY M, *see* SCHAT H.

LOH C-S, *see* HE Y-W.

LOH C-S, *see* WANG X-J.

LOMBI E, *see* ZHAO F-J.

LÓPEZ-RÁEZ JA, *see* BLANCO-PORTALES R.

LORBIECKE R, *see* SAUTER M.

LORENZEN B, *see* BRIX H.

LOVE J, ALLEN GC, GATZ C, THOMPSON WF. Differential Top10 promoter regulation by six tetracycline analogues in plant cells 1871

LU P, WOO K-C, LIU Z-T. Estimation of whole-plant transpiration of bananas using sap flow measurements 1771

LUKYANOV S, *see* BARINOVA I.

LUQUEZ VM, GUIAMÉT JJ. The stay green mutations *d1* and *d2* increase water stress susceptibility in soybeans 1421

LÜSCHER A, *see* HARTWIG UA.

LÜTTGE U. CO_2-concentrating: consequences in crassulacean acid metabolism (Review article) 2131

LYON GD, *see* MUCKENSCHNABEL I.

MA Q-H, XU Y, LIN Z-B, HE P. Cloning of cDNA encoding COMT from wheat which is differentially expressed in lodging-sensitive and -resistant cultivars 2281

MACDUFF JH, *see* FAURE-RABASSE S.

MACDUFF JH, *see* ROSSATO L.

MACHEIX JJ, *see* DEHON L.

MACHIDA M, *see* HONDA M.

MÄCK G, *see* SCHJOERRING JK.

MAESHIMA M, *see* IKEDA M.

MAFTAH A, *see* JOLY C.

MAGEE AM, KAVANAGH TA. Plastid genes transcribed by the nucleus-encoded plastid RNA polymerase show increased transcript accumulation in transgenic plants expresssing a chloroplast-localized phage T7 RNA polymerase 2341

MAGNUS V, *see* SALOPEK-SONDI B.

MAJEWSKA-SAWKA A, MÜNSTER A, RODRÍGUEZ-GARCIA MI. Guard cell wall: immunocytochemical detection of polysaccharide components 1067

MALONE M, WHITE P, MORALES MA. Mobilization of calcium in glasshouse tomato plants by localized scorching 83

MANG HG, *see* KIM Y-C.

MANNING K, *see* SEYMOUR GB.

MARES DJ, *see* HIMI E.

MARÍN-RODRÍGUEZ MC, ORCHARD J, SEYMOUR GB. Pectate lyases, cell wall degradation and fruit softening 2115

MARIOTTI D, *see* BITONTI MB.

MARISCAL V, *see* GALVÁN A.

MARTIN A, *see* BLANC G.

MARTIN-TANGUY J, *see* HUMMEL I.

MARWEDEL T, *see* SAUTER M.

MATSUMOTO H, *see* AHN SJ.

MATSUNAGA S, *see* MIYAZAWA Y.

MATSUSHITA Y, MIYAKAWA O, DEGUCHI M, NISHIGUCHI M, NYUNOYA H. Cloning of a tobacco cDNA coding for a putative transcriptional coactivator MBF1 that interacts with the tomato mosaic virus movement protein 1531

MATSUSHITA Y, SUZUKI T, KUBOTA R, MORI M, SHIMOSATO H, WATANABE M, KAYANO T, NISHIO T, NYUNOYA H. Isolation of a cDNA for a nucleoside diphosphate kinase capable of phosphorylating the kinase domain of the self-incompatibility factor SRK of *Brassica campestris* 765

MATT P, *see* STITT M.

MATTSSON M, *see* HERRMANN B.

MATTSSON M, *see* SCHJOERRING JK.

MAUGET J-C, *see* BRUNEL N.

MAXWELL K, *see* DODD AN.

MCBURNEY T, *see* WATSON R.

MCCARTNEY L, KNOX JP. Regulation of pectic polysaccharide domains in relation to cell development and cell properties in the pea testa 707

MCGRATH SP, *see* ZHAO F-J.

MCKERSIE B, *see* SAMIS K.

MCLAUGHLIN MJ, *see* ZHAO F-J.

MEDINA-ESCOBAR N, *see* BLANCO-PORTALES R.

MELCHER PJ, *see* SACK L.

MENDEL RR, HÄNSCH R. Molybdoenzymes and molybdenum cofactor in plants (Review article) 1689

MENDEL R-R, *see* KRUSE J.

MESSMER R, *see* FRACHEBOUD Y.

MEYER C, *see* DJENNANE S.
MEYER C, *see* NAKAMURA T.
MEYER R, *see* ELLIS RP.
MIFLIN BJ, HABASH DZ. The role of glutamine synthetase and glutamate dehydrogenase in nitrogen assimilation and possibilities for improvement in the nitrogen utilization of crops 979
MILLARD P, *see* FRAK E.
MILLENAAR FF, GONZALEZ-MELER MA, SIEDOW JN, WAGNER AM, LAMBERS H. Role of sugars and organic acids in regulating the concentration and activity of the alternative oxidase in *Poa annua* roots 1081
MINCHIN FR, *see* GORDON AJ.
MINCHIN PEH, *see* HENTON SM.
MINCHIN PEH, THORPE MR, FARRAR JF, KOROLEVA OA. Source–sink coupling in young barley plants and control of phloem loading 1671
MINIBAYEVA F, *see* BOLWELL GP.
MIR G, *see* PUIGDERRAJOLS P.
MISSET MT, *see* ZAKA R.
MITCHELL A, *see* WALTERS D.
MITCHELL V, *see* TEZARA W.
MIYAGAWA Y, *see* SHIGEOKA S.
MIYAKAWA O, *see* MATSUSHITA Y.
MIYAZAWA Y, SAKAI A, MATSUNAGA S, ASAMI T, KAWANO S, KUROIWA T, YOSHIDA S. Isolation and expression of a novel starch-storing cell-specific gene containing the KH RNA binding domain from tobacco-cultured cells BY-2 2451
MOEPPS B, *see* VUGREK O.
MOGENSEN VO, *see* BAHRUN A.
MOHOTTI AJ, LAWLOR DW. Diurnal variation of photosynthesis and photoinhibition in tea: effects of irradiance and nitrogen supply during growth in the field 313
MOLINAS M, *see* PUIGDERRAJOLS P.
MOORE S, VREBALOV J, PAYTON P, GIOVANNONI J. Use of genomics tools to isolate key ripening genes and analyse fruit maturation in tomato 2023
MORA C, WITT FG, APARICIO PJ, QUIÑONES MA. Independent induction of two blue light-dependent monovalent anion transport systems in the plasma membrane of *Monoraphidium braunii* 1909
MORALES MA, *see* MALONE M.
MORCILLO F, *see* TREGEAR JW.
MORCUENDE R, *see* STITT M.
MORI M, *see* MATSUSHITA Y.
MORI S, *see* BUGHIO N.
MORI S, *see* YAMAGUCHI H.
MORIGUCHI T, *see* KOMATSU A.
MOROHASHI Y. Peroxidase activity develops in the micropylar endosperm of tomato seeds prior to radicle protrusion 1643
MORRIS PC, *see* RANFORD JC.
MOURAD GS, *see* JUNK DJ.
MOYANO E, *see* BLANCO-PORTALES R.
MOZAFAR A, *see* HARTWIG UA.
MUCKENSCHNABEL I, GOODMAN BA, WILLIAMSON B, LYON GD, DEIGHTON N. Infection of leaves of *Arabidopsis thaliana* by *Botrytis cinerea*: changes in ascorbic acid, free radicals and lipid peroxidation products 207
MUIR S, *see* VERHOEYEN ME.
MÜLLER C, *see* STITT M.
MÜLLER R, OWEN CA, XUE Z-T, WELANDER M, STUMMANN BM. Characterization of two CTR-like protein kinases in *Rosa hybrida* and their expression during flower senescence and in response to ethylene 1223
MULLINEAUX PM, *see* FRYER MJ.
MUNNS R, *see* DODD IC.
MUNNS R, *see* HOLBROOK NM.
MUÑOZ-BLANCO J, *see* BLANCO-PORTALES R.
MÜNSTER A, *see* MAJEWSKA-SAWKA A.
MURAMOTO Y, *see* HONDA M.
MURCHIE EH, YANG J, HUBBART S, HORTON P, PENG S. Are there associations between grain-filling rate and photosynthesis in the flag leaves of field-grown rice? 2217
NAGATA M, *see* SHIBUYA K.
NAKAJIMA H, *see* YAMAYA T.
NAKAMURA T, MEYER C, SANO H. Molecular cloning and characterization of plant genes encoding novel peroxisomal molybdoenzymes of the sulphite oxidase family 1833
NAKANISHI H, *see* BUGHIO N.
NAKANISHI H, *see* YAMAGUCHI H.
NAKANISHI Y, *see* IKEDA M.
NAVARI-IZZO F, *see* DI BACCIO D.
NAVARI-IZZO F, *see* QUARTACCI MF.
NEILL SJ, DESIKAN R, CLARKE A, HURST RD, HANCOCK JT. Hydrogen peroxide and nitric oxide as signalling molecules in plants 1237
NĚMCOVÁ M, *see* NOVÁK K.
NEPUMOCENO G, *see* SIBÉRIL Y.
NETTING AG. pH, abscisic acid and the integration of metabolism in plants under stressed and non-stressed conditions. II. Modifications in modes of metabolism induced by variation in the tension on the water column and by stress (Review article) 151
NEWBURY HJ, *see* DOERING-SAAD C.
NEY B, *see* JEUFFROY MH.
NICOLAY K, *see* VAN KILSDONK MG.
NIKAIDO M, *see* WATERWORTH WM.
NING S-B, WANG L, SONG Y-C. Identification of programmed cell death *in situ* in individual plant cells *in vivo* using a chromosome preparation technique 651
NISHIGUCHI M, *see* MATSUSHITA Y.
NISHIO T, *see* MATSUSHITA Y.
NISHIZAWA NK, *see* BUGHIO N.
NISHIZAWA N-K, *see* YAMAGUCHI H.
NOCTOR G, GOMEZ L, VANACKER H, FOYER CH. Interactions between biosynthesis, compartmentation and transport in the control of glutathione homeostasis and signalling 1283
NOCTOR G, NOVITSKAYA L, LEA PJ, FOYER CH. Co-ordination of leaf minor amino acid contents in crop species: significance and interpretation 939
NODA K, *see* HIMI E.
NOIN M, *see* GUIVARC'H A.
NONOGAKI H, *see* CHEN F.
NÖSBERGER J, *see* HARTWIG UA.
NOSE A, *see* CHEN L-S.
NOVÁK K, CHOVANEC P, ŠKRDLETA V, KROPÁČOVÁ M, LISÁ L, NĚMCOVÁ M. Effect of exogenous flavonoids on nodulation of pea (*Pisum sativum* L.) 1735
NOVITSKAYA L, *see* NOCTOR G.
NYUNOYA H, *see* MATSUSHITA Y.
O'CONNELL AP, *see* AHARONI A.
O'DONOGHUE EM, SOMERFIELD SD, HEYES JA. Organization of cell walls in *Sandersonia aurantiaca* floral tissue 513
OBARA M, *see* YAMAYA T.
OCAMPO JA, *see* GARCÍA-GARRIDO JM.
OFFENTHALER I, *see* DEL HIERRO AM.
OHMAE A, *see* IKEDA M.
OKAMOTO H, *see* PAVLOVKIN J.
OKAMOTO M, *see* GLASS ADM.
OLIVIUSSON P, *see* HAKMAN I.
OLLAT N, *see* GAUDILLÈRE J-P.
OLTMANNS H, *see* KLOOS DU.

OMURA M, *see* KOMATSU A.
ORCHARD J, *see* MARÍN-RODRÍGUEZ MC.
ORSEL M, FILLEUR S, FRAISIER V, DANIEL-VEDELE F. Nitrate transport in plants: which gene and which control? 825
OUGHAM H, *see* THOMAS H.
OURRY A, *see* FAURE-RABASSE S.
OURRY A, *see* GOULAS E.
OURRY A, *see* JEUFFROY MH.
OURRY A, *see* JUSTES E.
OURRY A, *see* ROSSATO L.
OWEN CA, *see* MÜLLER R.
OXBOROUGH K, *see* FRYER MJ.
PAGNI S, *see* RUPERTI B.
PALMA JM, *see* DEL RIO LA.
PAMMENTER NW, ALLISON JCS. Effects of treatments potentially influencing the supply of assimilate on its partitioning in sugarcane 123
PANCALDI S, BALDISSEROTTO C, FERRONI L, BONORA A, FASULO MP. Room temperature microspectrofluorimetry as a useful tool for studying the assembly of the PSII chlorophyll–protein complexes in single living cells of etiolated *Euglena gracilis* Klebs during the greening process 1753
PANOPOULOS NJ, *see* ANASTASSOPOULOS E.
PAPON N, CLASTRE M, ANDREU F, GANTET P, RIDEAU M, CRÈCHE J. Expression analysis in plant and cell suspensions of *CrCKR1*, a cDNA encoding a histidine kinase receptor homologue in *Catharanthus roseus* (L.) G. Don. 1989
PARKS GE, DIETRICH MA, SCHUMAKER KS. Increased vacuolar Na^+/H^+ exchange activity in *Salicornia bigelovii* Torr. in response to NaCl 1055
PASSIOURA JB, *see* DODD IC.
PAVLOVKIN J, OKAMOTO H, WÄCHTER R, LÄUCHLI A, ULLRICH CI. Evidence for high activity of xylem parenchyma and ray cells in the interface of host stem and *Agrobacterium tumefaciens*-induced tumours of *Ricinus communis* 1143
PAYTON P, *see* MOORE S.
PECH J-C, *see* FLORES F.
PEET MM, *see* SATO S.
PEETERS AJM, COX MCH, BENSCHOP JJ, VREEBURG RAM, BOU J, VOESENEK LACJ. Submergence research using *Rumex palustris* as a model: looking back and going forward 391
PENG S, *see* MURCHIE EH.
PERALTA G, *see* BISCHOF K.
PEREZ P, *see* JEANNEAU M.
PÉREZ-LLORÉNS JL, *see* BISCHOF K.
PERL A, *see* GOLLOP R.
PETERHÄNSEL C, *see* HÄUSLER RE.
PEUKE AD, JESCHKE WD, HARTUNG W. Flows of elements, ions and abscisic acid in *Ricinus communis* and site of nitrate reduction under potassium limitation 241
PHARIS RP, *see* HAYS DB.
PIEL C, FRAK E, LE ROUX X, GENTY B. Effect of local irradiance on CO_2 transfer conductance of mesophyll in walnut 2423
PIERRE J-N, *see* COURSOL S.
PILLER GJ, *see* HENTON SM.
PLA M, *see* PUIGDERRAJOLS P.
PLANCHET E, *see* KAISER WM.
POLLE A, *see* SCHÜTZENDÜBEL A.
POPOVICH AH, *see* SEYMOUR GB.
POPP M, *see* CLIFFORD SC.
POUPARD P, *see* BRUNEL N.
POWELL W, *see* ELLIS RP.
POZO MJ, CORDIER C, DUMAS-GAUDOT E, GIANINAZZI S, BAREA JM, AZCÓN-AGUILAR C. Localized versus systemic effect of arbuscular mycorrhizal fungi on defence responses to *Phytophthora* infection in tomato plants 525
POZO MJ, *see* FERROL N.
PREBEG T, *see* SALOPEK-SONDI B.
PRICE AH, CAIRNS JE, HORTON P, JONES HG, GRIFFITHS H. Linking drought-resistance mechanisms to drought avoidance in upland rice using a QTL approach: progress and new opportunities to integrate stomatal and mesophyll responses (Review article) 989
PRITCHARD J, *see* DOERING-SAAD C.
PRITHIVIRAJ B, *see* BEGNA SH.
PRITHIVIRAJ B, *see* SOULEIMANOV A.
PUIGDERRAJOLS P, JOFRÉ A, MIR G, PLA M, VERDAGUER D, HUGUET G, MOLINAS M. Developmentally and stress-induced small heat shock proteins in cork oak somatic embryos 1445
QUARTACCI MF, GLISIĆ O, STEVANOVIĆ B, NAVARI-IZZO F. Plasma membrane lipids in the resurrection plant *Ramonda serbica* following dehydration and rehydration 2159
QUARTACCI MF, *see* DI BACCIO D.
QUÉLO A-H, BRYANT JA, VERBELEN J-P. Endoreduplication is not inhibited but induced by aphidicolin in cultured cells of tobacco 669
QUICK WP, *see* LAKE JA.
QUILOT B, GÉNARD M, KERVELLA J, LESCOURRET F. Ecophysiological analysis of genotypic variation in peach fruit growth 1613
QUIÑONES MA, *see* MORA C.
RAMAGE CM, WILLIAMS RR. Inorganic nitrogen requirements during shoot organogenesis in tobacco leaf discs 1437
RAMINA A, *see* RASORI A.
RAMINA A, *see* RUPERTI B.
RANFORD JC, BRYCE JH, MORRIS PC. PM19, a barley (*Hordeum vulgare* L.) gene encoding a putative plasma membrane protein, is expressed during embryo development and dormancy 147
RASCIO N, *see* DI BACCIO D.
RASORI A, RUPERTI B, BONGHI C, TONUTTI P, RAMINA A. Characterization of two putative ethylene receptor genes expressed during peach fruit development and abscission 2333
RATCLIFFE RG, *see* HARTUNG W.
RAVEN JA, *see* HILL PW.
RAWAT S, *see* GLASS ADM.
REMBUR J, *see* GUIVARC'H A.
RENGEL Z, *see* AHN SJ.
RENNENBERG H, *see* KRUSE J.
REXACH J, *see* GALVÁN A.
RIBAUT J-M, *see* FRACHEBOUD Y.
RICHAUD F, *see* TREGEAR JW.
RICHTER H, *see* DEL HIERRO AM.
RIDEAU M, *see* PAPON N.
RIEDERER M, DAIß A, GILBERT N, KÖHLE H. Semi-volatile organic compounds at the leaf/atmosphere interface: numerical simulation of dispersal and foliar uptake 1815
RIOU-KHAMLICHI C, *see* JOLY C.
RISUEÑO M-C, *see* BONELLO J-F.
RIVAL A, *see* TREGEAR JW.
RIVERA-BECERRIL F, CALANTZIS C, TURNAU K, CAUSSANEL J-P, BELIMOV AA, GIANINAZZI S, STRASSER RJ, GIANINAZZI-PEARSON V. Cadmium accumulation and buffering of cadmium-induced stress by arbuscular mycorrhiza in three *Pisum sativum* genotypes 1177
ROBERTS JA, HUSSAIN A, TAYLOR IB, BLACK CR. Use of mutants to study long-distance signalling in response to compacted soil 45

ROBINSON D, *see* ELLIS RP.
ROBINSON S, *see* VERHOEYEN ME.
ROCKEL A, *see* ROCKEL P.
ROCKEL P, *see* KAISER WM.
ROCKEL P, STRUBE F, ROCKEL A, WILDT J, KAISER WM. Regulation of nitric oxide (NO) production by plant nitrate reductase *in vivo* and *in vitro* 103
RODRÍGUEZ-GARCIA MI, *see* MAJEWSKA-SAWKA A.
ROGERS HJ, *see* WAGSTAFF C.
ROGOWSKY PM, *see* BONELLO J-F.
ROITSCH T, *see* GUIVARC'H A.
ROLLETSCHEK H, BORISJUK L, KOSCHORRECK M, WOBUS U, WEBER H. Legume embryos develop in a hypoxic environment 1099
ROMOJARO F, *see* FLORES F.
ROSSATO L, LE DANTEC C, LAINE P, OURRY A. Nitrogen storage and remobilization in *Brassica napus* L. during the growth cycle: identification, characterization and immunolocalization of a putative taproot storage glycoprotein 265
ROSSATO L, MACDUFF JH, LAINE P, LE DEUNFF E, OURRY A. Nitrogen storage and remobilization in *Brassica napus* L. during the growth cycle: effects of methyl jasmonate on nitrate uptake, senescence, growth, and VSP accumulation 1131
ROUSSELLE. P, *see* CAUSSE M.
RUFTY T, *see* CHIERA J.
RUPERTI B, CATTIVELLI L, PAGNI S, RAMINA A. Ethylene-responsive genes are differentially regulated during abscission, organ senescence and wounding in peach (*Prunus persica*) 429
RUPERTI B, *see* RASORI A.
RZEWUSKI G, SAUTER M. The novel rice (*Oryza sativa* L.) gene *OsSbf1* encodes a putative member of the Na^+/bile acid symporter family 1991
RZEWUSKI G, *see* SAUTER M.
SACK L, MELCHER PJ, ZWIENIECKI MA, HOLBROOK NM. The hydraulic conductance of the angiosperm leaf lamina: a comparison of three independent measurement methods 2177
SAGE RF. Variation in the k_{cat} of Rubisco in C_3 and C_4 plants and some implications for photosynthetic performance at high and low temperature (Review article) 609
SAKAI A, *see* MIYAZAWA Y.
SAKAI K, SHITAN N, SATO F, UEDA K, YAZAKI K. Characterization of berberine transport into *Coptis japonica* cells and the involvement of ABC protein 1879
SAKAKIBARA H, *see* TAKEI K.
SALIBA-COLOMBANI V, *see* CAUSSE M.
SALOPEK-SONDI B, KOVAC M, PREBÉG T, MAGNUS V. Developing fruit direct post-floral morphogenesis in *Helleborus niger* L. 1949
SAMIS K, BOWLEY S, MCKERSIE B. Pyramiding Mn-superoxide dismutase transgenes to improve persistence and biomass production in alfalfa 1343
SAN SEGUNDO B, *see* ZANETTI ME.
SANDALIO LM, *see* DEL RIO LA.
SANO H, *see* NAKAMURA T.
SANO Y, *see* KITIN P.
SANTOS PM, THORNTON B, CORSI M. Nitrogen dynamics in the intact grasses *Poa trivialis* and *Panicum maximum* receiving contrasting supplies of nitrogen 2167
SANTOS T, *see* JONES HG.
SASAKI S, *see* YAMAYA T.
SATO F, *see* SAKAI K.
SATO S, PEET MM, THOMAS JF. Determining critical pre- and post-anthesis periods and physiological processes in *Lycopersicon esculentum* Mill. exposed to moderately elevated temperatures 1187
SATO T, HARADA T, ISHIZAWA K. Stimulation of glycolysis in anaerobic elongation of pondweed (*Potamogeton distinctus*) turions 1847
SATO T, *see* YAMAYA T.
SATOH S, *see* IKEDA-IWAI M.
SATOH S, *see* KUROHA T.
SATOH S, *see* SHIBUYA K.
SATOH S, *see* SUGAWARA H.
SATO-NARA K, *see* TAKAHASHI H.
SAUTER A, HARTUNG W. The contribution of internode and mesocotyl tissues to root-to-shoot signalling of abscisic acid 297
SAUTER A, *see* HARTUNG W.
SAUTER M, RZEWUSKI G, MARWEDEL T, LORBIECKE R. The novel ethylene-regulated gene *OsUsp1* from rice encodes a member of a plant protein family related to prokaryotic universal stress proteins 2325
SAUTER M, *see* RZEWUSKI G.
SAWANO S, *see* HONDA M.
SCHAT H, LLUGANY M, VOOIJS R, HARTLEY-WHITAKER J, BLEEKER PM. The role of phytochelatins in constitutive and adaptive heavy metal tolerances in hyperaccumulator and non-hyperaccumulator metallophytes 2381
SCHEIBLE W-R, *see* STITT M.
SCHEURWATER I, KOREN M, LAMBERS H, ATKIN OK. The contribution of roots and shoots to whole plant nitrate reduction in fast- and slow-growing grass species 1635
SCHJOERRING JK, HUSTED S, MÄCK G, MATTSSON M. The regulation of ammonium translocation in plants 883
SCHJOERRING JK, *see* HERRMANN B.
SCHMITZ G, *see* GREB T.
SCHMITZ N, ABRAMS SR, KERMODE AR. Changes in ABA turnover and sensitivity that accompany dormancy termination of yellow-cedar (*Chamaecyparis nootkatensis*) seeds 89
SCHMÜLLING T, *see* GUIVARC'H A.
SCHÖFFL F, *see* KIM B-H.
SCHRÖDER WH, *see* BÜCKING H.
SCHUMAKER KS, *see* PARKS GE.
SCHURR U, *see* WALTER A.
SCHÜTZENDÜBEL A, POLLE A. Plant responses to abiotic stresses: heavy metal-induced oxidative stress and protection by mycorrhization 1351
SCRIMGEOUR CM, *see* ELLIS RP.
SEO YS, *see* KIM Y-C.
SERGEEVA LI, VREUGDENHIL D. *In situ* staining of activities of enzymes involved in carbohydrate metabolism in plant tissues 361
SERVAITES JC, GEIGER DR. Kinetic characteristics of chloroplast glucose transport 1581
SEVILLA-LECOQ S, *see* BONELLO J-F.
SEYMOUR GB, MANNING K, ERIKSSON EM, POPOVICH AH, KING GJ. Genetic identification and genomic organization of factors affecting fruit texture 2065
SEYMOUR GB, *see* MARÍN-RODRÍGUEZ MC.
SHARP RE, LENOBLE ME. ABA, ethylene and the control of shoot and root growth under water stress 33
SHASHIDHAR VR, *see* HOLBROOK NM.
SHEN B, *see* LAPORTE MM.
SHEWRY PR, HALFORD NG. Cereal seed storage proteins: structures, properties and role in grain utilization 947
SHIBUYA K, NAGATA M, TANIKAWA N, YOSHIOKA T, HASHIBA T, SATOH S. Comparison of mRNA levels of three ethylene receptors in senescing flowers of carnation (*Dianthus caryophyllus* L.) 399
SHIBUYA K, *see* SUGAWARA H.

SHIGEOKA S, ISHIKAWA T, TAMOI M, MIYAGAWA Y, TAKEDA T, YABUTA Y, YOSHIMURA K. Regulation and function of ascorbate peroxidase isoenzymes 1305
SHIMAMOTO Y, *see* IVASHUTA S.
SHIMOSATO H, *see* MATSUSHITA Y.
SHITAN N, *see* SAKAI K.
SIBÉRIL Y, THIERSAULT M, NEPUMOCENO G, DOIREAU P, GANTET P. Cloning of a cDNA encoding an E2 ubiquitin-conjugating enzyme from *Catharanthus roseus*: expression analysis in plant organs and in response to hormones in cell suspensions 149
SIDDIQI MY, *see* GLASS ADM.
SIEDOW JN, *see* MILLENAAR FF.
SIMON J-C, *see* GOULAS E.
SIMONEAU P, *see* BRUNEL N.
SIMONNEAU T, *see* BOREL C.
SINGH AP, *see* LEE SH.
SINGH R, *see* TREGEAR JW.
SINOQUET H, *see* FRAK E.
SIVAGURU M, *see* AHN SJ.
SKØT L, *see* GORDON AJ.
ŠKRDLETA V, *see* NOVÁK K.
SMITH DL, *see* BAI Y.
SMITH DL, *see* BEGNA SH.
SMITH DL, *see* SOULEIMANOV A.
SMITH RC, *see* ASTHIR B.
SMULDERS MJM, *see* VAN DER LINDEN CG.
SOLTANI F, *see* BANCAL P.
SOMERFIELD SD, *see* O'DONOGHUE EM.
SONG L, *see* YAO Y.
SONG Y-C, *see* NING S-B.
SONODA M, *see* KAISER WM.
SOULEIMANOV A, PRITHIVIRAJ B, SMITH DL. The major Nod of *Bradyrizhobium japonicum* promotes early growth of soybean and corn 1929
SOULEIMANOV A, *see* BAI Y.
SPERRY JS, *see* STILLER V.
SPIES H, *see* WALTER A.
SPOOR W, *see* ASTHIR B.
STAHL D, *see* KLOOS DU.
STAMP P, *see* FRACHEBOUD Y.
STEAD AD, *see* WAGSTAFF C.
STEVANOVIĆ B, *see* QUARTACCI MF.
STILES KA, VAN VOLKENBURGH E. Light-regulated leaf expansion in two *Populus* species: dependence on developmentally controlled ion transport 1651
STILLER V, SPERRY JS. Cavitation fatigue and its reversal in sunflower (*Helianthus annuus* L.) 1155
STIPANOVIC RD, *see* COVIELLA CE.
STITT M, MÜLLER C, MATT P, GIBON Y, CARILLO P, MORCUENDE R, SCHEIBLE W-R, KRAPP A. Steps towards an integrated view of nitrogen metabolism 959
STÖHR C, ULLRICH WR. Generation and possible roles of NO in plant roots and their apoplastic space (Review article) 2293
STOLL M, *see* JONES HG.
STRASSER RJ, *see* RIVERA-BECERRIL F.
STRUBE F, *see* ROCKEL P.
STRUKELJ B, *see* KREFT S.
STUMMANN BM, *see* MÜLLER R.
SUÁREZ MF, AVILA C, GALLARDO F, CANTÓN FR, GARCÍA-GUTIÉRREZ A, GONZALO CLAROS M, CÁNOVAS FM. Molecular and enzymatic analysis of ammonium assimilation in woody plants 891
SUGAWARA H, SHIBUYA K, YOSHIOKA T, HASHIBA T, SATOH S. Is a cysteine proteinase inhibitor involved in the regulation of petal wilting in senescing carnation (*Dianthus caryophyllus* L.) flowers? 407
SUGIYAMA T, *see* TAKEI K.
SUN WQ, *see* WANG X-J.
SUTTON MA, *see* HILL PW.
SUZUKI T, *see* MATSUSHITA Y.
TAKAHASHI H, KOBAYASHI T, SATO-NARA K, TOMITA K, EZURA H. Detection of ethylene receptor protein Cm-ERS1 during fruit development in melon (*Cucumis melo* L.) 415
TAKAHASHI T, *see* TAKEI K.
TAKEDA T, *see* SHIGEOKA S.
TAKEI K, TAKAHASHI T, SUGIYAMA T, YAMAYA T, SAKAKIBARA H. Multiple routes communicating nitrogen availability from roots to shoots: a signal transduction pathway mediated by cytokinin 971
TALBOTT LD, *see* FRECHILLA S.
TAMOI M, *see* SHIGEOKA S.
TANAKA A, KOBAYASHI Y, HASE Y, WATANABE H. Positional effect of cell inactivation on root gravitropism using heavy-ion microbeams 683
TANG A-C, BOYER JS. Growth-induced water potentials and the growth of maize leaves 489
TANIKAWA N, *see* SHIBUYA K.
TANIMURA Y, *see* IKEDA M.
TARCZYNSKI MC, *see* LAPORTE MM.
TARDIEU F, *see* LAFARGE T.
TAYLOR AJ, *see* WATSON R.
TAYLOR IB, *see* ROBERTS JA.
TERJUNG S, *see* WALTER A.
TERRILE MC, *see* ZANETTI ME.
TEZARA W, MITCHELL V, DRISCOLL SP, LAWLOR DW. Effects of water deficit and its interaction with CO_2 supply on the biochemistry and physiology of photosynthesis in sunflower 1781
THERES K, *see* GREB T.
THIÉBEAU P, *see* JUSTES E.
THIEL S, *see* GRAMS TEE.
THIERSAULT M, *see* SIBÉRIL Y.
THOMAS WTB, *see* ELLIS RP.
THOMAS B, *see* WAGSTAFF C.
THOMAS H, OUGHAM H, CANTER P, DONNISON I. What stay-green mutants tell us about nitrogen remobilization in leaf senescence 801
THOMAS J, *see* CHIERA J.
THOMAS JF, *see* SATO S.
THOMPSON TL, *see* FRAVOLINI A.
THOMPSON WF, *see* LOVE J.
THORNTON B, *see* SANTOS PM.
THORPE MR, *see* MINCHIN PEH.
TOMITA K, *see* TAKAHASHI H.
TONUTTI P, *see* RASORI A.
TOURAEV A, *see* BARINOVA I.
TREGEAR JW, MORCILLO F, RICHAUD F, BERGER A, SINGH R, CHEAH SC, HARTMANN C, RIVAL A, DUVAL Y. Characterization of a defensin gene expressed in oil palm inflorescences: induction during tissue culture and possible association with epigenetic somaclonal variation events 1387
TRUMBLE JT, *see* COVIELLA CE.
TSAI C-B, *see* KAISER WM.
TURNAU K, *see* RIVERA-BECERRIL F.
TYREE MT, VARGAS G, ENGELBRECHT BMJ, KURSAR TA. Drought until death do us part: a case study of the desiccation-tolerance of a tropical moist forest seedling-tree, *Licania platypus* (Hemsl.) Fritsch 2239
UCHIYAMA K, *see* IVASHUTA S.
UEDA K, *see* SAKAI K.

ULLRICH CI, *see* PAVLOVKIN J.
ULLRICH WR, *see* STÖHR C.
UMAMI K, *see* IKEDA M.
UNKLES SE, *see* GLASS ADM.
VAN BREUSEGEM F, *see* VRANOVÁ E.
VAN DE POLL WH, *see* BISCHOF K.
VAN DEN HEUVEL KJ, VAN LIPZIG RH, BARENDSE GW, WULLEMS GJ. Regulation of expression of two novel flower-specific genes from tomato (*Solanum lycopersicum*) by gibberellin 51
VAN DER LINDEN CG, VOSMAN B, SMULDERS MJM. Cloning and characterization of four apple *MADS* box genes isolated from vegetative tissue 1025
VAN GESTEL K, KÖHLER RH, VERBELEN J-P. Plant mitochondria move on F-actin, but their positioning in the cortical cytoplasm depends on both F-actin and microtubules 659
VAN GESTEL K, VERBELEN J-P. Giant mitochondria are a response to low oxygen pressure in cells of tobacco (*Nicotiana tabacum* L.) 1215
VAN KILSDONK MG, NICOLAY K, FRANSSEN JM, KOLLÖFFEL C. Bud abortion in tulip bulbs studied by magnetic resonance imaging 1603
VAN LEEUWEN C, *see* GAUDILLÈRE J-P.
VAN LIPZIG RH, *see* VAN DEN HEUVEL KJ.
VAN ONCKELEN H, *see* BITONTI MB.
VAN POECKE RMP, DICKE M. Induced parasitoid attraction by *Arabidopsis thaliana*: involvement of the octadecanoid and the salicylic acid pathway 1793
VAN VOLKENBURGH E, *see* STILES KA.
VANACKER H, *see* NOCTOR G.
VANDAME M, *see* FRAK E.
VANDECASTEELE CM, *see* ZAKA R.
VARGAS G, *see* TYREE MT.
VARGAS M, *see* FRACHEBOUD Y.
VARLET-GRANCHER C, *see* FRAK E.
VENDRELL M, *see* LLOP-TOUS I.
VERBELEN J-P, *see* QUÉLO A-H.
VERBELEN J-P, *see* VAN GESTEL K.
VERDAGUER D, *see* PUIGDERRAJOLS P.
VERHOEYEN ME, BOVY A, COLLINS G, MUIR S, ROBINSON S, DE VOS CHR, COLLIVER S. Increasing antioxidant levels in tomatoes through modification of the flavonoid biosynthetic pathway 2099
VIDAL J, *see* COURSOL S.
VIDAL J, *see* JEANNEAU M.
VIDMAR JJ, *see* GLASS ADM.
VIÉMONT J-D, *see* BRUNEL N.
VILLALBA JM, *see* BLANCO-PORTALES R.
VOESENEK LACJ, *see* PEETERS AJM.
VOLENEC JJ, *see* JUSTES E.
VOOIJS R, *see* SCHAT H.
VOSMAN B, *see* VAN DER LINDEN CG.
VRANOVÁ E, INZÉ D, VAN BREUSEGEM F. Signal transduction during oxidative stress 1227
VREBALOV J, *see* MOORE S.
VREEBURG RAM, *see* PEETERS AJM.
VREUGDENHIL D, *see* SERGEEVA LI.
VUGREK O, MOEPPS B. *Hamy3*, a novel type 100 kDa myosin from sunflower 769
WÄCHTER R, *see* PAVLOVKIN J.
WAGNER AM, *see* MILLENAAR FF.
WAGNER GJ, *see* WANG E.
WAGSTAFF C, LEVERENTZ MK, GRIFFITHS G, THOMAS B, CHANASUT U, STEAD AD, ROGERS HJ. Cysteine protease gene expression and proteolytic activity during senescence of *Alstroemeria* petals 233
WALCH-LIU P, *see* KRUSE J.
WALTER A, SPIES H, TERJUNG S, KÜSTERS R, KIRCHGEßNER N, SCHURR U. Spatio-temporal dynamics of expansion growth in roots: automatic quantification of diurnal course and temperature response by digital image sequence processing 689
WALTERS D, COWLEY T, MITCHELL A. Methyl jasmonate alters polyamine metabolism and induces systemic protection against powdery mildew infection in barley seedlings 747
WANEK W, ARNDT SK. Difference in $\delta^{15}N$ signatures between nodulated roots and shoots of soybean is indicative of the contribution of symbiotic N_2 fixation to plant N 1109
WANG E, GAN S, WAGNER GJ. Isolation and characterization of the *CYP71D16* trichome-specific promoter from *Nicotiana tabacum* L. 1891
WANG L, *see* NING S-B.
WANG R, *see* GUO F-Q.
WANG X-J, LOH C-S, YEOH H-H, SUN WQ. Drying rate and dehydrin synthesis associated with abscisic acid-induced dehydration tolerance *in Spathoglottis plicata* orchidaceae protocorms 551
WANG Y, *see* JIA W.
WARRILOW AGS, HAWKESFORD MJ. Modulation of cyanoalanine synthase and *O*-acetylserine (thiol) lyases A and B activity by β-substituted alanyl and anion inhibitors 439
WATANABE H, *see* TANAKA A.
WATANABE M, *see* MATSUSHITA Y.
WATERWORTH WM, JIANG Q, WEST CE, NIKAIDO M, BRAY CM. Characterization of *Arabidopsis* photolyase enzymes and analysis of their role in protection from ultraviolet-B radiation 1005
WATSON R, WRIGHT CJ, MCBURNEY T, TAYLOR AJ, LINFORTH RST. Influence of harvest date and light integral on the development of strawberry flavour compounds 2121
WEBER A, FLÜGGE U-I. Interaction of cytosolic and plastidic nitrogen metabolism in plants 865
WEBER H, *see* ROLLETSCHEK H.
WEINER H, *see* KAISER WM.
WELANDER M, *see* MÜLLER R.
WEST CE, *see* WATERWORTH WM.
WEYERS JDB, *see* LAWSON T.
WHITE P, *see* MALONE M.
WHITE PJ. Recent advances in fruit development and ripening: an overview 1995
WILDT J, *see* ROCKEL P.
WILKINS TA, *see* CHEN X.
WILLIAMS DG, *see* FRAVOLINI A.
WILLIAMS RR, *see* RAMAGE CM.
WILLIAMSON B, *see* MUCKENSCHNABEL I.
WITT FG, *see* MORA C.
WITTMANN P, *see* HARTWIG UA.
WOBUS U, *see* ROLLETSCHEK H.
WOLF S, *see* GUENOUNE D.
WOO K-C, *see* LU P.
WOOD AJ, *see* CHEN X.
WOOD AJ, *see* ZENG Q.
WOODWARD FI, *see* LAKE JA.
WRIGHT CJ, *see* WATSON R.
WULLEMS GJ, *see* VAN DEN HEUVEL KJ.
XU Y, *see* MA Q-H.
XUE Z-T, *see* MÜLLER R.
YABUTA Y, *see* SHIGEOKA S.
YAMAGATA H, *see* YOSHIDA I.
YAMAGUCHI H, NISHIZAWA N-K, NAKANISHI H, MORI S. IDI7, a new iron-regulated ABC transporter from barley roots, localizes to the tonoplast 727
YAMAGUCHI H, *see* BUGHIO N.

YAMAYA T, OBARA M, NAKAJIMA H, SASAKI S, HAYAKAWA T, SATO T. Genetic manipulation and quantitative-trait loci mapping for nitrogen recycling in rice 917
YAMAYA T, *see* TAKEI K.
YANAGISAWA A, *see* HIMI E.
YANG DC, *see* HONG S-H.
YANG J, *see* MURCHIE EH.
YANG SH, YU H, GOH CJ. Isolation and characterization of the orchid cytokinin oxidase *DSCKX1* promoter 1899
YAO Y, SONG L, KATZ Y, GALILI G. Cloning and characterization of *Arabidopsis* homologues of the animal CstF complex that regulates 3′ mRNA cleavage and polyadenylation 2277
YAZAKI K, *see* SAKAI K.
YEOH H-H, *see* WANG X-J.
YEUNG EC, *see* HAYS DB.
YI S-Y, *see* KIM Y-C.
YOSHIDA I, YAMAGATA H, HIRASAWA E. Signal transduction controlling the blue- and red-light mediated gene expression of *S*-adenosylmethionine decarboxylase in *Pharbitis nil* 1525
YOSHIDA S, *see* KUROHA T.
YOSHIDA S, *see* MIYAZAWA Y.
YOSHIMURA K, *see* SHIGEOKA S.
YOSHIOKA T, *see* SHIBUYA K.
YOSHIOKA T, *see* SUGAWARA H.
YOUNG G, *see* ELLIS RP.
YU H, *see* YANG SH.
ZAKA R, VANDECASTEELE CM, MISSET MT. Effects of low chronic doses of ionizing radiation on antioxidant enzymes and G_6PDH activities in *Stipa capillata* (Poaceae) 1979
ZANETTI ME, TERRILE MC, ARCE D, GODOY AV, SAN SEGUNDO B, CASALONGUÉ C. Isolation and characterization of a potato cDNA corresponding to a 1-aminocyclopropane-1-carboxylate (ACC) oxidase gene differentially activated by stress 2455
ZEIGER E, *see* FRECHILLA S.
ZENG Q, CHEN X, WOOD AJ. Two early light-inducible protein (ELIP) cDNAs from the resurrection plant *Tortula ruralis* are differentially expressed in response to desiccation, rehydration, salinity, and high light 1197
ZENG Q, *see* CHEN X.
ZENG Y, *see* LAZAROVA G.
ZHANG J, *see* JIA W.
ZHANG J, *see* JIANG M.
ZHANG S, *see* JIA W.
ZHAO F-J, HAMON RE, LOMBI E, MCLAUGHLIN MJ, MCGRATH SP. Characteristics of cadmium uptake in two contrasting ecotypes of the hyperaccumulator *Thlaspi caerulescens* 535
ZHEXEMBEKOVA M, *see* BARINOVA I.
ZHOU X, *see* BEGNA SH.
ZWIENIECKI MA, *see* SACK L.

Keyword Index

ABA and ABA glucose ester
Phaseolus coccineus L.; xylem sap; *Zea mays* L.; 297
ABA sensitivity of embryo
germination inhibitor; grain colour; grain dormancy; wheat; 1569
ABA
abscisic acid; ethylene; *Lycopersicon esculentum*; mutants; signalling; soil compaction; tomato; 45
anions; cations; phloem transport; potassium limitation; *Ricinus communis* L.; xylem transport; 241
Arabidopsis; cell development; CO_2; ethylene; jasmonates; leaf development; mutants; plant hormones; ROS; signalling; stomata; 183
barley; embryo; dormancy; stress; 147
drought response; humidity response; hydraulic conductance; leaf water potential; stomatal regulation; xylem cavitation; 195
ABC protein
berberine; *Coptis japonica*; MDR; transport; 1879
ABC transporter
barley; iron; tonoplast; vacuole; 727
ABI3
abscisic acid; seed dormancy; yellow-cedar; 1219
Abiotic and biotic stress
hydrogen peroxide; nitric oxide; signalling molecule; 1237
Abiotic stress
barley; dwarf habit; QTL; genetic map; stable isotopes; 1163
Abscisic acid
ABA; ethylene; *Lycopersicon esculentum*; mutants; signalling; soil compaction; tomato; 45
ABI3; seed dormancy; yellow-cedar; 1219
active oxygen; aleurone; cell death; gibberellic acid; 1273
anaerobiosis; environmental stress; ethylene; flooding; long-distance signalling; plant hormones; root-to-shoot communication; xylem sap; 175
antioxidant enzymes; oxidative stress; reactive oxygen species; water stress; *Zea mays*; 2401
Brassica napus L.; immunolocalization; methyl jasmonate; nitrogen mobilization; regulation of VSP expression; senescence; VSP accumulation; 265
critical water content; dehydrin; desiccation tolerance; drying rate; soluble sugars; *Spathoglottis plicata*; water stress; 551
drought; *flacca*; root signals; *sitiens*; 1503
drought; *Nicotiana plumbaginifolia*; stomatal conductance; xylem sap; 287
drought; nitrate; pH; root–shoot communication; xylem sap composition; 251
ethylene; root growth; shoot growth; water stress; 33
roots; shoots; stress signal; xylem; 27
Abscisic acid biosynthesis
aldehyde oxidase; molybdenum cofactor; nitrate reductase; sulphite oxidase; xanthine dehydrogenase; 1689
Abscisic acid metabolism
coat-imposed dormancy; embryo; seed germination; yellow-cedar; 89
Abscission zone
ERS1; *ETR1*; 1-methylcyclopropene (1-MCP); *Prunus persica*; quantitative RT-PCR; ripening; 2333
ACC oxidase
ethylene; *Fusarium eumartii*; indole-3-acetic acid; *Solanum tuberosum*; stress response; wounding; 2455
ACC
coleoptiles; ethephon; ethylene; gravicompetence; gravitropism; primary shoots; rye; *Secale cereale*; 1825
Acclimation
carbon dioxide; stomata; *Vicia faba*; 545
Acetabularia acetabulum
heterologous expression; proton transport; vacuolar H^+-pyrophosphatase; yeast; 2273
Achenes
development; gene expression; microarray; ripening; strawberry; 2073
Acid phosphatase
disease resistance; gene expression; hypersensitive reaction; *Phaseolus vulgaris* L.; 387
Actin filaments
Chlorophyton comosum; hyperosmotic stress; leaf cells; plasmolytic cycle; 1699
Actin
green fluorescent protein; mitochondrion; *Nicotiana tabacum* L.; tubulin; 659
Active oxygen
abscisic acid; aleurone; cell death; gibberellic acid; 1273
Adenine nucleotides
ammonium; cattail; H^+ extrusion; Michaelis-Menten; nitrate; pH; *Typha latifolia*; Typhaceae; uptake kinetics; 2441
Adventitious root suppression
cucumber; *Cucumis sativus*; *Cucurbita*; cytokinin; squash; xylem sap; zeatin riboside; 2193
Age-related difference
apoplast; NH_3 compensation point; nitrogen; pH; 277
Agmatine
low temperature; polyamines; *Pringlea antiscorbutica*; root development; 1463
Agrobacterium tumefaciens-induced tumours
rays; respiration-dependent tumour energization; trans-tumour electropotential difference; xylem parenchyma; 1143
Agronomic models
nitrogen; plant physiology; 809
Al accumulation
Al toxicity; callose formation; *Cucurbita pepo*; H^+ efflux; H^+ influx; plasma membrane; surface pH; 1959
Al toxicity
Al accumulation; callose formation; *Cucurbita pepo*; H^+ efflux; H^+ influx; plasma membrane; surface pH; 1959
Alanine
amyloplast; anoxia; elongation; ethanol; fermentation; glycolysis; lactate; *Potamogeton distinctus* A. Benn.; turion; 1847
Aldehyde oxidase
abscisic acid biosynthesis; molybdenum cofactor; nitrate reductase; sulphite oxidase; xanthine dehydrogenase; 1689
Aleurone
abscisic acid; active oxygen; cell death; gibberellic acid; 1273
Alfalfa
biomass; persistence; SOD; stress tolerance; 1343
spring growth; sowing date; N fertilization; VSP; water; 111
Alien introgression
cDNA; chlorophyll catabolism; *Festuca*; *Lolium*; species-specific polymorphism; UDP-glucose pyrophosphorylase; 801
Aliphatic esters
aroma volatiles; Charentais melon; *Cucumis melo*; ethylene; 201
Alkalinization
bicarbonate; blue light; green alga; nitrate reductase; nitrite reductase; protein biosynthesis; 1909
Alstroemeria
flower; protease; protein; senescence; 233
Alternative oxidase
citrate; organic acid; *Poa annua*; sugar; 1081
malate; metabolic pathways; protons; stress; 151
Amaranthus
Chenopodium; CO_2 response; C_3 and C_4 photosynthesis; Rubisco; temperature response; 609
Amino acid synthesis
barley; co-ordination of biosynthesis; leaves; minor amino acids; potato; wheat; 939
Amino acids
GOGAT; malate; NIA; nitrate reduction; nitrogen metabolism; pH; 959
Amitrole
etioplasts; *Hordeum vulgare*; lipids; norflurazon; 1857
Ammonia
apoplast; clover; compensation point; nitrogen fixation; 139
Ammonium
adenine nucleotides; cattail; H^+ extrusion; Michaelis-Menten; nitrate; pH; *Typha latifolia*; Typhaceae; uptake kinetics; 2441
AMT1; flux regulation; nitrate; *Nrt2*; 855
apoplast; translocation; uptake; xylem; 883
nitrate; organogenesis; tobacco; 1437
Ammonium assimilation
aspartate aminotransferase; isocitrate dehydrogenase; 2-oxoglutarate; PII protein; 905
AMT1
ammonium; flux regulation; nitrate; *Nrt2*; 855
Amyloplast
alanine; anoxia; elongation; ethanol; fermentation; glycolysis; lactate; *Potamogeton distinctus* A. Benn.; turion; 1847
Anaerobiosis
abscisic acid; environmental stress; ethylene; flooding; long-distance signalling; plant hormones; root-to-shoot communication; xylem sap; 175
Ananas comosus
crassulacean acid metabolism; *Kalanchoë daigremontiana*; *K. pinnata*; metabolite level; 341
Anchorage
lateral roots; root hairs; root system architecture; uprooting; 333
Angiosperms
evaporative flux method; high-pressure method; hydraulic conductance; leaves; vacuum pump method; 2177
Anions
ABA; cations; phloem transport; potassium limitation; *Ricinus communis* L.; xylem transport; 241
Anoxia
alanine; amyloplast; elongation; ethanol; fermentation; glycolysis; lactate; *Potamogeton distinctus* A. Benn.; turion; 1847
barley; carbohydrate; leaves; phloem loading; temperature; 1671
Anther
fruit set; global warming; heat tolerance; male reproductive structures; microsporogenesis; pollen; temperature-sensitive period; thermotolerance; 1187
Antibody
ethylene receptor; fruit development; melon; regulation; 415
Antioxidant enzymes
abscisic acid; oxidative stress; reactive oxygen species; water stress; *Zea mays*; 2401
ionizing radiation; Poaceae; 1979
Antioxidant systems
heavy metals; mycorrhiza; oxidative stress; 1351
Antioxidants
Arabidopsis; chloroplast peroxiredoxin; peroxide detoxification; 1321
ascorbate–glutathione cycle; nitric oxide; peroxisomes; ROS; 1255
Antirrhinum majus L.
Green Fluorescent Protein (GFP); *in vitro* maturation; microspores; Red Fluorescent Protein (dsRFP); transformation; 1119
Aphid
barley; phloem; RT-PCR; stylectomy; transporter; 631
Aphidicolin
DNA polymerase; endoreduplication; *N. tabacum*; 669
Apical dominance
axillary bud; cytokinins; *ipt* gene; tuberization; 621
Apoplast
age-related difference; NH_3 compensation point; nitrogen; pH; 277

ammonia; clover; compensation point; nitrogen fixation; 139
ammonium; translocation; uptake; xylem; 883
Apoplastic movement
ectomycorrhiza; endodermis; LAMMA; *Pinus sylvestris*; 1659
Apoplastic pH
pH regulation; stomata; stress; *Vicia faba*; 73
Apoptosis
cadmium; DNA domain fragmentation; telomerase; tobacco BY-2 cells; 2151
Apple
Arabidopsis; cell walls; *Colourless non-ripening*; ripening mutants; tomato; 2065
flower development; floral transition; *MADS* box; 1025
Aquaporin
conifer; *in situ* hybridization; seed; tonoplast intrinsic protein (TIP); 639
Arabidopsis
ABA; cell development; CO_2; ethylene; jasmonates; leaf development; mutants; plant hormones; ROS; signalling; stomata; 183
antioxidants; chloroplast peroxiredoxin; peroxide detoxification; 1321
apple; cell walls; *Colourless non-ripening*; ripening mutants; tomato; 2065
AtNRT1.1; auxin; *CHL1*; nitrate transport; 835
circadian clock; light; MYB transcription factors; temperature; 1551
CstF complex; mRNA cleavage and polyadenylation; regulation; 2277
fruit dehiscence; regulation; 2031
fruit ripening; *Never-ripe*; phytohormone; transcription; 2057
heavy ions; microbeam; root gravitropism; signalling; 683
Arabidopsis HSF
electrophoretic mobility shift; HSP70; yeast two-hybrid; 371
Arabidopsis thaliana
ascorbate; lipid peroxidation; necrotroph; oxidative stress; 207
auxin; dehiscence; ethylene; *Fragaria ananassa*; ripening; *Solanum lycopersicon*; strawberry; tomato; transcription; 1995
cad1-3; cadmium; 447
cerium; cytokinins; early bolting; lanthanum; triacontanol; 505
communication; cytokinin; His–Asp phosphorelay; nitrate assimilation; nitrogen availability; *Zea mays*; 971
CPD photolyase; 6-4PP photolyase; UVB; 1005
embryo-specific gene expression; somatic embryogenesis; zygotic embryos; 1575
functional complementation; isopropylmalate synthase (EC 4.1.3.12); leucine biosynthesis; ribonuclease protection assay; 2453
FYVE-domain; phosphoinositides; Pleckstrin Homology (PH) domain; RCC1; 565
gene copy number; genotype; quantitative PCR; 1515
Arbuscular mycorrhizal fungi
functional diversity; gene expression; 1593
Arbuscular mycorrhizas
bioprotection; *Lycopersicon esculentum*; *Phytophthora*; systemic effect; 525
defence regulation; plant defence; 1377
mycorrhiza-defective tomato mutants; *Phytophthora parasitica*; plasma membrane H^+-ATPases; 1683
Aroma volatiles
aliphatic esters; Charentais melon; *Cucumis melo*; ethylene; 201
Aroma
Lycopersicon esculentum; organoleptic quality; QTL; sensory analysis; texture; 2089
Array hybridization
differential display; gene expression profiling; single cell analysis; 2315
Ascorbate
Arabidopsis thaliana; lipid peroxidation; necrotroph; oxidative stress; 207
Ascorbate peroxidase
chlorophyll fluorescence; hydrogen peroxide; singlet oxygen; superoxide; 1249
gene regulation; oxidative stress; 1305
Ascorbate–glutathione cycle
antioxidants; nitric oxide; peroxisomes; ROS; 1255
Aspartate aminotransferase
ammonium assimilation; isocitrate dehydrogenase; 2-oxoglutarate; PII protein; 905
ASR
Cucumis melo var. kuwata; fruit ripening; 2271
Assimilate production
homeostasis; partitioning; sink priority; sugarcane; 123
AtNRT1.1
Arabidopsis; auxin; *CHL1*; nitrate transport; 835
Auxin
Arabidopsis thaliana; dehiscence; ethylene; *Fragaria ananassa*; ripening; *Solanum lycopersicon*; strawberry; tomato; transcription; 1995
Arabidopsis; *AtNRT1.1*; *CHL1*; nitrate transport; 835
coleoptile segments; growth; membrane potential; proton secretion; 1089
cytokinins; iron deficiency; lateral roots; nitrate transport; phosphorus deficiency; sulphur deficiency; 39
Axillary bud
apical dominance; cytokinins; *ipt* gene; tuberization; 621
Banana
corm; *Musa*; sap flow; water deficit; whole-plant water use; 1771
Barley
ABC transporter; iron; tonoplast; vacuole; 727
abiotic stress; dwarf habit; QTL; genetic map; stable isotopes; 1163
amino acid synthesis; co-ordination of biosynthesis; leaves; minor amino acids; potato; wheat; 939
anoxia; carbohydrate; leaves; phloem loading; temperature; 1671
aphid; phloem; RT-PCR; stylectomy; transporter; 631
chalazal cells; diamine/polyamine oxidases; H_2O_2; lignification; 677
embryo; dormancy; ABA; stress; 147
evaporative demand; leaf expansion; nitrogen; water status; 1765
methyl jasmonate; plant defence; polyamine metabolism; powdery mildew; 747
Benzyladenine
BY-2 cells; 2,4-D; differentiation; starch-storing cells; tobacco; 2451
Berberine
ABC protein; *Coptis japonica*; MDR; transport; 1879
Beta vulgaris L.
callose; guard cell wall; pectin; xyloglucan; 1067
Bicarbonate
alkalinization; blue light; green alga; nitrate reductase; nitrite reductase; protein biosynthesis; 1909
Biomass
alfalfa; persistence; SOD; stress tolerance; 1343
Bioprotection
arbuscular mycorrhizas; *Lycopersicon esculentum*; *Phytophthora*; systemic effect; 525
Biosynthesis
carotenoid; fruit ripening; regulation; tomato; 2107
Biotechnology
crop yield; transgenic C_3 plants; 591
Blade elongation duration
blade elongation rate; leaf initiation; monocotyledon leaf development; thermal time; 715
Blade elongation rate
blade elongation duration; leaf initiation; monocotyledon leaf development; thermal time; 715
Blue light
alkalinization; bicarbonate; green alga; nitrate reductase; nitrite reductase; protein biosynthesis; 1909
Blue-light receptor
Pharbitis nil; phytochrome; *S*-adenosylmethionine decarboxylase; signal transduction; 1525
Bordered pit
flow; models; tracheids; 1485
Botrytis cinerea
hypersensitive response; UV stress; *Vitis vinifera*; 2279
Brassica campestris
nucleoside diphosphate kinase; self-incompatibility factor; SRK; 765
Brassica napus
embryo development; gibberellins; microspore-derived embryos (MDEs); uniconazole; 1747
methyl jasmonate; monocarpic senescence; nitrate uptake; nitrogen remobilization; tissular localization; vegetative storage protein; 1131
Brassica napus L.
abscisic acid; immunolocalization; methyl jasmonate; nitrogen mobilization; regulation of VSP expression; senescence; VSP accumulation; 265
high-affinity nitrate transporter; low-affinity nitrate transporter; nitrate influx; nitrate transporter genes; 1711
Brassica oleracea L.
endopolyploidy; endoreduplication; flow cytometry; petal development; 1017
Bryophyte
gene expression; moss; photodamage; 1197
Bryophytes
copper; fatty acids; lead; lipids; metabolism; 455
Buckwheat
Fagopyrum esculentum; rutin; UV radiation; 1801
Bud abortion
MRI; storage; T_1; T_2; tulip bulb; water status; 1603
Bundle sheath leakiness
carbon isotope discrimination; CO_2 supply; grasses; nitrogen; semi-arid; water; 2261
Buthionine sulphoximine
heavy metal tolerance; *Holcus lanatus*; hyperaccumulator; metallophyte; phytochelatins; *Silene vulgaris*; *Thlaspi caerulescens*; 2381
BY-2 cells
2,4-D; benzyladenine; differentiation; starch-storing cells; tobacco; 2451
$\delta^{13}C$
genetic variability; *Vitis vinifera* L.; water stress; 757
C/N balance
elevated pCO_2; functional equilibrium; long-distance transport; N-uptake; nitrate reduction; root:shoot ratio; 2351
C_3
C_4; leaf growth; N-mobilization; N-uptake; *Panicum maximum*; *Poa trivialis*; 2167
C_3 and C_4 photosynthesis
Amaranthus; *Chenopodium*; CO_2 response; Rubisco; temperature response; 609
C_3 weeds
C_4 weeds; light levels; plant development; sucrose supplementation; 1935
C_3-photosynthesis/CAM switch
citrate decarboxylation; *Clusia minor*; spectral irradiance; UV-A/blue light receptor; 1475
C_4
C_3; leaf growth; N-mobilization; N-uptake; *Panicum maximum*; *Poa trivialis*; 2167
C_4 photosynthesis
CO_2 capture; CO_2 concentration; photorespiration; Rubisco; 581
C_4 weeds
C_3 weeds; light levels; plant development; sucrose supplementation; 1935
cad1-3
Arabidopsis thaliana; cadmium; 447
Cadmium
apoptosis; DNA domain fragmentation; telomerase; tobacco BY-2 cells; 2151
Arabidopsis thaliana; *cad1-3*; 447
Glomus intraradices; pea genotypes; phytoremediation; 1177
Caffeic acid 3-*O*-methyltransferase
stem lodging; *Triticum aestivum* L.; 2281
Calcium deficiency
Lycopersicon esculentum; wound responses; 83
Callose formation
Al accumulation; Al toxicity; *Cucurbita pepo*; H^+ efflux; H^+ influx; plasma membrane; surface pH; 1959
Callose
Beta vulgaris L.; guard cell wall; pectin; xyloglucan; 1067
Callus metabolism
carbohydrates; *Hevea brasiliensis*; regeneration; somatic embryogenesis; 1453
CAM
carboxylation; circadian control; metabolite partitioning; 569

Cambium
confocal microscopy; *Kalopanax pictus*; nuclei; 483
Camellia sinensis (L.) O. Kuntze
chlorophyll *a* fluorescence; nitrogen; photoinhibition; photosynthesis; solar radiation; tea; 313
Canopy formation
photosynthesis; ultraviolet radiation; *Ulva rotundata*; 2411
Carbohydrate
anoxia; barley; leaves; phloem loading; temperature; 1671
Carbohydrate metabolism
enzymes; *in situ* staining; plant tissues; 361
Carbohydrates
callus metabolism; *Hevea brasiliensis*; regeneration; somatic embryogenesis; 1453
Carbon assimilation
development; growth; metabolic systems; nitrogen assimilation; yield; 773
Carbon dioxide
acclimation; stomata; *Vicia faba*; 545
CO_2; cotton; global change; *Gossypium hirsutum*; plant allocation; plant–insect interactions; 323
Carbon dioxide concentrating
circadian clock; crassulacean acid metabolism; oxidative stress; oxygen concentrating; 2131
Carbon isotope discrimination
bundle sheath leakiness; CO_2 supply; grasses; nitrogen; semi-arid; water; 2261
Carboxylation
CAM; circadian control; metabolite partitioning; 569
Carnation
cysteine proteinase; cysteine proteinase inhibitor; *Dianthus caryophyllus*; flower senescence; petal wilting; 407
Dianthus caryophyllus; ethylene perception; ethylene-receptor mRNAs; flower senescence; petal wilting; 399
Carotenoid
biosynthesis; fruit ripening; regulation; tomato; 2107
, climacteric; ethylene receptor; ethylene signal transduction; lipoxygenase; MAPKinase; tomato; 2039
Catharanthus roseus
cytokinin receptors; histidine kinase; 1989
E2 ubiquitin-conjugating enzyme; cytokinin; 149
Cations
ABA; anions; phloem transport; potassium limitation; *Ricinus communis* L.; xylem transport; 241
Cattail
adenine nucleotides; ammonium; H^+ extrusion; Michaelis-Menten; nitrate; pH; *Typha latifolia*; Typhaceae; uptake kinetics; 2441
Cavitation
earlywood; embolism; hydraulic conductivity; latewood; relative water content; 2369
Cavitation fatigue
embolism; soil drought; xylem sap; 1155
Cd
hyperaccumulation; *Thlaspi caerulescens*; uptake; Zn; 535
cDNA
alien introgression; chlorophyll catabolism; *Festuca*; *Lolium*; species-specific polymorphism; UDP-glucose pyrophosphorylase; 801
β-D-xylosidase; pathogenesis-related; thaumatin-like; 429
cDNA array
cold acclimation; controlled extension; linear PCR; probe amplification; 351
CDPK
cold treatment; strawberry; fruit; 2283
Cell death
abscisic acid; active oxygen; aleurone; gibberellic acid; 1273
Cell development
ABA; *Arabidopsis*; CO_2; ethylene; jasmonates; leaf development; mutants; plant hormones; ROS; signalling; stomata; 183
Cell division
cell expansion; growth; leaf development; phosphorus; shoot apex; 473
Cell expansion
cell division; growth; leaf development; phosphorus; shoot apex; 473
Cell properties
pectin; pectic polysaccharides; *Pisum sativum* L.; testa; 707
Cell wall
fatty acids; French bean; hydrogen peroxide; oxidative burst; oxylipins; peroxidase; *Phaseolus vulgaris* L.; 1367
fruit growth; *Lycopersicon esculentum*; peroxidase; stiffening; tomato; 2393
fruit softening; pectate lyase; pectin; 2115
germination; *Lycopersicon esculentum*; xyloglucan endotransglycosylase; XET; 215
Cell walls
apple; *Arabidopsis*; *Colourless non-ripening*; ripening mutants; tomato; 2065
flower senescence; galactose; molecular weight; XET; 513
Cereals
functional properties; gene expression; genetic engineering; protein bodies; proteins; 947
Cerium
Arabidopsis thaliana; cytokinins; early bolting; lanthanum; triacontanol; 505
Chalazal cells
barley; diamine/polyamine oxidases; H_2O_2; lignification; 677
Chalcone isomerase
chalcone synthase; flavonol synthase; flavonols; tomato; transcription factors; 2099
Chalcone synthase
chalcone isomerase; flavonol synthase; flavonols; tomato; transcription factors; 2099
Charentais melon
aliphatic esters; aroma volatiles; *Cucumis melo*; ethylene; 201
Chenopodium
Amaranthus; CO_2 response; C_3 and C_4 photosynthesis; Rubisco; temperature response; 609
Chilling injury
cortical cells; *Cucumis sativus* roots; transmission electron microscopy; root pressure; 2225
CHL1
Arabidopsis; *AtNRT1.1*; auxin; nitrate transport; 835
Chlamydomonas reinhardtii
nitrate assimilation; nitrite transport; 845
Chlorophyll *a* fluorescence
Camellia sinensis (L.) O. Kuntze; nitrogen; photoinhibition; photosynthesis; solar radiation; tea; 313
Chlorophyll catabolism
alien introgression; cDNA; *Festuca*; *Lolium*; species-specific polymorphism; UDP-glucose pyrophosphorylase; 801
chloroplast; compartmentation; membrane integrity; protein degradation; vacuole; 927
Chlorophyll fluorescence
ascorbate peroxidase; hydrogen peroxide; singlet oxygen; superoxide; 1249
cold-tolerance; maize; photosynthesis; pigment composition; QTL; 1967
Chlorophyton comosum
actin filaments; hyperosmotic stress; leaf cells; plasmolytic cycle; 1699
Chloroplast
chlorophyll catabolism; compartmentation; membrane integrity; protein degradation; vacuole; 927
NEP; PEP; plastid transcripts; T7 RNA polymerase; 2341
Chloroplast peroxiredoxin
antioxidants; *Arabidopsis*; peroxide detoxification; 1321
Chloroplasts
γ-glutamylcysteine synthetase; glutathione; maize; plant–pathogen interaction; transporter; *Triticum aestivum*; wheat; *Zea mays*; 1283
gene expression; improved nutritional quality; soybean vegetative storage proteins; total lysine content; transgenic tobacco plants; 1867
Christmas rose
cytokinin analysis; *Helleborus niger* L.; plant growth regulator; post-floral morphogenesis; 1949
Chromosome preparation
FISH; *in situ* end labelling; plants; programmed cell death; 651
Cinnamyl alcohol dehydrogenase
fruit growth; fruit ripening; strawberry; 1723
Circadian clock
Arabidopsis; light; MYB transcription factors; temperature; 1551
carbon dioxide concentrating; crassulacean acid metabolism; oxidative stress; oxygen concentrating; 2131
environmental input; photoreceptors; temperature; 1535
Circadian control
CAM; carboxylation; metabolite partitioning; 569
Citrate decarboxylation
Clusia minor; C_3-photosynthesis/CAM switch; spectral irradiance; UV-A/blue light receptor; 1475
Citrate
alternative oxidase; organic acid; *Poa annua*; sugar; 1081
Citrus unshiu Marc.
gene expression; phylogenetic relationships; sucrose synthase; sugar accumulation; 61
Climacteric
carotenoid; ethylene receptor; ethylene signal transduction; lipoxygenase; MAPKinase; tomato; 2039
Clover
ammonia; apoplast; compensation point; nitrogen fixation; 139
Clusia minor
citrate decarboxylation; C_3-photosynthesis/CAM switch; spectral irradiance; UV-A/blue light receptor; 1475
CO_2
ABA; *Arabidopsis*; cell development; ethylene; jasmonates; leaf development; mutants; plant hormones; ROS; signalling; stomata; 183
carbon dioxide; cotton; global change; *Gossypium hirsutum*; plant allocation; plant–insect interactions; 323
epidermal cell density; leaf conductance; O_3; open-top chambers; potato; *Solanum tuberosum*; stomatal density; stomatal index; 737
CO_2 capture
C_4 photosynthesis; CO_2 concentration; photorespiration; Rubisco; 581
CO_2 concentration
C_4 photosynthesis; CO_2 capture; photorespiration; Rubisco; 581
CO_2 response
Amaranthus; *Chenopodium*; C_3 and C_4 photosynthesis; Rubisco; temperature response; 609
CO_2 supply
bundle sheath leakiness; carbon isotope discrimination; grasses; nitrogen; semi-arid; water; 2261
Coat-imposed dormancy
embryo; abscisic acid metabolism; seed germination; yellow-cedar; 89
Cold
freezing assay; ice nucleation; microtitre plates; *Nicotiana tabacum*; 1887
Cold acclimation
cDNA array; controlled extension; linear PCR; probe amplification; 351
Cold treatment
CDPK; strawberry; fruit; 2283
Cold-tolerance
chlorophyll fluorescence; maize; photosynthesis; pigment composition; QTL; 1967
Coleoptile segments
auxin; growth; membrane potential; proton secretion; 1089
Coleoptiles
ACC; ethephon; ethylene; gravicompetence; gravitropism; primary shoots; rye; *Secale cereale*; 1825
ethylene; gravitropic setpoint angle; *Secale cereale* L.; 1627
Colourless non-ripening
apple; *Arabidopsis*; cell walls; ripening mutants; tomato; 2065
Communication
Arabidopsis thaliana; cytokinin; His–Asp phosphorelay; nitrate assimilation; nitrogen availability; *Zea mays*; 971
Compartmentation
chlorophyll catabolism; chloroplast; membrane integrity; protein degradation; vacuole; 927
Compensation point
ammonia; apoplast; clover; nitrogen fixation; 139

Confocal microscopy
cambium; *Kalopanax pictus*; nuclei; 483
Conifer
aquaporin; *in situ* hybridization; seed; tonoplast intrinsic protein (TIP); 639
Controlled extension
cDNA array; cold acclimation; linear PCR; probe amplification; 351
Co-ordination of biosynthesis
amino acid synthesis; barley; leaves; minor amino acids; potato; wheat; 939
Copper
bryophytes; fatty acids; lead; lipids; metabolism; 455
Fe(II) transporter; iron; *IRT1*; rice; 1677
Coptis japonica;
ABC protein; berberine; MDR; transport; 1879
Corm
banana; *Musa*; sap flow; water deficit; whole-plant water use; 1771
Corn
lipo-chito-oligosaccharide; Nod factor; nodulation; soybean; 1929
Cortical cells
chilling injury; *Cucumis sativus* roots; transmission electron microscopy; root pressure; 2225
Cotesia rubecula
jasmonic acid; *Pieris rapae*; plant volatiles; tritrophic interactions; 1793
Cotton
carbon dioxide; CO_2; global change; *Gossypium hirsutum*; plant allocation; plant–insect interactions; 323
CPD photolyase
Arabidopsis thaliana; 6-4PP photolyase; UVB; 1005
Crassulacean acid metabolism
Ananas comosus; *Kalanchoë daigremontiana*; *K. pinnata*; metabolite level; 341
carbon dioxide concentrating; circadian clock; oxidative stress; oxygen concentrating; 2131
Craterostigma wilmsii
drying rate; homoiochlorophyllous; metabolic inhibitors; modified desiccation tolerance; transcription; translation; 1805
Critical water content
abscisic acid; dehydrin; desiccation tolerance; drying rate; soluble sugars; *Spathoglottis plicata*; water stress; 551
Crop development
crop growth; nitrogen assimilation; nitrogen uptake; plant regulation; photosynthesis; 789
Crop growth
crop development; nitrogen assimilation; nitrogen uptake; plant regulation; photosynthesis; 789
Crop yield
biotechnology; transgenic C_3 plants; 591
CstF complex
Arabidopsis; mRNA cleavage and polyadenylation; regulation; 2277
CTR-homologues
ethylene; flower senescence; post-harvest; *Rosa hybrida*; 1223
Cucumber
adventitious root suppression; *Cucumis sativus*; *Cucurbita*; cytokinin; squash; xylem sap; zeatin riboside; 2193
Cucumis melo
aliphatic esters; aroma volatiles; Charentais melon; ethylene; 201
Cucumis melo var. kuwata
ASR; fruit ripening; 2271
Cucumis sativus
adventitious root suppression; cucumber; *Cucurbita*; cytokinin; squash; xylem sap; zeatin riboside; 2193
Cucumis sativus roots
chilling injury; cortical cells; transmission electron microscopy; root pressure; 2225
Cucurbita
adventitious root suppression; cucumber; *Cucumis sativus*; cytokinin; squash; xylem sap; zeatin riboside; 2193
Cucurbita pepo
Al accumulation; Al toxicity; callose formation; H^+ efflux; H^+ influx; plasma membrane; surface pH; 1959
Cuscuta
Medicago; parasitism; pathogenesis-related proteins; stress; 1831
Cyanoalanine synthase
cysteine synthase; *O*-acetylserine(thiol)lyase; sulphur metabolism; 439
Cyclo-oxygenase
hot pepper; hypersensitive reaction; pathogen infection; plant defence mechanism; 383
Cysteine proteinase;
carnation; cysteine proteinase-inhibitor; *Dianthus caryophyllus*; flower senescence; petal wilting; 407
Cysteine proteinase-inhibitor
carnation; cysteine proteinase; *Dianthus caryophyllus*; flower senescence; petal wilting; 407
Cysteine synthase
cyanoalanine synthase; *O*-acetylserine(thiol)lyase; sulphur metabolism; 439
Cytokinin analysis
Christmas rose; *Helleborus niger* L.; plant growth regulator; post-floral morphogenesis; 1949
Cytokinin oxidase
orchid; regulation; 1899
Cytokinin receptors
Catharanthus roseus; histidine kinase; 1989
Cytokinin
adventitious root suppression; cucumber; *Cucumis sativus*; *Cucurbita*; squash; xylem sap; zeatin riboside; 2193
Arabidopsis thaliana; communication; His–Asp phosphorelay; nitrate assimilation; nitrogen availability; *Zea mays*; 971
Catharanthus roseus; E2 ubiquitin-conjugating enzyme; 149
Cytokinins
apical dominance; axillary bud; *ipt* gene; tuberization; 621
Arabidopsis thaliana; cerium; early bolting; lanthanum; triacontanol; 505
auxin; iron deficiency; lateral roots; nitrate transport; phosphorus deficiency; sulphur deficiency; 39
Cytosolic pH
nitrate reductase; nitric oxide; protein phosphorylation; 14-3-3 proteins; phosphorylation state; sugar signalling; 875
2,4-D
benzyladenine; BY-2 cells; differentiation; starch-storing cells; tobacco; 2451
DCMU
gravitropic set-point angle; gravitropism; *lazy-2* tomato; norflurazon; photosynthesis; *Tradescantia*; 377
Deepwater rice
ethylene; MJ0577; *Oryza sativa* L.; submergence stress; universal stress protein; 2325
Defence regulation
arbuscular mycorrhizas; plant defence; 1377
Defence systems
detoxification; ROS; SOD; superoxide dismutase; 1331
Defensin
Elaeis guineensis; flower abnormality; somaclonal variation; 1387
Defoliation
morphological traits; ^{15}N; N reserves; *Trifolium repens* L.; 1941
Dehiscence
Arabidopsis thaliana; auxin; ethylene; *Fragaria ananassa*; ripening; *Solanum lycopersicon*; strawberry; tomato; transcription; 1995
diversity; fruit type; morphology; phylogeny; seed dispersal; Solanaceae; tobacco; tomato; 2001
Dehydration
lipids; plasma membrane; *Ramonda serbica*; resurrection plants; 2159
Dehydrin
abscisic acid; critical water content; desiccation tolerance; drying rate; soluble sugars; *Spathoglottis plicata*; water stress; 551
Desiccation
moss; salinity; V-ATPase; 225
Desiccation tolerance
abscisic acid; critical water content; dehydrin; drying rate; soluble sugars; *Spathoglottis plicata*; water stress; 551
drought resistance; hydraulic conductance; *Licania platypus*; water potential; 2239
Detoxification
defence systems; ROS; SOD; superoxide dismutase; 1331
heat shock proteins; heavy metal tolerance; metallothioneins; mycorrhiza; phytochelatins; plasma membrane; vacuolar compartmentation; 1
Development
achenes; gene expression; microarray; ripening; strawberry; 2073
carbon assimilation; growth; metabolic systems; nitrogen assimilation; yield; 773
Developmental expression
dfr; grape; light signalling; sucrose signalling; 1397
dfr
developmental expression; grape; light signalling; sucrose signalling; 1397
Diamine/polyamine oxidases
barley; chalazal cells; H_2O_2; lignification; 677
Dianthus caryophyllus
carnation; cysteine proteinase; cysteine proteinase-inhibitor; flower senescence; petal wilting; 407
carnation; ethylene perception; ethylene-receptor mRNAs; flower senescence; petal wilting; 399
Differential display
array hybridization; gene expression profiling; single cell analysis; 2315
Differential gene expression
sugar beet; suppression subtractive hybridization; taproot; 1533
Differentiation
benzyladenine; BY-2 cells; 2,4-D; starch-storing cells; tobacco; 2451
Disease resistance
acid phosphatase; gene expression; hypersensitive reaction; *Phaseolus vulgaris* L.; 387
Diurnal course
kinematics; oscillation; root growth; temperature; *Zea mays*; 689
Diversity
dehiscence; fruit type; morphology; phylogeny; seed dispersal; Solanaceae; tobacco; tomato; 2001
DNA domain fragmentation
apoptosis; cadmium; telomerase; tobacco BY-2 cells; 2151
DNA methylation
peach; *Prunus persica*; shoot apical meristem; vegetative phases; zeatin; 1047
DNA polymerase
aphidicolin; endoreduplication; *N. tabacum*; 669
Dormancy
barley; embryo; ABA; stress; 147
Drought
abscisic acid; *flacca*; root signals; *sitiens*; 1503
abscisic acid; *Nicotiana plumbaginifolia*; stomatal conductance; xylem sap; 287
abscisic acid; nitrate; pH; root-shoot communication; xylem sap composition; 251
drought avoidance; guard cells; NADP-malic enzyme; stomata; transgenic plants; 699
mucilage; polysaccharides; water relations; *Ziziphus*; 131
senescence; soybean; stay green; stress tolerance; 1421
Drought avoidance
drought; guard cells; NADP-malic enzyme; stomata; transgenic plants; 699
Drought resistance
desiccation tolerance; hydraulic conductance; *Licania platypus*; water potential; 2239
Drought response
ABA; humidity response; hydraulic conductance; leaf water potential; stomatal regulation; xylem cavitation; 195
Drought stress
maize; harvestable yield; spikelet growth; 13
Dry matter distribution
model; sink priority; sink size; sink strength; 1919
Drying rate
abscisic acid; critical water content; dehydrin; desiccation tolerance; soluble sugars; *Spathoglottis plicata*; water stress; 551
Craterostigma wilmsii; homoiochlorophyllous; metabolic inhibitors; modified desiccation tolerance; transcription; translation; 1805
Dwarf habit
abiotic stress; barley; QTL; genetic map; stable isotopes; 1163
E2 ubiquitin-conjugating enzyme
Catharanthus roseus; cytokinin; 149

Early bolting
Arabidopsis thaliana; cerium; cytokinins; lanthanum; triacontanol; 505
Earlywood
cavitation; embolism; hydraulic conductivity; latewood; relative water content; 2369
Ecophysiology
fruit growth; genotypes; model; peach; 1613
Ectomycorrhiza
apoplastic movement; endodermis; LAMMA; *Pinus sylvestris*; 1659
Elaeis guineensis
defensin; flower abnormality; somaclonal variation; 1387
Electrophoretic mobility shift
Arabidopsis HSF; HSP70; yeast two-hybrid; 371
Elevated carbon dioxide
mycorrhiza; ryegrass; 1207
Elevated CO_2
fluorescence; metabolism; photosynthesis; water deficit; 1781
Elevated pCO_2
C/N balance; functional equilibrium; long-distance transport; N-uptake; nitrate reduction; root:shoot ratio; 2351
Elongation
alanine; amyloplast; anoxia; ethanol; fermentation; glycolysis; lactate; *Potamogeton distinctus* A. Benn.; turion; 1847
fucosylation; pollen; tobacco; 1429
Embolism
cavitation fatigue; soil drought; xylem sap; 1155
cavitation; earlywood; hydraulic conductivity; latewood; relative water content; 2369
Embryo
barley; dormancy; ABA; stress; 147
coat-imposed dormancy; abscisic acid metabolism; seed germination; yellow-cedar; 89
Embryo development
Brassica napus; gibberellins; microspore-derived embryos (MDEs); uniconazole; 1747
HSP17; small heat shock proteins; somatic embryogenesis; tissue specificity; 1445
Embryo-specific gene expression
Arabidopsis thaliana; somatic embryogenesis; zygotic embryos; 1575
Endodermis
apoplastic movement; ectomycorrhiza; LAMMA; *Pinus sylvestris*; 1659
Endopolyploidy
Brassica oleracea L.; endoreduplication; flow cytometry; petal development; 1017
Endoreduplication
aphidicolin; DNA polymerase; *N. tabacum*; 669
Brassica oleracea L.; endopolyploidy; flow cytometry; petal development; 1017
Endosperm
germination; hydrogen peroxide; peroxidase; tomato seed; 1643
immunohistochemistry; ligand; protein–protein interaction; *Zea mays*; 1559
Energy balance
infrared thermography; infrared thermometry; leaf temperature; thermal imaging; stomatal conductance; *Vitis vinifera*; 2249
Energy charge
hypoxia; optical oxygen sensors; photosynthesis; seed development; 1099
Environmental input
circadian clock; photoreceptors; temperature; 1535
Environmental stress
abscisic acid; anaerobiosis; ethylene; flooding; long-distance signalling; plant hormones; root-to-shoot communication; xylem sap; 175
Enzymes
carbohydrate metabolism; *in situ* staining; plant tissues; 361
Epidermal cell density
CO_2; leaf conductance; O_3; open-top chambers; potato; *Solanum tuberosum*; stomatal density; stomatal index; 737
ERS1
abscission zone; *ETR1*; 1-methylcyclopropene (1-MCP); quantitative RT-PCR; ripening; *Prunus persica*; 2333
ESTs
map-based cloning; microarrays; mutant complementation; 2023
Ethanol
alanine; amyloplast; anoxia; elongation; fermentation; glycolysis; lactate; *Potamogeton distinctus* A. Benn.; turion; 1847
Ethephon
ACC; coleoptiles; ethylene; gravicompetence; gravitropism; primary shoots; rye; *Secale cereale*; 1825
Ethylene
ABA; *Arabidopsis*; cell development; CO_2; jasmonates; leaf development; mutants; plant hormones; ROS; signalling; stomata; 183
abscisic acid; ABA; *Lycopersicon esculentum*; mutants; signalling; soil compaction; tomato; 45
abscisic acid; anaerobiosis; environmental stress; flooding; long-distance signalling; plant hormones; root-to-shoot communication; xylem sap; 175
abscisic acid; root growth; shoot growth; water stress; 33
ACC oxidase; *Fusarium eumartii*; indole-3-acetic acid; *Solanum tuberosum*; stress response; wounding; 2455
ACC; coleoptiles; ethephon; gravicompetence; gravitropism; primary shoots; rye; *Secale cereale*; 1825
aliphatic esters; aroma volatiles; Charentais melon; *Cucumis melo*; 201
Arabidopsis thaliana; auxin; dehiscence; *Fragaria ananassa*; ripening; *Solanum lycopersicon*; strawberry; tomato; transcription; 1995
coleoptiles; gravitropic setpoint angle; *Secale cereale* L.; 1627
CTR-homologues; flower senescence; post-harvest; *Rosa hybrida*; 1223
deepwater rice; MJ0577; *Oryza sativa* L.; submergence stress; universal stress protein; 2325
gibberellin; growth; rice; sodium/bile acid transporter family (Sbf); 1991
phytohormones; *Rumex*; stress responses; submergence; 391
Ethylene perception
carnation; *Dianthus caryophyllus*; ethylene-receptor mRNAs; flower senescence; petal wilting; 399
Ethylene receptor
antibody; fruit development; melon; regulation; 415
carotenoid; climacteric; ethylene signal transduction; lipoxygenase; MAPKinase; tomato; 2039
Ethylene-receptor mRNAs
carnation; *Dianthus caryophyllus*; ethylene perception; flower senescence; petal wilting; 399
Ethylene signal transduction
carotenoid; climacteric; ethylene receptor; lipoxygenase; MAPKinase; tomato; 2039
Etioplasts
amitrole; *Hordeum vulgare*; lipids; norflurazon; 1857
ETR1
abscission zone; *ERS1*; 1-methylcyclopropene (1-MCP); quantitative RT-PCR; ripening; *Prunus persica*; 2333
Euglena gracilis
greening; microspectrofluorimetry; PSII assembly; 1753
Euhalophyte
Salicornia bigelovii; salt tolerance; vacuolar H^+-pyrophosphatase; vacuolar Na^+/H^+ exchange; 1055
Evaporative demand
barley; leaf expansion; nitrogen; water status; 1765
Evaporative flux method
angiosperms; high-pressure method; hydraulic conductance; leaves; vacuum pump method; 2177
Expressed sequence tag
green fluorescent protein; molybdenum cofactor; nitrate reductase; peroxisomal targeting signal; redox reaction; 1833
Extensin-like
flower-specific gene expression; gibberellin; *Solanum lycopersicum*; 51
Fagopyrum esculentum
buckwheat; rutin; UV radiation; 1801
Fatty acids
bryophytes; copper; lead; lipids; metabolism; 455
cell wall; French bean; hydrogen peroxide; oxidative burst; oxylipins; peroxidase; *Phaseolus vulgaris* L.; 1367
Fe(II) transporter
copper; iron; *IRT1*; rice; 1677
Fermentation
alanine; amyloplast; anoxia; elongation; ethanol; glycolysis; lactate; *Potamogeton distinctus* A. Benn.; turion; 1847
Festuca
alien introgression; cDNA; chlorophyll catabolism; *Lolium*; species-specific polymorphism; UDP-glucose pyrophosphorylase; 801
Fibre optic oxygen probe
oxygen concentration; sapwood; transpiration; 559
FISH
chromosome preparation; *in situ* end labelling; plants; programmed cell death; 651
flacca
abscisic acid; drought; root signals; *sitiens*; 1503
Flavonoids
nod gene; *Pisum*; *Rhizobium*; symbiosis; 1735
Flavonol synthase
chalcone isomerase; chalcone synthase; flavonols; tomato; transcription factors; 2099
Flavonols
chalcone isomerase; chalcone synthase; flavonol synthase; tomato; transcription factors; 2099
Flavour volatiles
Fragaria ananassa; harvest date; light integral; sugar accumulation; 2121
Flooding
abscisic acid; anaerobiosis; environmental stress; ethylene; long-distance signalling; plant hormones; root-to-shoot communication; xylem sap; 175
Floral development
homeotic gene; MADS-box; potato; 465
Floral scents
fluid mechanics; fungicides; hormones; pheromones; plant cuticle; stomata; uptake; volatiles; 1815
Floral transition
apple; flower development; *MADS* box; 1025
Flow
bordered pit; models; tracheids; 1485
Flow cytometry
Brassica oleracea L.; endopolyploidy; endoreduplication; petal development; 1017
Flower abnormality
defensin; *Elaeis guineensis*; somaclonal variation; 1387
Flower development
apple; floral transition; *MADS* box; 1025
Flower senescence
carnation; cysteine proteinase; cysteine proteinase-inhibitor; *Dianthus caryophyllus*; petal wilting; 407
carnation; *Dianthus caryophyllus*; ethylene perception; ethylene-receptor mRNAs; petal wilting; 399
cell walls; galactose; molecular weight; XET; 513
CTR-homologues; ethylene; post-harvest; *Rosa hybrida*; 1223
Flower
Alstroemeria; protease; protein; senescence; 233
Flower-specific gene expression
extensin-like; gibberellin; *Solanum lycopersicum*; 51
Fluid mechanics
floral scents; fungicides; hormones; pheromones; plant cuticle; stomata; uptake; volatiles; 1815
Fluorescence
elevated CO_2; metabolism; photosynthesis; water deficit; 1781
Flux regulation
ammonium; *AMT1*; nitrate; *Nrt2*; 855
Fragaria ananassa
Arabidopsis thaliana; auxin; dehiscence; ethylene; ripening; *Solanum lycopersicon*; strawberry; tomato; transcription; 1995
Fragaria ananassa
flavour volatiles; harvest date; light integral; sugar accumulation; 2121
Freezing assay
cold; ice nucleation; microtitre plates; *Nicotiana tabacum*; 1887

French bean
cell wall; fatty acids; hydrogen peroxide; oxidative burst; oxylipins; peroxidase; *Phaseolus vulgaris* L.; 1367
Fruit
CDPK; cold treatment; strawberry; 2283
Fruit dehiscence
Arabidopsis; regulation; 2031
Fruit development
antibody; ethylene receptor; melon; regulation; 415
Fruit growth
cell wall; *Lycopersicon esculentum*; peroxidase; stiffening; tomato; 2393
cinnamyl alcohol dehydrogenase; fruit ripening; strawberry; 1723
ecophysiology; genotypes; model; peach; 1613
localization; *Lycopersicon esculentum*; peroxidase; tomato; 2185
Fruit ripening
Arabidopsis; *Never-ripe*; phytohormone; transcription; 2057
ASR; *Cucumis melo* var. kuwata; 2271
biosynthesis; carotenoid; regulation; tomato; 2107
cinnamyl alcohol dehydrogenase; fruit growth; strawberry; 1723
Fruit set
anther; global warming; heat tolerance; male reproductive structures; microsporogenesis; pollen; temperature-sensitive period; thermotolerance; 1187
Fruit softening
cell wall; pectate lyase; pectin; 2115
Fruit type
dehiscence; diversity; morphology; phylogeny; seed dispersal; Solanaceae; tobacco; tomato; 2001
Fucosylation
elongation; pollen; tobacco; 1429
Functional complementation
Arabidopsis thaliana; isopropylmalate synthase (EC 4.1.3.12); leucine biosynthesis; ribonuclease protection assay; 2453
Functional diversity
arbuscular mycorrhizal fungi; gene expression; 1593
Functional equilibrium
C/N balance; elevated pCO_2; long-distance transport; N-uptake; nitrate reduction; root:shoot ratio; 2351
Functional properties
cereals; gene expression; genetic engineering; protein bodies; proteins; 947
Fungicides
floral scents; fluid mechanics; hormones; pheromones; plant cuticle; stomata; uptake; volatiles; 1815
Fusarium eumartii
ACC oxidase; ethylene; indole-3-acetic acid; *Solanum tuberosum*; stress response; wounding; 2455
FYVE-domain
Arabidopsis thaliana; phosphoinositides; Pleckstrin Homology (PH) domain; RCC1; 565
GA signalling
gibberellins; *Procera*; *Spindly*; 1829
Galactose
cell walls; flower senescence; molecular weight; XET; 513
Gene copy number
Arabidopsis thaliana; genotype; quantitative PCR; 1515
Gene expression
achenes; development; microarray; ripening; strawberry; 2073
acid phosphatase; disease resistance; hypersensitive reaction; *Phaseolus vulgaris* L.; 387
arbuscular mycorrhizal fungi; functional diversity; 1593
bryophyte; moss; photodamage; 1197
cereals; functional properties; genetic engineering; protein bodies; proteins; 947
chloroplasts; improved nutritional quality; soybean vegetative storage proteins; total lysine content; transgenic tobacco plants; 1867
Citrus unshiu Marc.; phylogenetic relationships; sucrose synthase; sugar accumulation; 61
nitrogenase activity; soybean; sucrose metabolism; 423
Gene expression profiling
array hybridization; differential display; single cell analysis; 2315
Gene regulation
ascorbate peroxidase; oxidative stress; 1305
Gene transcription
nitrate content; nitrate reductase; *Solanun tuberosum* L.; transgenic plants; 1037
Genetic engineering
cereals; functional properties; gene expression; protein bodies; proteins; 947
phosphoenolpyruvate carboxylase; signal transduction; 1837
Genetic map
abiotic stress; barley; dwarf habit; QTL; stable isotopes; 1163
Genetic variability
$\delta^{13}C$; *Vitis vinifera* L.; water stress; 757
Genotype
Arabidopsis thaliana; gene copy number; quantitative PCR; 1515
Genotypes
ecophysiology; fruit growth; model; peach; 1613
Germination
cell wall; *Lycopersicon esculentum*; xyloglucan endotransglycosylase; XET; 215
endosperm; hydrogen peroxide; peroxidase; tomato seed; 1643
Germination inhibitor
ABA sensitivity of embryo; grain colour; grain dormancy; wheat; 1569
GFP
giant mitochondria; *Nicotiana*; oxygen; respiration; 1215
Giant mitochondria
GFP; *Nicotiana*; oxygen; respiration; 1215
Gibberellic acid
abscisic acid; active oxygen; aleurone; cell death; 1273
Gibberellin
ethylene; growth; rice; sodium/bile acid transporter family (Sbf); 1991
extensin-like; flower-specific gene expression; *Solanum lycopersicum*; 51
Gibberellins
Brassica napus; embryo development; microspore-derived embryos (MDEs); uniconazole; 1747
GA signalling; *Procera*; *Spindly*; 1829
Global change
carbon dioxide; CO_2; cotton; *Gossypium hirsutum*; plant allocation; plant–insect interactions; 323
Global warming
anther; fruit set; heat tolerance; male reproductive structures; microsporogenesis; pollen; temperature-sensitive period; thermotolerance; 1187
Glomus intraradices
cadmium; pea genotypes; phytoremediation; 1177
Glucose 6-phosphate/phosphate translocator
glutamate/malate translocator; glutamine/glutamate translocator; GS/GOGAT; photorespiration; 2-oxoglutarate/malate translocator; 865
Glucose translocator
maltose translocator; starch mobilization; stroma space; 1581
Glutamate dehydrogenase
glutamine synthetase; nitrogen metabolism; QTL; regulation; transgenic plants; *Triticum aestivum*; wheat; 979
Glutamate synthase
nitrogen recycling; overexpression; QTL; rice; 917
Glutamate/malate translocator
glucose 6-phosphate/phosphate translocator; glutamine/glutamate translocator; GS/GOGAT; photorespiration; 2-oxoglutarate/malate translocator; 865
Glutamine synthetase
glutamate dehydrogenase; nitrogen metabolism; QTL; regulation; transgenic plants; *Triticum aestivum*; wheat; 979
Glutamine/glutamate translocator
glucose 6-phosphate/phosphate translocator; glutamate/malate translocator; GS/GOGAT; photorespiration; 2-oxoglutarate/malate translocator; 865
γ-Glutamylcysteine synthetase
chloroplasts;glutathione; maize; plant–pathogen interaction; transporter; *Triticum aestivum*; wheat; *Zea mays*; 1283
Glutathione
chloroplasts; γ-glutamylcysteine synthetase; maize; plant–pathogen interaction; transporter; *Triticum aestivum*; wheat; *Zea mays*; 1283
Glycine 699
lever arm hypothesis; phylogenetic analysis; sunflower; unconventional myosin; 769
Glycine decarboxylase
nitrogen nutrition; NMR spectroscopy; non-photosynthetic glycine metabolism; 2305
Glycine max
mineral nitrogen uptake; $\delta^{15}N$; nitrogen fixation; soybean; 1109
Glycolysis
alanine; amyloplast; anoxia; elongation; ethanol; fermentation; lactate; *Potamogeton distinctus* A. Benn.; turion; 1847
GOGAT
amino acids; malate; NIA; nitrate reduction; nitrogen metabolism; pH; 959
Gossypium hirsutum
carbon dioxide; CO_2; cotton; global change; plant allocation; plant–insect interactions; 323
Gradients
leaf elongation; osmotic adjustment; osmotic potential; turgor; *Zea mays* L.; 489
Grain colour
ABA sensitivity of embryo; germination inhibitor; grain dormancy; wheat; 1569
Grain dormancy
ABA sensitivity of embryo; germination inhibitor; grain colour; wheat; 1569
Grain filling
leaf senescence; photosynthesis; rice; Rubisco; 2217
Grape
developmental expression; *dfr*; light signalling; sucrose signalling; 1397
Grasses
bundle sheath leakiness; carbon isotope discrimination; CO_2 supply; nitrogen; semi-arid; water; 2261
Gravicompetence
ACC; coleoptiles; ethephon; ethylene; gravitropism; primary shoots; rye; *Secale cereale*; 1825
Gravitropic set-point angle
coleoptiles; ethylene; *Secale cereale* L.; 1627
gravitropism; DCMU; *lazy-2* tomato; norflurazon; photosynthesis; *Tradescantia*; 377
Gravitropism
ACC; coleoptiles; ethephon; ethylene; gravicompetence; primary shoots; rye; *Secale cereale*; 1825
gravitropic set-point angle; DCMU; *lazy-2* tomato; norflurazon; photosynthesis; *Tradescantia*; 377
Green alga
alkalinization; bicarbonate; blue light; nitrate reductase; nitrite reductase; protein biosynthesis; 1909
Green Fluorescent Protein (GFP)
Antirrhinum majus L.; *in vitro* maturation; microspores; Red Fluorescent Protein (dsRFP); transformation; 1119
Green fluorescent protein
actin; mitochondrion; *Nicotiana tabacum* L.; tubulin; 659
expressed sequence tag; molybdenum cofactor; nitrate reductase; peroxisomal targeting signal; redox reaction; 1833
Greening
Euglena gracilis; microspectrofluorimetry; PSII assembly; 1753
Growth
auxin; coleoptile segments; membrane potential; proton secretion; 1089
carbon assimilation; development; metabolic systems; nitrogen assimilation; yield; 773
cell division; cell expansion; leaf development; phosphorus; shoot apex; 473
ethylene; gibberellin; rice; sodium/bile acid transporter family (Sbf); 1991
GS/GOGAT
glucose 6-phosphate/phosphate translocator; glutamate/malate translocator; glutamine/glutamate translocator; photorespiration; 2-oxoglutarate/malate translocator; 865

Guard cell wall
Beta vulgaris L.; callose; pectin; xyloglucan; 1067
Guard cells
drought; drought avoidance; NADP-malic enzyme; stomata; transgenic plants; 699
Gymnosperms
nitrogen assimilation; nitrogen recycling; transgenic trees; woody angiosperms; 891
H^+ efflux
Al accumulation; Al toxicity; callose formation; *Cucurbita pepo*; H^+ influx; plasma membrane; surface pH; 1959
H^+ extrusion
adenine nucleotides; ammonium; cattail; Michaelis-Menten; nitrate; pH; *Typha latifolia*; Typhaceae; uptake kinetics; 2441
H^+ influx
Al accumulation; Al toxicity; callose formation; *Cucurbita pepo*; H^+ efflux; plasma membrane; surface pH; 1959
H_2O_2
barley; chalazal cells; diamine/polyamine oxidases; lignification; 677
Harvest date
flavour volatiles; *Fragaria ananassa*; light integral; sugar accumulation; 2121
Harvestable yield
maize; drought stress; spikelet growth; 13
Heartwood
peroxidase; walnut; 303
Heat shock proteins
detoxification; heavy metal tolerance; metallothioneins; mycorrhiza; phytochelatins; plasma membrane; vacuolar compartmentation; 1
Heat tolerance
anther; fruit set; global warming; male reproductive structures; microsporogenesis; pollen; temperature-sensitive period; thermotolerance; 1187
Heavy ions
Arabidopsis; microbeam; root gravitropism; signalling; 683
Heavy metal tolerance
buthionine sulphoximine; *Holcus lanatus*; hyperaccumulator; metallophyte; phytochelatins; *Silene vulgaris*; *Thlaspi caerulescens*; 2381
detoxification; heat shock proteins; metallothioneins; mycorrhiza; phytochelatins; plasma membrane; vacuolar compartmentation; 1
Heavy metals
antioxidant systems; mycorrhiza; oxidative stress; 1351
Helianthus annuus
nitrate reductase; nitric oxide; protein phosphorylation; *Spinacia oleracea*; 103
Helleborus niger L.
Christmas rose; cytokinin analysis; plant growth regulator; post-floral morphogenesis; 1949
Heterologous expression
Acetabularia acetabulum; proton transport; vacuolar H^+-pyrophosphatase; yeast; 2273
Hevea brasiliensis
callus metabolism; carbohydrates; regeneration; somatic embryogenesis; 1453
High-pressure method
angiosperms; evaporative flux method; hydraulic conductance; leaves; vacuum pump method; 2177
High-affinity nitrate transporter
Brassica napus L.; low-affinity nitrate transporter; nitrate influx; nitrate transporter genes; 1711
His–Asp phosphorelay
Arabidopsis thaliana; communication; cytokinin; nitrate assimilation; nitrogen availability; *Zea mays*; 971
Histidine kinase
Catharanthus roseus; cytokinin receptors; 1989
Holcus lanatus
buthionine sulphoximine; heavy metal tolerance; hyperaccumulator; metallophyte; phytochelatins; *Silene vulgaris*; *Thlaspi caerulescens*; 2381
Homeostasis
assimilate production; partitioning; sink priority; sugarcane; 123
Homeotic gene
floral development; MADS-box; potato; 465
Homoiochlorophyllous
Craterostigma wilmsii; drying rate; metabolic inhibitors; modified desiccation tolerance; transcription; translation; 1805
Hordeum vulgare
amitrole; etioplasts; lipids; norflurazon; 1857
Hormones
floral scents; fluid mechanics; fungicides; pheromones; plant cuticle; stomata; uptake; volatiles; 1815
Hot pepper
cyclo-oxygenase; hypersensitive reaction; pathogen infection; plant defence mechanism; 383
HSP17
embryo development; small heat shock proteins; somatic embryogenesis; tissue specificity; 1445
HSP70
Arabidopsis HSF; electrophoretic mobility shift; yeast two-hybrid; 371
Humidity response
ABA; drought response; hydraulic conductance; leaf water potential; stomatal regulation; xylem cavitation; 195
Hydraulic conductance
ABA; drought response; humidity response; leaf water potential; stomatal regulation; xylem cavitation; 195
angiosperms; evaporative flux method; high-pressure method; leaves; vacuum pump method; 2177
desiccation tolerance; drought resistance; *Licania platypus*; water potential; 2239
Hydraulic conductivity
cavitation; earlywood; embolism; latewood; relative water content; 2369
Hydrogen peroxide
abiotic and biotic stress; nitric oxide; signalling molecule; 1237
ascorbate peroxidase; chlorophyll fluorescence; singlet oxygen; superoxide; 1249
cell wall; fatty acids; French bean; oxidative burst; oxylipins; peroxidase; *Phaseolus vulgaris* L.; 1367
endosperm; germination; peroxidase; tomato seed; 1643
Hyperaccumulation
Cd; *Thlaspi caerulescens*; uptake; Zn; 535
Hyperaccumulator
buthionine sulphoximine; heavy metal tolerance; *Holcus lanatus*; metallophyte; phytochelatins; *Silene vulgaris*; *Thlaspi caerulescens*; 2381
Hyperosmotic stress
actin filaments; *Chlorophyton comosum*; leaf cells; plasmolytic cycle; 1699
Hypersensitive reaction
acid phosphatase; disease resistance; gene expression; *Phaseolus vulgaris* L.; 387
cyclo-oxygenase; hot pepper; pathogen infection; plant defence mechanism; 383
Hypersensitive response
Botrytis cinerea; UV stress; *Vitis vinifera*; 2279
Hypoxia
energy charge; optical oxygen sensors; photosynthesis; seed development; 1099
Ice nucleation
cold; freezing assay; microtitre plates; *Nicotiana tabacum*; 1887
Immunohistochemistry
endosperm; ligand; protein–protein interaction; *Zea mays*; 1559
Immunolocalization
abscisic acid; *Brassica napus* L.; methyl jasmonate; nitrogen mobilization; regulation of VSP expression; senescence; VSP accumulation; 265
Improved nutritional quality
chloroplasts; gene expression; soybean vegetative storage proteins; total lysine content; transgenic tobacco plants; 1867
In situ end labelling
chromosome preparation; FISH; plants; programmed cell death; 651
In situ hybridization
aquaporin; conifer; seed; tonoplast intrinsic protein (TIP); 639
KN1-like genes; *Malus domestica* [L.] Borkh.; morphogenesis; vegetative bud; 2143
In situ staining
carbohydrate metabolism; enzymes; plant tissues; 361
In vitro maturation
Antirrhinum majus L.; Green Fluorescent Protein (GFP); microspores; Red Fluorescent Protein (dsRFP); transformation; 1119
Indole-3-acetic acid
ACC oxidase; ethylene; *Fusarium eumartii*; *Solanum tuberosum*; stress response; wounding; 2455
Inducible activator
plant growth-promoting rhizobacteria; *Serratia proteamaculans*; soybean; 1495
Infrared thermography
energy balance; infrared thermometry; leaf temperature; thermal imaging; stomatal conductance; *Vitis vinifera*; 2249
Oryza sativa; photosynthesis; root growth; stable isotopes; water-use efficiency; 989
Infrared thermometry
energy balance; infrared thermography; leaf temperature; thermal imaging; stomatal conductance; *Vitis vinifera*; 2249
Ion transport
leaf expansion; light; *Populus*; 1651
Ionizing radiation
antioxidant enzymes; Poaceae; 1979
ipt gene
apical dominance; axillary bud; cytokinins; tuberization; 621
Iron
ABC transporter; barley; tonoplast; vacuole; 727
copper; Fe(II) transporter; *IRT1*; rice; 1677
Iron deficiency
auxin; cytokinins; lateral roots; nitrate transport; phosphorus deficiency; sulphur deficiency; 39
IRT1
copper; Fe(II) transporter; iron; rice; 1677
Isocitrate dehydrogenase
ammonium assimilation; aspartate aminotransferase; 2-oxoglutarate; PII protein; 905
Isopropylmalate synthase (EC 4.1.3.12)
Arabidopsis thaliana; functional complementation; leucine biosynthesis; ribonuclease protection assay; 2453
Jasmonates
ABA; *Arabidopsis*; cell development; CO_2; ethylene; leaf development; mutants; plant hormones; ROS; signalling; stomata; 183
Jasmonic acid
Cotesia rubecula; *Pieris rapae*; plant volatiles; tritrophic interactions; 1793
Juglans
leaf irradiance; maximum carboxylation rate; maximum electron transport rate; photosynthetic acclimation; R/FR ratio; transpiration; walnut; 2207
K. pinnata
Ananas comosus; crassulacean acid metabolism; *Kalanchoë daigremontiana*; metabolite level; 341
Kalanchoë daigremontiana
Ananas comosus; crassulacean acid metabolism; *K. pinnata*; metabolite level; 341
Kalopanax pictus
cambium; confocal microscopy; nuclei; 483
Kinematics
diurnal course; oscillation; root growth; temperature; *Zea mays*; 689
KN1-like gene
in situ hybridization; *Malus domestica* [L.] Borkh.; morphogenesis; vegetative bud; 2143
Lactate
alanine; amyloplast; anoxia; elongation; ethanol; fermentation; glycolysis; *Potamogeton distinctus* A. Benn.; turion; 1847
LAMMA
apoplastic movement; ectomycorrhiza; endodermis; *Pinus sylvestris*; 1659
Lanthanum
Arabidopsis thaliana; cerium; cytokinins; early bolting; triacontanol; 505
Lateral roots
anchorage; root hairs; root system architecture; uprooting; 333
auxin; cytokinins; iron deficiency; nitrate transport; phosphorus deficiency; sulphur deficiency; 39
Latewood
cavitation; earlywood; embolism; hydraulic conductivity; relative water content; 2369

lazy-2 tomato
gravitropic set-point angle; gravitropism; DCMU; norflurazon; photosynthesis; *Tradescantia*; 377
Lead
bryophytes; copper; fatty acids; lipids; metabolism; 455
Leaf anatomy
light acclimation; mesophyll conductance; photosynthetic capacity; Rubisco specificity; walnut; 2423
Leaf cells
actin filaments; *Chlorophyton comosum*; hyperosmotic stress; plasmolytic cycle; 1699
Leaf conductance
CO_2; epidermal cell density; O_3; open-top chambers; potato; *Solanum tuberosum*; stomatal density; stomatal index; 737
Leaf development
ABA; *Arabidopsis*; cell development; CO_2; ethylene; jasmonates; mutants; plant hormones; ROS; signalling; stomata; 183
cell division; cell expansion; growth; phosphorus; shoot apex; 473
Leaf elongation
gradients; osmotic adjustment; osmotic potential; turgor; *Zea mays* L.; 489
Leaf expansion
barley; evaporative demand; nitrogen; water status; 1765
ion transport; light; *Populus*; 1651
Leaf growth
C_3; C_4; N-mobilization; N-uptake; *Panicum maximum*; *Poa trivialis*; 2167
Leaf initiation
blade elongation duration; blade elongation rate; monocotyledon leaf development; thermal time; 715
Leaf irradiance
Juglans; maximum carboxylation rate; maximum electron transport rate; photosynthetic acclimation; R/FR ratio; transpiration; walnut; 2207
Leaf senescence
grain filling; photosynthesis; rice; Rubisco; 2217
Leaf temperature
energy balance; infrared thermography; infrared thermometry; thermal imaging; stomatal conductance; *Vitis vinifera*; 2249
Leaf water potential
ABA; drought response; humidity response; hydraulic conductance; stomatal regulation; xylem cavitation; 195
Leaves
amino acid synthesis; barley; co-ordination of biosynthesis; minor amino acids; potato; wheat; 939
angiosperms; evaporative flux method; high-pressure method; hydraulic conductance; vacuum pump method; 2177
anoxia; barley; carbohydrate; phloem loading; temperature; 1671
Leucine biosynthesis
Arabidopsis thaliana; functional complementation; isopropylmalate synthase (EC 4.1.3.12); ribonuclease protection assay; 2453
Lever arm hypothesis
glycine 699; phylogenetic analysis; sunflower; unconventional myosin; 769
Licania platypus
desiccation tolerance; drought resistance; hydraulic conductance; water potential; 2239
Ligand
endosperm; immunohistochemistry; protein–protein interaction; *Zea mays*; 1559
Light
Arabidopsis; circadian clock; MYB transcription factors; temperature; 1551
ion transport; leaf expansion; *Populus*; 1651
Light acclimation
leaf anatomy; mesophyll conductance; photosynthetic capacity; Rubisco specificity; walnut; 2423
Light integral
flavour volatiles; *Fragaria ananassa*; harvest date; sugar accumulation; 2121
Light levels
C_3 weeds; C_4 weeds; plant development; sucrose supplementation; 1935
Light signalling
developmental expression; *dfr*; grape; sucrose signalling; 1397
Lignification
barley; chalazal cells; diamine/polyamine oxidases; H_2O_2; 677
Linear PCR
cDNA array; cold acclimation; controlled extension; probe amplification; 351
Lipid peroxidation
Arabidopsis thaliana; ascorbate; necrotroph; oxidative stress; 207
Lipids
amitrole; etioplasts; *Hordeum vulgare*; norflurazon; 1857
bryophytes; copper; fatty acids; lead; metabolism; 455
dehydration; plasma membrane; *Ramonda serbica*; resurrection plants; 2159
Lipo-chito-oligosaccharide
corn; Nod factor; nodulation; soybean; 1929
Lipoxygenase
carotenoid; climacteric; ethylene receptor; ethylene signal transduction; MAPKinase; tomato; 2039
Localization
fruit growth; *Lycopersicon esculentum*; peroxidase; tomato; 2185
Lolium
alien introgression; cDNA; chlorophyll catabolism; *Festuca*; species-specific polymorphism; UDP-glucose pyrophosphorylase; 801
Long-distance signalling
abscisic acid; anaerobiosis; environmental stress; ethylene; flooding; plant hormones; root-to-shoot communication; xylem sap; 175
Long-distance transport
C/N balance; elevated pCO_2; functional equilibrium; N-uptake; nitrate reduction; root:shoot ratio; 2351
Low temperature
agmatine; polyamines; *Pringlea antiscorbutica*; root development; 1463
Low-affinity nitrate transporter
Brassica napus L.; high-affinity nitrate transporter; nitrate influx; nitrate transporter genes; 1711
Lycopersicon esculentum
abscisic acid; ABA; ethylene; mutants; signalling; soil compaction; tomato; 45
arbuscular mycorrhizas; bioprotection; *Phytophthora*; systemic effect; 525
aroma; organoleptic quality; QTL; sensory analysis; texture; 2089
calcium deficiency; wound responses; 83
cell wall; fruit growth; peroxidase; stiffening; tomato; 2393
cell wall; germination; xyloglucan endotrans-glycosylase; XET; 215
fruit growth; localization; peroxidase; tomato; 2185
MADS box
apple; flower development; floral transition; 1025
floral development; homeotic gene; potato; 465
Maize
chlorophyll fluorescence; cold-tolerance; photosynthesis; pigment composition; QTL; 1967
chloroplasts; γ-glutamylcysteine synthetase; glutathione; plant–pathogen interaction; transporter; *Triticum aestivum*; wheat; *Zea mays*; 1283
harvestable yield; drought stress; spikelet growth; 13
alternative oxidase; metabolic pathways; protons; stress; 151
Malate
alternative oxidase; mtabolic pathways; protons; sress; 151
amino acids; GOGAT; NIA; nitrate reduction; nitrogen metabolism; pH; 959
Male reproductive structures
anther; fruit set; global warming; heat tolerance; microsporogenesis; pollen; temperature-sensitive period; thermotolerance; 1187
Maltose translocator
glucose translocator; starch mobilization; stroma space; 1581
Malus domestica [L.] Borkh.
in situ hybridization; *KN1*-like genes; morphogenesis; vegetative bud; 2143
Map-based cloning
ESTs; microarrays; mutant complementation; 2023
MAPKinase
carotenoid; climacteric; ethylene receptor; ethylene signal transduction; lipoxygenase; tomato; 2039
Maximum carboxylation rate
Juglans; leaf irradiance; maximum electron transport rate; photosynthetic acclimation; R/FR ratio; transpiration; walnut; 2207
Maximum electron transport rate
Juglans; leaf irradiance; maximum carboxylation rate; photosynthetic acclimation; R/FR ratio; transpiration; walnut; 2207
MDR
ABC protein; berberine; *Coptis japonica*; transport; 1879
Medicago
Cuscuta; parasitism; pathogenesis-related proteins; stress; 1831
Melon
antibody; ethylene receptor; fruit development; regulation; 415
Membrane integrity
chlorophyll catabolism; chloroplast; compartmentation; protein degradation; vacuole; 927
Membrane potential
auxin; coleoptile segments; growth; proton secretion; 1089
Mesophyll conductance
leaf anatomy; light acclimation; photosynthetic capacity; Rubisco specificity; walnut; 2423
Metabolic inhibitors
Craterostigma wilmsii; drying rate; homoio-chlorophyllous; modified desiccation tolerance; transcription; translation; 1805
Metabolic pathways
alternative oxidase; malate; protons; stress; 151
Metabolic systems
carbon assimilation; development; growth; nitrogen assimilation; yield; 773
Metabolism
bryophytes; copper; fatty acids; lead; lipids; 455
elevated CO_2; fluorescence; photosynthesis; water deficit; 1781
Metabolite level
Ananas comosus; crassulacean acid metabolism; *Kalanchoë daigremontiana*; *K. pinnata*; 341
Metabolite partitioning
CAM; carboxylation; circadian control; 569
Metallophyte
buthionine sulphoximine; heavy metal tolerance; *Holcus lanatus*; hyperaccumulator; phytochelatins; *Silene vulgaris*; *Thlaspi caerulescens*; 2381
Metallothioneins
detoxification; heat shock proteins; heavy metal tolerance; mycorrhiza; phytochelatins; plasma membrane; vacuolar compartmentation; 1
1-Methylcyclopropene (1-MCP)
abscission zone; *ERS1*; *ETR1*; quantitative RT-PCR; ripening; *Prunus persica*; 2333
Methyl jasmonate
abscisic acid; *Brassica napus* L.; immunolocalization; nitrogen mobilization; regulation of VSP expression; senescence; VSP accumulation; 265
barley; plant defence; polyamine metabolism; powdery mildew; 747
Brassica napus; monocarpic senescence; nitrate uptake; nitrogen remobilization; tissular localization; vegetative storage protein; 1131
Michaelis-Menten
adenine nucleotides; ammonium; cattail; H^+ extrusion; nitrate; pH; *Typha latifolia*; Typhaceae; uptake kinetics; 2441
Microarray
achenes; development; gene expression; ripening; strawberry; 2073
Microarrays
ESTs; map-based cloning; mutant complementation; 2023
Microbeam
Arabidopsis; heavy ions; root gravitropism; signalling; 683
Microspectrofluorimetry
Euglena gracilis; greening; PSII assembly; 1753

Microspore-derived embryos (MDEs)
Brassica napus; embryo development; gibberellins; uniconazole; 1747
Microspores
Antirrhinum majus L.; Green Fluorescent Protein (GFP); *in vitro* maturation; Red Fluorescent Protein (dsRFP); transformation; 1119
Microsporogenesis
anther; fruit set; global warming; heat tolerance; male reproductive structures; pollen; temperature-sensitive period; thermotolerance; 1187
Microtitre plates
cold; freezing assay; ice nucleation; *Nicotiana tabacum*; 1887
Mineral nitrogen uptake
Glycine max; $\delta^{15}N$; nitrogen fixation; soybean; 1109
Minor amino acids
amino acid synthesis; barley; co-ordination of biosynthesis; leaves; potato; wheat; 939
Mitochondrion
actin; green fluorescent protein; *Nicotiana tabacum* L.; tubulin; 659
MJ0577
deepwater rice; ethylene; *Oryza sativa* L.; submergence stress; universal stress protein; 2325
Model
dry matter distribution; sink priority; sink size; sink strength; 1919
ecophysiology; fruit growth; genotypes; peach; 1613
Models
bordered pit; flow; tracheids; 1485
Modified desiccation tolerance
Craterostigma wilmsii; drying rate; homoiochlorophyllous; metabolic inhibitors; transcription; translation; 1805
Molecular weight
cell walls; flower senescence; galactose; XET; 513
Molybdenum cofactor
abscisic acid biosynthesis; aldehyde oxidase; nitrate reductase; sulphite oxidase; xanthine dehydrogenase; 1689
expressed sequence tag; green fluorescent protein; nitrate reductase; peroxisomal targeting signal; redox reaction; 1833
Monocarpic senescence
Brassica napus; methyl jasmonate; nitrate uptake; nitrogen remobilization; tissular localization; vegetative storage protein; 1131
Monocot plant
phosphoinositide-specific phospholipase C; recombinant protein; translation initiation; 1521
Monocotyledon leaf development
blade elongation duration; blade elongation rate; leaf initiation; thermal time; 715
Morphogenesis
in situ hybridization; *KN1*-like genes; *Malus domestica* [L.] Borkh.; vegetative bud; 2143
Morphological traits
defoliation; ^{15}N; N reserves; *Trifolium repens* L.; 1941
Morphology
dehiscence; diversity; fruit type; phylogeny; seed dispersal; Solanaceae; tobacco; tomato; 2001
Moss
bryophyte; gene expression; photodamage; 1197
desiccation; salinity; V-ATPase; 225
Movement protein
multiprotein bridging factor 1; tomato mosaic virus; transcriptional coactivator; 1531
MRI
bud abortion; storage; T_1; T_2; tulip bulb; water status; 1603
mRNA cleavage and polyadenylation;
Arabidopsis; CstF complex; regulation; 2277
Mucilage
drought; polysaccharides; water relations; *Ziziphus*; 131
Multigene family
mutant; nitrate transporter; regulation; 825
Multiprotein bridging factor 1
movement protein; tomato mosaic virus; transcriptional coactivator; 1531
Münch pressure–flow hypothesis
Navier–Stokes equation; phloem transport; van't Hoff equation; 1411
Musa
banana; corm; sap flow; water deficit; whole-plant water use; 1771
Mutant
multigene family; nitrate transporter; regulation; 825
Mutants
ABA; *Arabidopsis*; cell development; CO_2; ethylene; jasmonates; leaf development; plant hormones; ROS; signalling; stomata; 183
abscisic acid; ABA; ethylene; *Lycopersicon esculentum*; signalling; soil compaction; tomato; 45
Mutant complementation
ESTs; map-based cloning; microarrays; 2023
MYB transcription factors
Arabidopsis; circadian clock; light; temperature; 1551
Mycorrhiza
antioxidant systems; heavy metals; oxidative stress; 1351
detoxification; heat shock proteins; heavy metal tolerance; metallothioneins; phytochelatins; plasma membrane; vacuolar compartmentation; 1
elevated carbon dioxide; ryegrass; 1207
Mycorrhiza-defective tomato mutants
arbuscular mycorrhizas; *Phytophthora parasitica*; plasma membrane H^+-ATPases; 1683
^{15}N
defoliation; morphological traits; N reserves; *Trifolium repens* L.; 1941
$\delta^{15}N$
Glycine max; mineral nitrogen uptake; nitrogen fixation; soybean; 1109
N fertilization
alfalfa; spring growth; sowing date; VSP; water; 111
N reserves
defoliation; morphological traits; ^{15}N; *Trifolium repens* L.; 1941
N. tabacum
aphidicolin; DNA polymerase; endoreduplication; 669
NADP-malic enzyme
drought; drought avoidance; guard cells; stomata; transgenic plants; 699
Navier–Stokes equation
Münch pressure–flow hypothesis; phloem transport; van't Hoff equation; 1411
Necrotroph
Arabidopsis thaliana; ascorbate; lipid peroxidation; oxidative stress; 207
NEP
chloroplast; PEP; plastid transcripts; T7 RNA polymerase; 2341
Never-ripe
Arabidopsis; fruit ripening; phytohormone; transcription; 2057
NH_3 compensation point
age-related difference; apoplast; nitrogen; pH; 277
NIA
amino acids; GOGAT; malate; nitrate reduction; nitrogen metabolism; pH; 959
Nicotiana
GFP; giant mitochondria; oxygen; respiration; 1215
Nicotiana plumbaginifolia
abscisic acid; drought; stomatal conductance; xylem sap; 287
Nicotiana tabacum L.
actin; green fluorescent protein; mitochondrion; tubulin; 659
cold; freezing assay; ice nucleation; microtitre plates; 1887
Nitrate
abscisic acid; drought; pH; root–shoot communication; xylem sap composition; 251
adenine nucleotides; ammonium; cattail; H^+ extrusion; Michaelis-Menten; pH; *Typha latifolia*; Typhaceae; uptake kinetics; 2441
ammonium; *AMT1*; flux regulation; *Nrt2*; 855
ammonium; organogenesis; tobacco; 1437
Nitrate assimilation
Arabidopsis thaliana; communication; cytokinin; His–Asp phosphorelay; nitrogen availability; *Zea mays*; 971
Chlamydomonas reinhardtii; nitrite transport; 845
Nitrate content
gene transcription; nitrate reductase; *Solanun tuberosum* L.; transgenic plants; 1037
Nitrate influx
Brassica napus L.; high-affinity nitrate transporter; low-affinity nitrate transporter; nitrate transporter genes; 1711
Nitrate reductase
abscisic acid biosynthesis; aldehyde oxidase; molybdenum cofactor; sulphite oxidase; xanthine dehydrogenase; 1689
alkalinization; bicarbonate; blue light; green alga; nitrite reductase; protein biosynthesis; 1909
cytosolic pH; nitric oxide; protein phosphorylation; 14-3-3 proteins; phosphorylation state; sugar signalling; 875
expressed sequence tag; green fluorescent protein; molybdenum cofactor; peroxisomal targeting signal; redox reaction; 1833
gene transcription; nitrate content; *Solanun tuberosum* L.; transgenic plants; 1037
Helianthus annuus; nitric oxide; protein phosphorylation; *Spinacia oleracea*; 103
nitrate uptake; nitrogen; nitrogen assimilation; relative growth rate; 1635
Nitrate reduction
amino acids; GOGAT; malate; NIA; nitrogen metabolism; pH; 959
C/N balance; elevated pCO_2; functional equilibrium; long-distance transport; N-uptake; root:shoot ratio; 2351
Nitrate transport
Arabidopsis; *AtNRT1.1*; auxin; *CHL1*; 835
auxin; cytokinins; iron deficiency; lateral roots; phosphorus deficiency; sulphur deficiency; 39
Nitrate transporter
mutant; multigene family; regulation; 825
Nitrate transporter genes
Brassica napus L.; high-affinity nitrate transporter; low-affinity nitrate transporter; nitrate influx; 1711
Nitrate uptake
Brassica napus; methyl jasmonate; monocarpic senescence; nitrogen remobilization; tissular localization; vegetative storage protein; 1131
nitrate reductase; nitrogen; nitrogen assimilation; relative growth rate; 1635
Nitric oxide
abiotic and biotic stress; hydrogen peroxide; signalling molecule; 1237
antioxidants; ascorbate–glutathione cycle; peroxisomes; ROS; 1255
cytosolic pH; nitrate reductase; protein phosphorylation; 14-3-3 proteins; phosphorylation state; sugar signalling; 875
Helianthus annuus; nitrate reductase; protein phosphorylation; *Spinacia oleracea*; 103
Nitric oxide generation in plant roots
nitric oxide in plant defence; nitric oxide signals in plants; root apoplast; 2293
Nitric oxide in plant defence
nitric oxide generation in plant roots; nitric oxide signals in plants; root apoplast; 2293
Nitric oxide signals in plants
nitric oxide generation in plant roots; nitric oxide in plant defence; root apoplast; 2293
Nitrite reductase
alkalinization; bicarbonate; blue light; green alga; nitrate reductase; protein biosynthesis; 1909
Nitrite transport
Chlamydomonas reinhardtii; nitrate assimilation; 845
Nitrogen
age-related difference; apoplast; NH_3 compensation point; pH; 277
agronomic models; plant physiology; 809
barley; evaporative demand; leaf expansion; water status; 1765
bundle sheath leakiness; carbon isotope discrimination; CO_2 supply; grasses; semi-arid; water; 2261
Camellia sinensis (L.) O. Kuntze; chlorophyll *a* fluorescence; photoinhibition; photosynthesis; solar radiation; tea; 313
nitrate uptake; nitrate reductase; nitrogen assimilation; relative growth rate; 1635
Nitrogen assimilation
carbon assimilation; development; growth; metabolic systems; yield; 773
crop development; crop growth; nitrogen uptake; plant regulation; photosynthesis; 789
nitrate uptake; nitrate reductase; nitrogen; relative growth rate; 1635

gymnosperms; nitrogen recycling; transgenic trees; woody angiosperms; 891
Nitrogen availability
Arabidopsis thaliana; communication; cytokinin; His–Asp phosphorelay; nitrate assimilation; *Zea mays*; 971
Nitrogen fixation
ammonia; apoplast; clover; compensation point; 139
Glycine max; mineral nitrogen uptake; $\delta^{15}N$; soybean; 1109
Nitrogen metabolism
amino acids; GOGAT; malate; NIA; nitrate reduction; pH; 959
glutamate dehydrogenase; glutamine synthetase; QTL; regulation; transgenic plants; *Triticum aestivum*; wheat; 979
Nitrogen mobilization
abscisic acid; *Brassica napus* L.; immunolocalization; methyl jasmonate; regulation of VSP expression; senescence; VSP accumulation; 265
Nitrogen nutrition
glycine decarboxylase; NMR spectroscopy; non-photosynthetic glycine metabolism; 2305
Nitrogen recycling
glutamate synthase; overexpression; QTL; rice; 917
gymnosperms; nitrogen assimilation; transgenic trees; woody angiosperms; 891
Nitrogen remobilization
Brassica napus; methyl jasmonate; monocarpic senescence; nitrate uptake; tissular localization; vegetative storage protein; 1131
Nitrogen uptake
crop development; crop growth; nitrogen assimilation; plant regulation; photosynthesis; 789
Nitrogenase activity
gene expression; soybean; sucrose metabolism; 423
N-mobilization
C_3; C_4; leaf growth; N-uptake; *Panicum maximum*; *Poa trivialis*; 2167
NMR spectroscopy
glycine decarboxylase; nitrogen nutrition; non-photosynthetic glycine metabolism; 2305
Nod factor
corn; lipo-chito-oligosaccharide; nodulation; soybean; 1929
nod gene
flavonoids; *Pisum*; *Rhizobium*; symbiosis; 1735
Nodulation
corn; lipo-chito-oligosaccharide; Nod factor; soybean; 1929
Non-photosynthetic glycine metabolism
glycine decarboxylase; nitrogen nutrition; NMR spectroscopy; 2305
Norflurazon
amitrole; etioplasts; *Hordeum vulgare*; lipids; 1857
gravitropic set-point angle; gravitropism; DCMU; *lazy-2* tomato; photosynthesis; *Tradescantia*; 377
Nrt2
ammonium; *AMT1*; flux regulation; nitrate; 855
Nuclei
cambium; confocal microscopy; *Kalopanax pictus*; 483
Nucleoside diphosphate kinase
Brassica campestris; self-incompatibility factor; SRK; 765
N-uptake
C/N balance; elevated pCO_2; functional equilibrium; long-distance transport; nitrate reduction; root:shoot ratio; 2351
C_3; C_4; leaf growth; N-mobilization; *Panicum maximum*; *Poa trivialis*; 2167
O_3
CO_2; epidermal cell density; leaf conductance; open-top chambers; potato; *Solanum tuberosum*; stomatal density; stomatal index; 737
O-acetylserine(thiol)lyase
cyanoalanine synthase; cysteine synthase; sulphur metabolism; 439
Open-top chambers
CO_2; epidermal cell density; leaf conductance; O_3; potato; *Solanum tuberosum*; stomatal density; stomatal index; 737
Optical oxygen sensors
energy charge; hypoxia; photosynthesis; seed development; 1099
Orchid
cytokinin oxidase; regulation; 1899
Organic acid
alternative oxidase; citrate; *Poa annua*; sugar; 1081
Organogenesis
ammonium; nitrate; tobacco; 1437
Organoleptic quality
aroma; *Lycopersicon esculentum*; QTL; sensory analysis; texture; 2089
Oryza sativa
infrared thermography; photosynthesis; root growth; stable isotopes; water-use efficiency; 989
Oryza sativa L.
deepwater rice; ethylene; MJ0577; submergence stress; universal stress protein; 2325
Oscillation
diurnal course; kinematics; root growth; temperature; *Zea mays*; 689
Osmosensor
signal perception; tissue dehydration; water deficit; *Zea mays*; 2201
Osmotic adjustment
gradients; leaf elongation; osmotic potential; turgor; *Zea mays* L.; 489
Osmotic potential
gradients; leaf elongation; osmotic adjustment; turgor; *Zea mays* L.; 489
Overexpression
glutamate synthase; nitrogen recycling; QTL; rice; 917
Oxidative burst
cell wall; fatty acids; French bean; hydrogen peroxide; oxylipins; peroxidase; *Phaseolus vulgaris* L.; 1367
Oxidative stress
abscisic acid; antioxidant enzymes; reactive oxygen species; water stress; *Zea mays*; 2401
antioxidant systems; heavy metals; mycorrhiza; 1351
Arabidopsis thaliana; ascorbate; lipid peroxidation; necrotroph; 207
ascorbate peroxidase; gene regulation; 1305
carbon dioxide concentrating; circadian clock; crassulacean acid metabolism; oxygen concentrating; 2131
redox regulation; signal transduction; transcription; 1227
2-Oxoglutarate
ammonium assimilation; aspartate aminotransferase; isocitrate dehydrogenase; PII protein; 905
2-Oxoglutarate/malate translocator
glucose 6-phosphate/phosphate translocator; glutamate/malate translocator; glutamine/glutamate translocator; GS/GOGAT; photorespiration; 865
Oxygen
GFP; giant mitochondria; *Nicotiana*; respiration; 1215
Oxygen concentrating
carbon dioxide concentrating;,circadian clock; crassulacean acid metabolism; oxidative stress; 2131
Oxygen concentration
fibre optic oxygen probe; sapwood; transpiration; 559
Oxylipins
cell wall; fatty acids; French bean; hydrogen peroxide; oxidative burst; peroxidase; *Phaseolus vulgaris* L.; 1367
P450 gene
secretion; trichome-specific-promoter; 1891
Panicum maximum
C_3; C_4; leaf growth; N-mobilization; N-uptake; *Poa trivialis*; 2167
Parasitism
Cuscuta; *Medicago*; pathogenesis-related proteins; stress; 1831
Partitioning
assimilate production; homeostasis; sink priority; sugarcane; 123
Pathogen infection
cyclo-oxygenase; hot pepper; hypersensitive reaction; plant defence mechanism; 383
Pathogenesis-related
β-D-xylosidase; cDNA; thaumatin-like; 429
Pathogenesis-related proteins
Cuscuta; *Medicago*; parasitism; stress; 1831
Pea genotypes
cadmium; *Glomus intraradices*; phytoremediation; 1177
Peach
DNA methylation; *Prunus persica*; shoot apical meristem; vegetative phases; zeatin; 1047
ecophysiology; fruit growth; genotypes; model; 1613
Peach tree
SDS-PAGE; shoot; VSP; 2431
Pectate lyase
cell wall; fruit softening; pectin; 2115
Pectic polysaccharides
cell properties; pectin; *Pisum sativum* L.; testa; 707
Pectin
Beta vulgaris L.; callose; guard cell wall; xyloglucan; 1067
cell properties; pectic polysaccharides; *Pisum sativum* L.; testa; 707
cell wall; fruit softening; pectate lyase; 2115
PEP
chloroplast; NEP; plastid transcripts; T7 RNA polymerase; 2431
Peroxidase
cell wall; fatty acids; French bean; hydrogen peroxide; oxidative burst; oxylipins; *Phaseolus vulgaris* L.; 1367
cell wall; fruit growth; *Lycopersicon esculentum*; stiffening; tomato; 2393
endosperm; germination; hydrogen peroxide; tomato seed; 1643
fruit growth; localization; *Lycopersicon esculentum*; tomato; 2185
heartwood; walnut; 303
Peroxide detoxification
antioxidants; *Arabidopsis*; chloroplast peroxiredoxin; 1321
Peroxisomal targeting signal
expressed sequence tag; green fluorescent protein; molybdenum cofactor; nitrate reductase; redox reaction; 1833
Peroxisomes
antioxidants; ascorbate–glutathione cycle; nitric oxide; ROS; 1255
Persistence
alfalfa; biomass; SOD; stress tolerance; 1343
Petal development
Brassica oleracea L.; endopolyploidy; endoreduplication; flow cytometry; 1017
Petal wilting
carnation; cysteine proteinase; cysteine proteinase-inhibitor; *Dianthus caryophyllus*; flower senescence; 407
carnation; *Dianthus caryophyllus*; ethylene perception; ethylene-receptor mRNAs flower senescence; 399
pH
abscisic acid; drought; nitrate; root–shoot communication; xylem sap composition; 251
adenine nucleotides; ammonium; cattail; H^+ extrusion; Michaelis-Menten; nitrate; *Typha latifolia*; Typhaceae; uptake kinetics; 2441
age-related difference; apoplast; NH_3 compensation point; nitrogen; 277
amino acids; GOGAT; malate; NIA; nitrate reduction; nitrogen metabolism; 959
pH regulation
apoplastic pH; stomata; stress; *Vicia faba*; 73
Pharbitis nil
blue-light receptor; phytochrome; *S*-adenosylmethionine decarboxylase; signal transduction; 1525
Phaseolus coccineus L.
ABA and ABA glucose ester; xylem sap; *Zea mays* L.; 297
Phaseolus vulgaris L.
acid phosphatase; disease resistance; gene expression; hypersensitive reaction; 387
cell wall; fatty acids; French bean; hydrogen peroxide; oxidative burst; oxylipins; peroxidase; 1367
Pheromones
floral scents; fluid mechanics; fungicides; hormones; plant cuticle; stomata; uptake; volatiles; 1815
Phloem
aphid; barley; RT-PCR; stylectomy; transporter; 631

Phloem loading
anoxia; barley; carbohydrate; leaves; temperature; 1671
Phloem transport
ABA; anions; cations; potassium limitation; *Ricinus communis* L.; xylem transport; 241
Münch pressure–flow hypothesis; Navier–Stokes equation; van't Hoff equation; 1411
Phosphoenolpyruvate carboxylase
genetic engineering; signal transduction; 1837
Phosphoinositides
Arabidopsis thaliana; FYVE-domain; Pleckstrin Homology (PH) domain; RCC1; 565
Phosphoinositide-specific phospholipase C
monocot plant; recombinant protein; translation initiation; 1521
Phosphorus deficiency
auxin; cytokinins; iron deficiency; lateral roots; nitrate transport; sulphur deficiency; 39
Phosphorus
cell division; cell expansion; growth; leaf development; shoot apex; 473
Phosphorylation state
cytosolic pH; nitrate reductase; nitric oxide; protein phosphorylation; 14-3-3 proteins; sugar signalling; 875
Photodamage
bryophyte; gene expression; moss; 1197
Photoinhibition
Camellia sinensis (L.) O. Kuntze; chlorophyll *a* fluorescence; nitrogen; photosynthesis; solar radiation; tea; 313
Photoreceptors;
circadian clock; environmental input; temperature; 1535
Photorespiration
C_4 photosynthesis; CO_2 capture; CO_2 concentration; Rubisco; 581
glucose 6-phosphate/phosphate translocator; glutamate/malate translocator; glutamine/glutamate translocator; GS/GOGAT; 2-oxoglutarate/malate translocator; 865
Photosynthesis
Camellia sinensis (L.) O. Kuntze; chlorophyll *a* fluorescence; nitrogen; photoinhibition; solar radiation; tea; 313
canopy formation; ultraviolet radiation; *Ulva rotundata*; 2411
chlorophyll fluorescence; cold-tolerance; maize; pigment composition; QTL; 1967
crop development; crop growth; nitrogen assimilation; nitrogen uptake; plant regulation; 789
elevated CO_2; fluorescence; metabolism; water deficit; 1781
energy charge; hypoxia; optical oxygen sensors; seed development; 1099
grain filling; leaf senescence; rice; Rubisco; 2217
gravitropic set-point angle; gravitropism; DCMU; *lazy-2* tomato; norflurazon; *Tradescantia*; 377
infrared thermography; *Oryza sativa*; root growth; stable isotopes; water-use efficiency; 989
Photosynthetic acclimation
Juglans; leaf irradiance; maximum carboxylation rate; maximum electron transport rate; R/FR ratio; transpiration; walnut; 2207
Photosynthetic capacity
leaf anatomy; light acclimation; mesophyll conductance; Rubisco specificity; walnut; 2423
Phylogenetic analysis
glycine 699; lever arm hypothesis; sunflower; unconventional myosin; 769
Phylogenetic relationships
Citrus unshiu Marc.; gene expression; sucrose synthase; sugar accumulation; 61
Phylogeny
dehiscence; diversity; fruit type; morphology; seed dispersal; Solanaceae; tobacco; tomato; 2001
Phytochelatins
buthionine sulphoximine; heavy metal tolerance; *Holcus lanatus*; hyperaccumulator; metallophyte; *Silene vulgaris*; *Thlaspi caerulescens*; 2381
detoxification; heat shock proteins; heavy metal tolerance; metallothioneins; mycorrhiza; plasma membrane; vacuolar compartmentation; 1
Phytochrome
blue-light receptor; *Pharbitis nil*; *S*-adenosyl-methionine decarboxylase; signal transduction; 1525
Phytohormone
Arabidopsis; fruit ripening; *Never-ripe*; transcription; 2057
Phytohormones
ethylene; *Rumex*; stress responses; submergence; 391
Phytophthora
arbuscular mycorrhizas; bioprotection; *Lycopersicon esculentum*; systemic effect; 525
Phytophthora parasitica
arbuscular mycorrhizas; mycorrhiza-defective tomato mutants; plasma membrane H^+-ATPases; 1683
Phytoremediation
cadmium; *Glomus intraradices*; pea genotypes; 1177
Pieris rapae
Cotesia rubecula; jasmonic acid; plant volatiles; tritrophic interactions; 1793
Pigment composition
chlorophyll fluorescence; cold-tolerance; maize; photosynthesis; QTL; 1967
PII protein
ammonium assimilation; aspartate aminotransferase; isocitrate dehydrogenase; 2-oxoglutarate; 905
Pinus sylvestris
apoplastic movement; ectomycorrhiza; endodermis; LAMMA; 1659
Pisum
flavonoids; *nod* gene; *Rhizobium*; symbiosis; 1735
Pisum sativum L.
cell properties; pectin; pectic polysaccharides; testa; 707
Plant allocation
carbon dioxide; CO_2; cotton; global change; *Gossypium hirsutum*; plant–insect interactions; 323
Plant cuticle
floral scents; fluid mechanics; fungicides; hormones; pheromones; stomata; uptake; volatiles; 1815
Plant defence
barley; methyl jasmonate; polyamine metabolism; powdery mildew; 747
arbuscular mycorrhizas; defence regulation; 1377
Plant defence mechanism
cyclo-oxygenase; hot pepper; hypersensitive reaction; pathogen infection; 383
Plant development
C_3 weeds; C_4 weeds; light levels; sucrose supplementation; 1935
Plant growth regulator
Christmas rose; cytokinin analysis; *Helleborus niger* L.; post-floral morphogenesis; 1949
Plant growth-promoting rhizobacteria
inducible activator; *Serratia proteamaculans*; soybean; 1495
Plant hormones
ABA; *Arabidopsis*; cell development; CO_2; ethylene; jasmonates; leaf development; mutants; ROS; signalling; stomata; 183
abscisic acid; anaerobiosis; environmental stress; ethylene; flooding; long-distance signalling; root-to-shoot communication; xylem sap; 175
Plant physiology
agronomic models; nitrogen; 809
Plant regulation
crop development; crop growth; nitrogen assimilation; nitrogen uptake; photosynthesis; 789
Plant tissues
carbohydrate metabolism; enzymes; *in situ* staining; 361
Plant volatiles
Cotesia rubecula; jasmonic acid; *Pieris rapae*; tritrophic interactions; 1793
Plant–insect interactions
carbon dioxide; CO_2; cotton; global change; *Gossypium hirsutum*; plant allocation; 323
Plant–pathogen interaction
chloroplasts; γ-glutamylcysteine synthetase; glutathione; maize; transporter; *Triticum aestivum*; wheat; *Zea mays*; 1283
Plants
chromosome preparation; FISH; *in situ* end labelling; programmed cell death; 651
Plasma membrane
Al accumulation; Al toxicity; callose formation; *Cucurbita pepo*; H^+ efflux; H^+ influx; surface pH; 1959
dehydration; lipids; *Ramonda serbica*; resurrection plants; 2159
detoxification; heat shock proteins; heavy metal tolerance; metallothioneins; mycorrhiza; phytochelatins; vacuolar compartmentation; 1
Plasma membrane H^+-ATPases
arbuscular mycorrhizas; mycorrhiza-defective tomato mutants; *Phytophthora parasitica*; 1683
Plasmolytic cycle
actin filaments; *Chlorophyton comosum*; hyperosmotic stress; leaf cells; 1699
Plastid transcripts
chloroplast; NEP; PEP; T7 RNA polymerase; 2341
Pleckstrin Homology (PH) domain
Arabidopsis thaliana; FYVE-domain; phosphoinositides; RCC1; 565
Poa annua
alternative oxidase; citrate; organic acid; sugar; 1081
Poa trivialis
C_3; C_4; leaf growth; N-mobilization; N-uptake; *Panicum maximum*; 2167
Poaceae
antioxidant enzymes; ionizing radiation; 1979
Pollen
anther; fruit set; global warming; heat tolerance; male reproductive structures; microsporogenesis; temperature-sensitive period; thermotolerance; 1187
elongation; fucosylation; tobacco; 1429
Polyamine metabolism
barley; methyl jasmonate; plant defence; powdery mildew; 747
Polyamines
agmatine; low temperature; *Pringlea antiscorbutica*; root development; 1463
Polysaccharides
drought; mucilage; water relations; *Ziziphus*; 131
Populus
ion transport; leaf expansion; light; 1651
Post-floral morphogenesis
Christmas rose; cytokinin analysis; *Helleborus niger* L.; plant growth regulator; 1949
Post-harvest
CTR-homologues; ethylene; flower senescence; *Rosa hybrida*; 1223
Potamogeton distinctus A. Benn.
alanine; amyloplast; anoxia; elongation; ethanol; fermentation; glycolysis; lactate; turion; 1847
Potassium limitation
ABA; anions; cations; phloem transport; *Ricinus communis* L.; xylem transport; 241
Potato
amino acid synthesis; barley; co-ordination of biosynthesis; leaves; minor amino acids; wheat; 939
CO_2; epidermal cell density; leaf conductance; O_3; open-top chambers; *Solanum tuberosum*; stomatal density; stomatal index; 737
floral development; homeotic gene; MADS-box; 465
Powdery mildew
barley; methyl jasmonate; plant defence; polyamine metabolism; 747
6-4PP photolyase
Arabidopsis thaliana; CPD photolyase; UVB; 1005
Primary shoots
ACC; coleoptiles; ethephon; ethylene; gravicompetence; gravitropism; rye; *Secale cereale*; 1825
Pringlea antiscorbutica
agmatine; low temperature; polyamines; root development; 1463
Probe amplification
cDNA array; cold acclimation; controlled extension; linear PCR; 351
Procera
GA signalling; gibberellins; *Spindly*; 1829
Programmed cell death
chromosome preparation; FISH; *in situ* end labelling; plants; 651
Protease
Alstroemeria; flower; protein; senescence; 233
Protein
Alstroemeria; flower; protease; senescence; 233
Protein biosynthesis
alkalinization; bicarbonate; blue light; green alga; nitrate reductase; nitrite reductase; 1909

Protein bodies
cereals; functional properties; gene expression; genetic engineering; proteins; 947
Protein degradation
chlorophyll catabolism; chloroplast; compartmentation; membrane integrity; vacuole; 927
Protein phosphorylation
cytosolic pH; nitrate reductase; nitric oxide; 14-3-3 proteins; phosphorylation state; sugar signalling; 875
Helianthus annuus; nitrate reductase; nitric oxide; *Spinacia oleracea*; 103
Protein–protein interaction
endosperm; immunohistochemistry; ligand; *Zea mays*; 1559
14-3-3 Proteins
cytosolic pH; nitrate reductase; nitric oxide; protein phosphorylation; phosphorylation state; sugar signalling; 875
Proteins
cereals; functional properties; gene expression; genetic engineering; protein bodies; 947
Proton secretion
auxin; coleoptile segments; growth; membrane potential; 1089
Proton transport
Acetabularia acetabulum; heterologous expression; vacuolar H^+-pyrophosphatase; yeast; 2273
Protons
alternative oxidase; malate; metabolic pathways; stress; 151
Prunus persica
abscission zone; *ERS1*; *ETR1*; 1-methylcyclopropene (1-MCP); quantitative RT-PCR; ripening; 2333
DNA methylation; peach; shoot apical meristem; vegetative phases; zeatin; 1047
PSII assembly
Euglena gracilis; greening; microspectrofluorimetry; 1753
QTL
abiotic stress; barley; dwarf habit; genetic map; stable isotopes; 1163
aroma; *Lycopersicon esculentum*; organoleptic quality; sensory analysis; texture; 2089
chlorophyll fluorescence; cold-tolerance; maize; photosynthesis; pigment composition; 1967
glutamate dehydrogenase; glutamine synthetase; nitrogen metabolism; regulation; transgenic plants; *Triticum aestivum*; wheat; 979
glutamate synthase; nitrogen recycling; overexpression; rice; 917
Quantitative PCR
Arabidopsis thaliana; gene copy number; genotype; 1515
Quantitative RT-PCR
abscission zone; *ERS1*; *ETR1*; 1-methylcyclopropene (1-MCP); ripening; *Prunus persica*; 2333
R/FR ratio
Juglans; leaf irradiance; maximum carboxylation rate; maximum electron transport rate; photosynthetic acclimation; transpiration; walnut; 2207
Ramonda serbica
dehydration; lipids; plasma membrane; resurrection plants; 2159
Rays
Agrobacterium tumefaciens-induced tumours; respiration-dependent tumour energization; trans-tumour electropotential difference; xylem parenchyma; 1143
RCC1
Arabidopsis thaliana; FYVE-domain; phosphoinositides; Pleckstrin Homology (PH) domain; 565
Reactive oxygen species
abscisic acid; antioxidant enzymes; oxidative stress; water stress; *Zea mays*; 2401
Recombinant protein
monocot plant; phosphoinositide-specific phospholipase C; translation initiation; 1521
Red Fluorescent Protein (dsRFP)
Antirrhinum majus L.; Green Fluorescent Protein (GFP); *in vitro* maturation; microspores; transformation; 1119
Redox reaction
expressed sequence tag; green fluorescent protein; molybdenum cofactor; nitrate reductase; peroxisomal targeting signal; 1833
Redox regulation
oxidative stress; signal transduction; transcription; 1227
Regeneration
callus metabolism; carbohydrates; *Hevea brasiliensis*; somatic embryogenesis; 1453
Regulation of VSP expression
abscisic acid; *Brassica napus* L.; immunolocalization; methyl jasmonate; nitrogen mobilization; senescence; VSP accumulation; 265
Regulation
antibody; ethylene receptor; fruit development; melon; 415
Arabidopsis; CstF complex; mRNA cleavage and polyadenylation; 2277
Arabidopsis; fruit dehiscence; 2031
biosynthesis; carotenoid; fruit ripening; tomato; 2107
cytokinin oxidase; orchid; 1899
glutamate dehydrogenase; glutamine synthetase; nitrogen metabolism; QTL; transgenic plants; *Triticum aestivum*; wheat; 979
mutant; multigene family; nitrate transporter; 825
Relative growth rate
nitrate uptake; nitrate reductase; nitrogen; nitrogen assimilation; 1635
Relative water content
cavitation; earlywood; embolism; hydraulic conductivity; latewood; 2369
Respiration
GFP; giant mitochondria; *Nicotiana*; oxygen; 1215
Respiration-dependent tumour energization
Agrobacterium tumefaciens-induced tumours; rays; trans-tumour electropotential difference; xylem parenchyma; 1143
Resurrection plants
dehydration; lipids; plasma membrane; *Ramonda serbica*; 2159
Rhizobium
flavonoids; *nod* gene; *Pisum*; symbiosis; 1735
Ribonuclease protection assay
Arabidopsis thaliana; functional complementation; isopropylmalate synthase (EC 4.1.3.12); leucine biosynthesis; 2453
Rice
copper; Fe(II) transporter; iron; *IRT1*; 1677
ethylene; gibberellin; growth; sodium/bile acid transporter family (Sbf); 1991
glutamate synthase; nitrogen recycling; overexpression; QTL; 917
grain filling; leaf senescence; photosynthesis; Rubisco; 2217
Ricinus communis L.
ABA; anions; cations; phloem transport; potassium limitation; xylem transport; 241
Ripening
abscission zone; *ERS1*; *ETR1*; 1-methylcyclopropene (1-MCP); quantitative RT-PCR; *Prunus persica*; 2333
achenes; development; gene expression; microarray; strawberry; 2073
Arabidopsis thaliana; auxin; dehiscence; ethylene; *Fragaria ananassa*; *Solanum lycopersicon*; strawberry; tomato; transcription; 1995
Ripening mutants
apple; *Arabidopsis*; cell walls; *Colourless non-ripening*; tomato; 2065
Root apoplast
nitric oxide generation in plant roots; nitric oxide in plant defence; nitric oxide signals in plants; 2293
Root development
agmatine; low temperature; polyamines; *Pringlea antiscorbutica*; 1463
Root gravitropism
Arabidopsis; heavy ions; microbeam; signalling; 683
Root growth
abscisic acid; ethylene; shoot growth; water stress; 33
diurnal course; kinematics; oscillation; temperature; *Zea mays*; 689
infrared thermography; *Oryza sativa*; photosynthesis; stable isotopes; water-use efficiency; 989
Root hairs
anchorage; lateral roots; root system architecture; uprooting; 333
Root pressure
chilling injury; cortical cells; *Cucumis sativus* roots; transmission electron microscopy; 2225
Root signals
abscisic acid; drought; *flacca*; *sitiens*; 1503
Root system architecture
anchorage; lateral roots; root hairs; uprooting; 333
Root:shoot ratio
C/N balance; elevated pCO_2; functional equilibrium; long-distance transport; N-uptake; nitrate reduction; 2351
Roots
abscisic acid; shoots; stress signal; xylem; 27
Root–shoot communication
abscisic acid; drought; nitrate; pH; xylem sap composition; 251
Root-to-shoot communication
abscisic acid; anaerobiosis; environmental stress; ethylene; flooding; long-distance signalling; plant hormones; xylem sap; 175
ROS
ABA; *Arabidopsis*; cell development; CO_2; ethylene; jasmonates; leaf development; mutants; plant hormones; signalling; stomata; 183
antioxidants; ascorbate–glutathione cycle; nitric oxide; peroxisomes; 1255
defence systems; detoxification; SOD; superoxide dismutase; 1331
Rosa hybrida
CTR-homologues; ethylene; flower senescence; post-harvest; 1223
RT-PCR
aphid; barley; phloem; stylectomy; transporter; 631
Rubisco
Amaranthus; *Chenopodium*; CO_2 response; C_3 and C_4 photosynthesis; temperature response; 609
C_4 photosynthesis; CO_2 capture; CO_2 concentration; photorespiration; 581
grain filling; leaf senescence; photosynthesis; rice; 2217
Rubisco specificity
leaf anatomy; light acclimation; mesophyll conductance; photosynthetic capacity; walnut; 2423
Rumex
ethylene; phytohormones; stress responses; submergence; 391
Rutin
buckwheat; *Fagopyrum esculentum*; UV radiation; 1801
Rye
ACC; coleoptiles; ethephon; ethylene; gravicompetence; gravitropism; primary shoots; *Secale cereale*; 1825
Ryegrass
elevated carbon dioxide; mycorrhiza; 1207
S-adenosylmethionine decarboxylase
blue-light receptor; *Pharbitis nil*; phytochrome; signal transduction; 1525
Salicornia bigelovii
euhalophyte; salt tolerance; vacuolar H^+-pyrophosphatase; vacuolar Na^+/H^+ exchange; 1055
Salinity
desiccation; moss; V-ATPase; 225
Salt tolerance
euhalophyte; *Salicornia bigelovii;* vacuolar H^+-pyrophosphatase; vacuolar Na^+/H^+ exchange; 1055
Sap flow
banana; corm; *Musa*; water deficit; whole-plant water use; 1771
Sapwood
fibre optic oxygen probe; oxygen concentration; transpiration; 559
SDS-PAGE
peach tree; shoot; VSP; 2431
Secale cereale
ACC; coleoptiles; ethephon; ethylene; gravicompetence; gravitropism; primary shoots; rye; 1825
Secale cereale L.
coleoptiles; ethylene; gravitropic setpoint angle;1627
Secretion
P450 gene; trichome-specific-promoter; 1891

Seed
aquaporin; conifer; *in situ* hybridization; tonoplast intrinsic protein (TIP); 639
Seed development
energy charge; hypoxia; optical oxygen sensors; photosynthesis; 1099
Seed dispersal
dehiscence; diversity; fruit type; morphology; phylogeny; Solanaceae; tobacco; tomato; 2001
Seed dormancy
abscisic acid; ABI3; yellow-cedar; 1219
Seed germination
coat-imposed dormancy; embryo; abscisic acid metabolism; yellow-cedar; 89
Self-incompatibility factor
Brassica campestris; nucleoside diphosphate kinase; SRK; 765
Semi-arid
bundle sheath leakiness; carbon isotope discrimination; CO_2 supply; grasses; nitrogen; water; 2261
Senescence
abscisic acid; *Brassica napus* L.; immunolocalization; methyl jasmonate; nitrogen mobilization; regulation of VSP expression; VSP accumulation; 265
Alstroemeria; flower; protease; protein; 233
drought; soybean; stay green; stress tolerance; 1421
Sensory analysis
aroma; *Lycopersicon esculentum*; organoleptic quality; QTL; texture; 2089
Serratia proteamaculans
inducible activator; plant growth-promoting rhizobacteria; soybean; 1495
Shoot
peach tree; SDS-PAGE; VSP; 2431
Shoot apex
cell division; cell expansion; growth; leaf development; phosphorus; 473
Shoot apical meristem
DNA methylation; peach; *Prunus persica*; vegetative phases; zeatin; 1047
Shoot growth
abscisic acid; ethylene; root growth; water stress; 33
Shoots
abscisic acid; roots; stress signal; xylem; 27
Signal perception
osmosensor; tissue dehydration; water deficit; *Zea mays*; 2201
Signal transduction
blue-light receptor; *Pharbitis nil*; phytochrome; *S*-adenosylmethionine decarboxylase; 1525
genetic engineering; phosphoenolpyruvate carboxylase; 1837
oxidative stress; redox regulation; transcription; 1227
Signalling
ABA; *Arabidopsis*; cell development; CO_2; ethylene; jasmonates; leaf development; mutants; plant hormones; ROS; stomata; 183
abscisic acid; ABA; ethylene; *Lycopersicon esculentum*; mutants; soil compaction; tomato; 45
Arabidopsis; heavy ions; microbeam; root gravitropism; 683
Signalling molecule
abiotic and biotic stress; hydrogen peroxide; nitric oxide; 1237
Silene vulgaris
buthionine sulphoximine; heavy metal tolerance; *Holcus lanatus*; hyperaccumulator; metallophyte; phytochelatins; *Thlaspi caerulescens*; 2381
Single cell analysis
array hybridization; differential display; gene expression profiling; 2315
Singlet oxygen
ascorbate peroxidase; chlorophyll fluorescence; hydrogen peroxide; superoxide; 1249
Sink priority
assimilate production; homeostasis; partitioning; sugarcane; 123
dry matter distribution; model; sink size; sink strength; 1919
Sink size
dry matter distribution; model; sink priority; sink strength; 1919
Sink strength
dry matter distribution; model; sink priority; sink size; 1919
sitiens
abscisic acid; drought; *flacca*; root signals; 1503
Small heat shock proteins
embryo development; HSP17; somatic embryogenesis; tissue specificity; 1445
SOD
alfalfa; biomass; persistence; stress tolerance; 1343
defence systems; detoxification; ROS; superoxide dismutase; 1331
Sodium/bile acid transporter family (Sbf)
ethylene; gibberellin; growth; rice; 1991
Soil compaction
abscisic acid; ABA; ethylene; *Lycopersicon esculentum*; mutants; signalling; tomato; 45
Soil drought
cavitation fatigue; embolism; xylem sap; 1155
Solanaceae
dehiscence; diversity; fruit type; morphology; phylogeny; seed dispersal; tobacco; tomato; 2001
Solanum lycopersicon
Arabidopsis thaliana; auxin; dehiscence; ethylene; *Fragaria ananassa*; ripening; strawberry; tomato; transcription; 1995
Solanum lycopersicum
extensin-like; flower-specific gene expression; gibberellin; 51
Solanum tuberosum
ACC oxidase; ethylene; *Fusarium eumartii*; indole-3-acetic acid; stress response; wounding; 2455
CO_2; epidermal cell density; leaf conductance; O_3; open-top chambers; potato; stomatal density; stomatal index; 737
Solanum tuberosum L.
gene transcription; nitrate content; nitrate reductase; transgenic plants; 1037
Solar radiation
Camellia sinensis (L.) O. Kuntze; chlorophyll *a* fluorescence; nitrogen; photoinhibition; photosynthesis; tea; 313
Soluble sugars
abscisic acid; critical water content; dehydrin; desiccation tolerance; drying rate; *Spathoglottis plicata*; water stress; 551
Somaclonal variation
defensin; *Elaeis guineensis*; flower abnormality; 1387
Somatic embryogenesis
Arabidopsis thaliana; embryo-specific gene expression; zygotic embryos; 1575
callus metabolism; carbohydrates; *Hevea brasiliensis*; regeneration; 1453
embryo development; HSP17; small heat shock proteins; tissue specificity; 1445
Sowing date
alfalfa; spring growth; N fertilization; VSP; water; 111
Soybean
corn; lipo-chito-oligosaccharide; Nod factor; nodulation; 1929
drought; senescence; stay green; stress tolerance; 1421
gene expression; nitrogenase activity; sucrose metabolism; 423
Glycine max; mineral nitrogen uptake; $\delta^{15}N$; nitrogen fixation; 1109
inducible activator; plant growth-promoting rhizobacteria; *Serratia proteamaculans*; 1495
Soybean vegetative storage proteins
chloroplasts; gene expression; improved nutritional quality; total lysine content; transgenic tobacco plants; 1867
Spathoglottis plicata
abscisic acid; critical water content; dehydrin; desiccation tolerance; drying rate; soluble sugars; water stress; 551
Species-specific polymorphism
alien introgression; cDNA; chlorophyll catabolism; *Festuca*; *Lolium*; UDP-glucose pyrophosphorylase; 801
Spectral irradiance
citrate decarboxylation; *Clusia minor*; C_3-photosynthesis/CAM switch; UV-A/blue light receptor; 1475
Spikelet growth
maize; harvestable yield; drought stress; 13
Spinacia oleracea
Helianthus annuus; nitrate reductase; nitric oxide; protein phosphorylation; 103
Spindly
GA signalling; gibberellins; *Procera*; 1829
Spring growth
alfalfa; sowing date; N fertilization; VSP; water; 111
Squash
adventitious root suppression; cucumber; *Cucumis sativus*; *Cucurbita*; cytokinin; xylem sap; zeatin riboside; 2193
SRK
Brassica campestris; nucleoside diphosphate kinase; self-incompatibility factor; 765
Stable isotopes
abiotic stress; barley; dwarf habit; QTL; genetic map; 1163
infrared thermography; *Oryza sativa*; photosynthesis; root growth; water-use efficiency; 989
Starch mobilization
glucose translocator; maltose translocator; stroma space; 1581
Starch-storing cells
benzyladenine; BY-2 cells; 2,4-D; differentiation; tobacco; 2451
Stay green
drought; senescence; soybean; stress tolerance; 1421
Stem lodging
caffeic acid 3-*O*-methyltransferase; *Triticum aestivum* L.; 2281
Stiffening
cell wall; fruit growth; *Lycopersicon esculentum*; peroxidase; tomato; 2393
Stomata
ABA; *Arabidopsis*; cell development; CO_2; ethylene; jasmonates; leaf development; mutants; plant hormones; ROS; signalling; 183
acclimation; carbon dioxide; *Vicia faba*; 545
apoplastic pH; pH regulation; stress; *Vicia faba*; 73
drought; drought avoidance; guard cells; NADP-malic enzyme; transgenic plants; 699
floral scents; fluid mechanics; fungicides; hormones; pheromones; plant cuticle; uptake; volatiles; 1815
Stomatal conductance
abscisic acid; drought; *Nicotiana plumbaginifolia*; xylem sap; 287
energy balance; infrared thermography; infrared thermometry; leaf temperature; thermal imaging; *Vitis vinifera*; 2249
Stomatal density
CO_2; epidermal cell density; leaf conductance; O_3; open-top chambers; potato; *Solanum tuberosum*; stomatal index; 737
Stomatal index
CO_2; epidermal cell density; leaf conductance; O_3; open-top chambers; potato; *Solanum tuberosum*; stomatal density; 737
Stomatal regulation
ABA; drought response; humidity response; hydraulic conductance; leaf water potential; xylem cavitation; 195
Storage
bud abortion; MRI; T_1; T_2; tulip bulb; water status; 1603
Strawberry
achenes; development; gene expression; microarray; ripening; 2073
Arabidopsis thaliana; auxin; dehiscence; ethylene; *Fragaria ananassa*; ripening; *Solanum lycopersicon*; tomato; transcription; 1995
CDPK; cold treatment; fruit; 2283
cinnamyl alcohol dehydrogenase; fruit growth; fruit ripening; 1723
Stress
alternative oxidase; malate; metabolic pathways; protons; 151
apoplastic pH; pH regulation; stomata; *Vicia faba*; 73
barley; embryo; dormancy; ABA; 147
Cuscuta; *Medicago*; parasitism; pathogenesis-related proteins; 1831
Stress response
ACC oxidase; ethylene; *Fusarium eumartii*; indole-3-acetic acid; *Solanum tuberosum*; wounding; 2455
Stress responses
ethylene; phytohormones; *Rumex*; submergence; 391

Stress signal
abscisic acid; roots; shoots; xylem; 27
Stress tolerance
alfalfa; biomass; persistence; SOD; 1343
drought; senescence; soybean; stay green; 1421
Stroma space
glucose translocator; maltose translocator; starch mobilization; 1581
Stylectomy
aphid; barley; phloem; RT-PCR; transporter; 631
Submergence
ethylene; phytohormones; *Rumex*; stress responses; 391
Submergence stress
deepwater rice; ethylene; MJ0577; *Oryza sativa* L.; universal stress protein; 2325
Sucrose metabolism
gene expression; nitrogenase activity; soybean; 423
Sucrose signalling
developmental expression; *dfr*; grape; light signalling; 1397
Sucrose supplementation
C_3 weeds; C_4 weeds; light levels; plant development; 1935
Sucrose synthase
Citrus unshiu Marc.; gene expression; phylogenetic relationships; sugar accumulation; 61
Sugar
alternative oxidase; citrate; organic acid; *Poa annua*; 1081
Sugar accumulation
Citrus unshiu Marc.; gene expression; phylogenetic relationships; sucrose synthase; 61
flavour volatiles; *Fragaria ananassa*; harvest date; light integral; 2121
Sugar beet
differential gene expression; suppression subtractive hybridization; taproot; 1533
Sugar signalling
cytosolic pH; nitrate reductase; nitric oxide; protein phosphorylation; 14-3-3 proteins; phosphorylation state; 875
Sugarcane
assimilate production; homeostasis; partitioning; sink priority; 123
Sulphite oxidase
abscisic acid biosynthesis; aldehyde oxidase; molybdenum cofactor; nitrate reductase; xanthine dehydrogenase; 1689
Sulphur deficiency
auxin; cytokinins; iron deficiency; lateral roots; nitrate transport; phosphorus deficiency; 39
Sulphur metabolism
cyanoalanine synthase; cysteine synthase; *O*-acetylserine(thiol)lyase; 439
Sunflower
glycine 699; lever arm hypothesis; phylogenetic analysis; unconventional myosin; 769
Superoxide
ascorbate peroxidase; chlorophyll fluorescence; hydrogen peroxide; singlet oxygen; 1249
Superoxide dismutase
defence systems; detoxification; ROS; SOD; 1331
Suppression subtractive hybridization
differential gene expression; sugar beet; taproot; 1533
Surface pH
Al accumulation; Al toxicity; callose formation; *Cucurbita pepo*; H^+ efflux; H^+ influx; plasma membrane; 1959
Symbiosis
flavonoids; *nod* gene; *Pisum*; *Rhizobium*; 1735
Systemic effect
arbuscular mycorrhizas; bioprotection; *Lycopersicon esculentum*; *Phytophthora*; 525
T_1
bud abortion; MRI; storage; T_2; tulip bulb; water status; 1603
T_2
bud abortion; MRI; storage; T_1; tulip bulb; water status; 1603
T7 RNA polymerase
chloroplast; NEP; PEP; plastid transcripts; 2341
Taproot
differential gene expression; sugar beet; suppression subtractive hybridization; 1533
Tea
Camellia sinensis (L.) O. Kuntze; chlorophyll *a* fluorescence; nitrogen; photoinhibition; photosynthesis; solar radiation; 313
Telomerase
apoptosis; cadmium; DNA domain fragmentation; tobacco BY-2 cells; 2151
Temperature
anoxia; barley; carbohydrate; leaves; phloem loading; 1671
Arabidopsis; circadian clock; light; MYB transcription factors; 1551
circadian clock; environmental input; photoreceptors; 1535
diurnal course; kinematics; oscillation; root growth; *Zea mays*; 689
Temperature response
Amaranthus; *Chenopodium*; CO_2 response; C_3 and C_4 photosynthesis; Rubisco; 609
Temperature-sensitive period
anther; fruit set; global warming; heat tolerance; male reproductive structures; microsporogenesis; pollen; thermotolerance; 1187
Testa
cell properties; pectin; pectic polysaccharides; *Pisum sativum* L.; 707
Tetracycline analogues
tobacco; Top10 promoter activity; tissue culture; 1871
Texture
aroma; *Lycopersicon esculentum*; organoleptic quality; QTL; sensory analysis; 2089
Thaumatin-like
β-D-xylosidase; cDNA; pathogenesis-related; 429
Thermal imaging
energy balance; infrared thermography; infrared thermometry; leaf temperature; stomatal conductance; *Vitis vinifera*; 2249
Thermal time
blade elongation duration; blade elongation rate; leaf initiation; monocotyledon leaf development; 715
Thermotolerance
anther; fruit set; global warming; heat tolerance; male reproductive structures; microsporogenesis; pollen; temperature-sensitive period; 1187
Thlaspi caerulescens
buthionine sulphoximine; heavy metal tolerance; *Holcus lanatus*; hyperaccumulator; metallophyte; phytochelatins; *Silene vulgaris*; 2381
Cd; hyperaccumulation; uptake; Zn; 535
Tissue culture
tetracycline analogues; tobacco; Top10 promoter activity; 1871
Tissue dehydration
osmosensor; signal perception; water deficit; *Zea mays*; 2201
Tissue specificity
embryo development; HSP17; small heat shock proteins; somatic embryogenesis; 1445
Tissular localization
Brassica napus; methyl jasmonate; monocarpic senescence; nitrate uptake; nitrogen remobilization; vegetative storage protein; 1131
Tobacco
benzyladenine; BY-2 cells; 2,4-D; differentiation; starch-storing cells; 2451
ammonium; nitrate; organogenesis; 1437
dehiscence; diversity; fruit type; morphology; phylogeny; seed dispersal; Solanaceae; tomato; 2001
elongation; fucosylation; pollen; 1429
tetracycline analogues; Top10 promoter activity; tissue culture; 1871
Tobacco BY-2 cells
apoptosis; cadmium; DNA domain fragmentation; telomerase; 2151
Tomato
abscisic acid; ABA; ethylene; *Lycopersicon esculentum*; mutants; signalling; soil compaction; 45
apple; *Arabidopsis*; cell walls; *Colourless non-ripening*; ripening mutants; 2065
Arabidopsis thaliana; auxin; dehiscence; ethylene; *Fragaria ananassa*; ripening; *Solanum lycopersicon*; strawberry; transcription; 1995
biosynthesis; carotenoid; fruit ripening; regulation; 2107
carotenoid; climacteric; ethylene receptor; ethylene signal transduction; lipoxygenase; MAPKinase; 2039
cell wall; fruit growth; *Lycopersicon esculentum*; peroxidase; stiffening; 2393
chalcone isomerase; chalcone synthase; flavonol synthase; flavonols; transcription factors; 2099
dehiscence; diversity; fruit type; morphology; phylogeny; seed dispersal; Solanaceae; tobacco; 2001
fruit growth; localization; *Lycopersicon esculentum*; peroxidase; 2185
Tomato mosaic virus
movement protein; multiprotein bridging factor 1; transcriptional coactivator; 1531
Tomato seed
endosperm; germination; hydrogen peroxide; peroxidase; 1643
Tonoplast intrinsic protein (TIP)
aquaporin; conifer; *in situ* hybridization; seed; 639
Tonoplast
ABC transporter; barley; iron; vacuole; 727
Top10 promoter activity
tetracycline analogues; tobacco; tissue culture; 1871
Total lysine content
chloroplasts; gene expression; improved nutritional quality; soybean vegetative storage proteins; transgenic tobacco plants; 1867
Tracheids
bordered pit; flow; models; 1485
Tradescantia
gravitropic set-point angle; gravitropism; DCMU; *lazy-2* tomato; norflurazon; photosynthesis; 377
Transcription
Arabidopsis thaliana; auxin; dehiscence; ethylene; *Fragaria ananassa*; ripening; *Solanum lycopersicon*; strawberry; tomato; 1995
Arabidopsis; fruit ripening; *Never-ripe*; phytohormone; 2057
Craterostigma wilmsii; drying rate; homoiochlorophyllous; metabolic inhibitors; modified desiccation tolerance; translation; 1805
oxidative stress; redox regulation; signal transduction; 1227
Transcription factors
chalcone isomerase; chalcone synthase; flavonol synthase; flavonols; tomato; 2099
Transcriptional coactivator
movement protein; multiprotein bridging factor 1; tomato mosaic virus; 1531
Transformation
Antirrhinum majus L.; Green Fluorescent Protein (GFP); *in vitro* maturation; microspores; Red Fluorescent Protein (dsRFP); 1119
Transgenic C_3 plants
biotechnology; crop yield; 591
Transgenic plants
drought; drought avoidance; guard cells; NADP-malic enzyme; stomata; 699
gene transcription; nitrate content; nitrate reductase; *Solanum tuberosum* L.; 1037
glutamate dehydrogenase; glutamine synthetase; nitrogen metabolism; QTL; regulation; *Triticum aestivum*; wheat; 979
Transgenic tobacco plants
chloroplasts; gene expression; improved nutritional quality; soybean vegetative storage proteins; total lysine content; 1867
Transgenic trees
gymnosperms; nitrogen assimilation; nitrogen recycling; woody angiosperms; 891
Translation
Craterostigma wilmsii; drying rate; homoiochlorophyllous; metabolic inhibitors; modified desiccation tolerance; transcription; 1805
Translation initiation
monocot plant; phosphoinositide-specific phospholipase C; recombinant protein; 1521
Translocation
ammonium; apoplast; uptake; xylem; 883
Transmission electron microscopy
chilling injury; cortical cells; *Cucumis sativus* roots; root pressure; 2225
Transpiration
fibre optic oxygen probe; oxygen concentration; sapwood; 559

Juglans; leaf irradiance; maximum carboxylation rate; maximum electron transport rate; photosynthetic acclimation; R/FR ratio; walnut; 2207
Transport
ABC protein; berberine; *Coptis japonica*; MDR; 1879
Transporter
aphid; barley; phloem; RT-PCR; stylectomy; 631
chloroplasts; γ-glutamylcysteine synthetase; glutathione; maize; plant–pathogen interaction; *Triticum aestivum*; wheat; *Zea mays*; 1283
Trans-tumour electropotential difference
Agrobacterium tumefaciens-induced tumours; rays; respiration-dependent tumour energization; xylem parenchyma; 1143
Triacontanol
Arabidopsis thaliana; cerium; cytokinins; early bolting; lanthanum; 505
Trichome-specific-promoter
P450 gene; secretion; 1891
Trifolium repens L.
defoliation; morphological traits; ^{15}N; N reserves; 1941
Triticum aestivum
chloroplasts; γ-glutamylcysteine synthetase; glutathione; maize; plant–pathogen interaction; transporter; wheat; *Zea mays*; 1283
glutamate dehydrogenase; glutamine synthetase; nitrogen metabolism; QTL; regulation; transgenic plants; wheat; 979
Triticum aestivum L.
caffeic acid 3-*O*-methyltransferase; stem lodging; 2281
Tritrophic interactions
Cotesia rubecula; jasmonic acid; *Pieris rapae*; plant volatiles; 1793
Tuberization
apical dominance; axillary bud; cytokinins; *ipt* gene; 621
Tubulin
actin; green fluorescent protein; mitochondrion; *Nicotiana tabacum* L.; 659
Tulip bulb; bud abortion; MRI; storage; T_1; T_2; water status; 1603
Turgor
gradients; leaf elongation; osmotic adjustment; osmotic potential; *Zea mays* L.; 489
Turion
alanine; amyloplast; anoxia; elongation; ethanol; fermentation; glycolysis; lactate; *Potamogeton distinctus* A. Benn.; 1847
Typha latifolia
adenine nucleotides; ammonium; cattail; H^+ extrusion; Michaelis-Menten; nitrate; pH; Typhaceae; uptake kinetics; 2441
Typhaceae
adenine nucleotides; ammonium; cattail; H^+ extrusion; Michaelis-Menten; nitrate; pH; *Typha latifolia*; uptake kinetics; 2441
UDP-glucose pyrophosphorylase
alien introgression; cDNA; chlorophyll catabolism; *Festuca*; *Lolium*; species-specific polymorphism; 801
Ultraviolet radiation
canopy formation; photosynthesis; *Ulva rotundata*; 2411
Ulva rotundata
canopy formation; photosynthesis; ultraviolet radiation; 2411
Unconventional myosin
glycine 699; lever arm hypothesis; phylogenetic analysis; sunflower; 769
Uniconazole
Brassica napus; embryo development; gibberellins; microspore-derived embryos (MDEs); 1747
Universal stress protein
deepwater rice; ethylene; MJ0577; *Oryza sativa* L.; submergence stress; 2325
Uprooting
anchorage; lateral roots; root hairs; root system architecture; 333
Uptake
ammonium; apoplast; translocation; xylem; 883
Cd; hyperaccumulation; *Thlaspi caerulescens*; Zn; 535
floral scents; fluid mechanics; fungicides; hormones; pheromones; plant cuticle; stomata; volatiles; 1815
Uptake kinetics
adenine nucleotides; ammonium; cattail; H^+ extrusion; Michaelis-Menten; nitrate; pH; *Typha latifolia*; Typhaceae; 2441
UV radiation
buckwheat; *Fagopyrum esculentum*; rutin; 1801
UV stress
Botrytis cinerea; hypersensitive response; *Vitis vinifera*; 2279
UV-A/blue light receptor
citrate decarboxylation; *Clusia minor*; C_3-photosynthesis/CAM switch; spectral irradiance; 1475
UVB
Arabidopsis thaliana; CPD photolyase; 6-4PP photolyase; 1005
Vacuolar compartmentation
detoxification; heat shock proteins; heavy metal tolerance; metallothioneins; mycorrhiza; phytochelatins; plasma membrane; 1
Vacuolar H^+-pyrophosphatase
Acetabularia acetabulum; heterologous expression; proton transport; yeast; 2273
euhalophyte; *Salicornia bigelovii*; salt tolerance; vacuolar Na^+/H^+ exchange; 1055
Vacuolar Na^+/H^+ exchange
euhalophyte; *Salicornia bigelovii*; salt tolerance; vacuolar H^+-pyrophosphatase; 1055
Vacuole
ABC transporter; barley; iron; tonoplast; 727
chlorophyll catabolism; chloroplast; compartmentation; membrane integrity; protein degradation; 927
Vacuum pump method
angiosperms; evaporative flux method; high-pressure method; hydraulic conductance; leaves; 2177
van't Hoff equation
Münch pressure–flow hypothesis; Navier–Stokes equation; phloem transport; 1411
V-ATPase
desiccation; moss; salinity; 225
Vegetative bud
in situ hybridization; *KN1*-like genes; *Malus domestica* [L.] Borkh.; morphogenesis; 2143
Vegetative phases
DNA methylation; peach; *Prunus persica*; shoot apical meristem; zeatin; 1047
Vegetative storage protein
Brassica napus; methyl jasmonate; monocarpic senescence; nitrate uptake; nitrogen remobilization; tissular localization; 1131
Vicia faba
acclimation; carbon dioxide; stomata; 545
apoplastic pH; pH regulation; stomata; stress; 73
Vitis vinifera
Botrytis cinerea; hypersensitive response; UV stress; 2279
energy balance; infrared thermography; infrared thermometry; leaf temperature; thermal imaging; stomatal conductance; 2249
Vitis vinifera L.
$\delta^{13}C$; genetic variability; water stress; 757
Volatiles
floral scents; fluid mechanics; fungicides; hormones; pheromones; plant cuticle; stomata; uptake; 1815
VSP
alfalfa; spring growth; sowing date; N fertilization; water; 111
peach tree; SDS-PAGE; shoot; 2431
VSP accumulation
abscisic acid; *Brassica napus* L.; immunolocalization; methyl jasmonate; nitrogen mobilization; regulation of VSP expression; senescence; 265
Walnut
heartwood; peroxidase; 303
Juglans; leaf irradiance; maximum carboxylation rate; maximum electron transport rate; photosynthetic acclimation; R/FR ratio; transpiration; 2207
leaf anatomy; light acclimation; mesophyll conductance; photosynthetic capacity; Rubisco specificity; 2423
Water
alfalfa; spring growth; sowing date; N fertilization; VSP; 111
bundle sheath leakiness; carbon isotope discrimination; CO_2 supply; grasses; nitrogen; semi-arid; 2261
Water deficit
banana; corm; *Musa*; sap flow; whole-plant water use; 1771
elevated CO_2; fluorescence; metabolism; photosynthesis; 1781
osmosensor; signal perception; tissue dehydration; *Zea mays*; 2201
Water potential
desiccation tolerance; drought resistance; hydraulic conductance; *Licania platypus*; 2239
Water relations
drought; mucilage; polysaccharides; *Ziziphus*; 131
Water status
barley; evaporative demand; leaf expansion; nitrogen; 1765
bud abortion; MRI; storage; T_1; T_2; tulip bulb; 1603
Water stress
abscisic acid; antioxidant enzymes; oxidative stress; reactive oxygen species; *Zea mays*; 2401
abscisic acid; critical water content; dehydrin; desiccation tolerance; drying rate; soluble sugars; *Spathoglottis plicata*; 551
abscisic acid; ethylene; root growth; shoot growth; 33
$\delta^{13}C$; genetic variability; *Vitis vinifera* L.; 757
Water-use efficiency
infrared thermography; *Oryza sativa*; photosynthesis; root growth; stable isotopes; 989
Wheat
ABA sensitivity of embryo; germination inhibitor; grain colour; grain dormancy; 1569
amino acid synthesis; barley; co-ordination of biosynthesis; leaves; minor amino acids; potato; 939
chloroplasts; γ-glutamylcysteine synthetase; glutathione; maize; plant–pathogen interaction; transporter; *Triticum aestivum*; *Zea mays*; 1283
glutamate dehydrogenase; glutamine synthetase; nitrogen metabolism; QTL; regulation; transgenic plants; *Triticum aestivum*; 979
Whole-plant water use
banana; corm; *Musa*; sap flow; water deficit; 1771
Woody angiosperms
gymnosperms; nitrogen assimilation; nitrogen recycling; transgenic trees; 891
Wound responses
calcium deficiency; *Lycopersicon esculentum*; 83
Wounding
ACC oxidase; ethylene; *Fusarium eumartii*; indole-3-acetic acid; *Solanum tuberosum*; stress response; 2455
Xanthine dehydrogenase
abscisic acid biosynthesis; aldehyde oxidase; molybdenum cofactor; nitrate reductase; sulphite oxidase; 1689
XET
cell wall; germination; *Lycopersicon esculentum*; xyloglucan endotransglycosylase; 215
cell walls; flower senescence; galactose; molecular weight; 513
Xylem
abscisic acid; roots; shoots; stress signal; 27
ammonium; apoplast; translocation; uptake; 883
Xylem cavitation
ABA; drought response; humidity response; hydraulic conductance; leaf water potential; stomatal regulation; 195
Xylem parenchyma
Agrobacterium tumefaciens-induced tumours; rays; respiration-dependent tumour energization; trans-tumour electropotential difference; 1143
Xylem sap composition
abscisic acid; drought; nitrate; pH; root–shoot communication; 251
Xylem sap
ABA and ABA glucose ester; *Phaseolus coccineus* L.; *Zea mays* L.; 297
abscisic acid; anaerobiosis; environmental stress; ethylene; flooding; long-distance signalling; plant hormones; root-to-shoot communication; 175
abscisic acid; drought; *Nicotiana plumbaginifolia*; stomatal conductance; 287
adventitious root suppression; cucumber; *Cucumis sativus*; *Cucurbita*; cytokinin; squash; zeatin riboside; 2193
cavitation fatigue; embolism; soil drought; 1155

Xylem transport
ABA; anions; cations; phloem transport; potassium limitation; *Ricinus communis* L.; 241
Xyloglucan
Beta vulgaris L.; callose; guard cell wall; pectin; 1067
Xyloglucan endotransglycosylase
cell wall; germination; *Lycopersicon esculentum*; XET; 215
β-D-Xylosidase
cDNA; pathogenesis-related; thaumatin-like; 429
Yeast
Acetabularia acetabulum; heterologous expression; proton transport; vacuolar H^+-pyrophosphatase; 2273
Yeast two-hybrid
Arabidopsis HSF; electrophoretic mobility shift; HSP70; 371
Yellow-cedar
abscisic acid; ABI3; seed dormancy; 1219
coat-imposed dormancy; embryo; abscisic acid metabolism; seed germination; 89
Yield
carbon assimilation; development; growth; metabolic systems; nitrogen assimilation; 773
Zea mays
abscisic acid; antioxidant enzymes; oxidative stress; reactive oxygen species; water stress; 2401
Arabidopsis thaliana; communication; cytokinin; His–Asp phosphorelay; nitrate assimilation; nitrogen availability; 971
chloroplasts; γ-glutamylcysteine synthetase; glutathione; maize; plant–pathogen interaction; transporter; *Triticum aestivum*; wheat; 1283
diurnal course; kinematics; oscillation; root growth; temperature; 689
endosperm; immunohistochemistry; ligand; protein–protein interaction; 1559
osmosensor; signal perception; tissue dehydration; water deficit; 2201
Zea mays L.
ABA and ABA glucose ester; *Phaseolus coccineus* L.; xylem sap; 297
gradients; leaf elongation; osmotic adjustment; osmotic potential; turgor; 489
Zeatin riboside
adventitious root suppression; cucumber; *Cucumis sativus*; *Cucurbita*; cytokinin; squash; xylem sap; 2193
Zeatin
DNA methylation; peach; *Prunus persica*; shoot apical meristem; vegetative phases; 1047
Ziziphus
drought; mucilage; polysaccharides; water relations; 131
Zn
Cd; hyperaccumulation; *Thlaspi caerulescens*; uptake; 535
Zygotic embryos
Arabidopsis thaliana; embryo-specific gene expression; somatic embryogenesis; 1575